PRODUCT CATALOG EDITION 24

WHAT ALL GUNS SHOULD BE™

OWN SOMETHING LEGENDARY.





HANDGUN SELECTION GUIDE

MICRO & MICRO 9

MICRO™ and MICRO 9™ pistols include many proven 1911 design elements that make them comfortable to carry, safe to operate, and easy to shoot accurately. With a starting weight of 13.4 ounces in the Micro, 15.6 ounces in the Micro 9, and barrel length of 2.75 inches in the Micro and 3.15 inches in the Micro 9, they are well-suited for concealed carry. With a mild .380 ACP recoil in the Micro and a manageable 9mm recoil in the Micro 9, both are ideal subcompact carry guns.

- ► Short barrels and thin profiles ensure concealability
- Lightweight and easy to carry
- ► Smaller grip dimensions provide a good fit for all hand sizes



K6s & K6xs

K6s™ models have a 6-round capacity, compact frame and cylinder, and a 2- to 4-inch barrel. Edges are rounded and blended so it is less likely to snag on clothing. For those that require power in a slim package, the revolver models fit the bill as they all have a 6-round cylinder housed in a small or extra small frame. This makes them well suited for backup or concealed carry.

- Compact, 6-round capacity cylinder
- ► Ergonomic grip design for easily controlled recoil
- Available .38 SPL/.357 Mag. or .38 SPL +P



ULTRA

ULTRA™ models are easy to conceal and comfortable to carry due to the guns' 3-inch bull barrels and short grips. Most frames are made from aluminum to reduce weight. While light pistols do have a slight increase in recoil, this is minimized by Kimber's recoil system and unequaled 1911 ergonomics. Ultra pistols are the smallest and lightest 1911 pistols offered today, but Kimber quality helps ensure this does not compromise dependability or accuracy.

- ▶ 3-Inch barrel length for easy concealment
- ► Short grip for concealability and comfortable carry
- Most Ultra models weigh 25 ounces



PRO

PRO™ models may be the best all-around 1911 configuration, combining a 4-inch barrel with a full-length grip. An ideal choice for concealed carry, personal defense or general use. Some have lightweight aluminum frames, while others have heavier steel frames. Two models include the Kimber Tactical Rail[™] for mounting lights and accessories. All Pro models have a near-perfect balance that makes shooting the pistols easy, accurate and fun.

- ▶ 4-Inch barrel length to optimize balance and concealability
- ► Full-length grip fits shooters with larger hands
- Frame options permit a model selection that meets multiple needs

Available in 2 calibers



SUGGESTED USE ICONS

Below and on the following pages you wil find a suggested use based on the size and features of each gun. This icon does not ne essarily mean a certain firearm is not suitah for other uses. Visit our website or call our customer service staff for questions



TARGET Topped with adjustable sights. these 1911s are well-suited for competition or a day at the range



LE The features on these fire arms make them an excellent choice for duty carry

HOME DEFENSE

The features and size of

these firearms are well-

suited for in-home defense



HUNT These models are well-

MULTIPLE USE

These firearms are suitable

for use in a variety of spaces,

in and outside of the home.

suited for backcountry camp

protection and handgun hunting

KDS9c

KDS9c models have a 4.09-inch barrel in a single-action, all-metal platform. Chambered in 9mm and shipping with two 15-round magazines, the KDS9c pistols were built from the ground up as a personal protection masterpiece. The KDS9c has a reversible magazine release for left or right-handed shooters and a crisp 3.5-4.5lb trigger pull comes standard.

- ▶ 15 + 1 round capacity. 10-round magazines also available.
- ► All-metal construction weighing only 25.3 ounces
- Available in 9mm



R7 MAKO

R7 MAKO™ models have a 3.37 inch barrel built into a modular polymer striker-fired system. Shipping with both an 11-round and 13-round magazine, the R7 Mako pistols are an excellent combination of the time-tested steel and polymer construction in an ultra-reliable, striker-fired platform. At just 19.5 ounces, the R7 Mako has fully ambidextrous controls and full wrap-around stippled texturing.

- ► Ships with 11- and 13-round magazines
- ► Weighing only 19.5 ounces without the magazine
- ► Available in 9mm



CUSTOM

CUSTOM™ models are full-size 1911 pistols featuring a 5-inch barrel and full-length grip. The most popular configuration, Custom models are favored by law enforcement professionals and competition shooters. Slightly heavier and with a greater distance between sights, the pistols are easier to shoot accurately and have reduced recoil. The slim profile and outstanding 1911 ergonomics make them well suited for duty, personal defense and general use.

- Full-length grip fits shooters with larger hands
- ► 5-Inch barrel length for improved velocity and accuracy
- ► Wide selection of models for any application
- Available in 4 calibers



LS

LS models are full-size 1911 pistols featuring a 6-inch barrel and full-length grip. An ideal configuration for competition or as a hunting sidearm, the Long Slide 1911s are a popular platform at the range and in the field because of the pistols' inherent accuracy and recoil-reducing weight.

- ► 6-Inch barrel length for optimal velocity and accuracy
- Various models feature custom-level features such as porting, optics, adjustable sights, and a round-heel frame
- ► Available in 2 calibers



Each of these pistols overlays the image of a custom-size 1911 for comparison.

KDS9C MODELS



of the highest level of firearms manufacturing. The KDS9c was built from the ground up as a personal protection masterpiece. The barrel is fully fluted, crowned, and ramped. Our proprietary bore sizing process delivers match-grade accuracy with every shot. Our engineers specified 7075 aerospace-grade aluminum to develop the frame featuring a fully integrated cross-hatch

the grip to deliver superior grip ergonomics. The magazine release is reversible for left and right-handed shooters. A crisp 3.5-4.5lb trigger pull comes standard, as well as two 15-round magazines, which anchor the KDS9c as the premier personal protection platform that enhances your ability to defend yourself no matter the situation.











OPTICS-READY SLIDE

4" FLUTED BULL BARREL

REVERSIBLE MAG CATCH



15+1 ROUND CAPACITY




CROSSHATCH G-10 GRIPS



SUPERIOR GRIP ERGONOMICS

KE_{XS} MODEL



and barrel slot cut further to lighten the K6xs™ for the

perfect carry weight. It is the lightest K6s ever and offers

something others in its category don't: a six-round capacity.

The K6xs™ wears a silver KimPro II finish on the frame and a glass-bead finish on the 2-inch, stainless-steel barrel. The Hogue rubber Cobblestone grips with finger grooves make it comfortable to shoot.



OPTIMIZED FOR EVERYDAY CARRY







2" BARREL W/ 5R RIFLING



HIGH-CONTRAST FRONT SIGHT



EXTRA SMALL, LIGHT-WEIGHT ALUMINUM FRAME



HOGUE® COBBLESTONE RUBBER GRIP W/ LOGO



SMOOTH, NON-STACKING **DA ONLY TRIGGER**

RAPIDE MODELS













RAPIDE G-10 GRIPS



THREADED FOR SUPPRESSION



SLIDE LIGHTENING CUTS




1913 PICATINNY RAIL



ALUMINUM V-CUT TRIGGER



AEGIS ELITE MODELS




during reloads. The Aegis Elite features fiber-optic sights every shooter's hands.












CDP MODELS



night sights mounted on a stainless-steel, flat-top slide. The barrel. CDP pistols have no equal for carry and defense—just

what you expect from Kimber.

lightweight aluminum frame has 30 LPI checkering on the front

strap and under the trigger guard. The frame, slide, and small














ROSEWOOD GRIPS




CARRY MELT™ TREATMENT

COVERT (LG) MODELS




of lightweight, meaningful features. Covert pistols feature a gray color palette, flush-cut barrel, and a round-heel frame on the Ultra models, as well as both the Crimson Trace Laser grips® and Tactical Wedge tritium night sights—two sight systems that create a sight picture regardless of light conditions. The 30 LPI front strap checkering ensures a positive grip even with cold, wet, or gloved hands. The Carry

Melt™ treatment contours, rounds, and blends edges so it won't snag. A bumped and grooved beavertail grip safety provides control under stress, while the mainspring housing with a lanyard slot on the Custom and Pro models adds an extra safeguard if needed. Kimber's Covert quality ensures unequaled accuracy and dependability—there is no reason to be afraid of the dark.















CRIMSON TRACE LASERGRIPS®



CARRY MELT™ TREATMENT


ECLIPSE












3-DOT TRITIUM SIGHTS

G-10 GRIPS

30 LPI FRONT CHECKERING



KHX **FULL-SIZE MODELS**



Custom models carry a unique integral magwell/Magrip™

Holosun 507C-GR-X2® installed.

CALIBER | BARREL | WEIGHT | CAPACITY 3000359 | 669278303598 | 9мм \$1,527.00














HOLOSUN 507C-GR-X2®



1913 PICATINNEY ACCESSORY RAIL


KHX **COMPACT MODELS**



hexagonal serrations on the slide and top strap, Stiplex™ front strap surfacing, fiber-optic ledged sights, and Hogue's unique G-mascus® G-10 grips and mainspring housings..

KHX 1911s are loaded with features that set it apart, like Pro and Ultra models have a round-heel frame for comfort and reduced printing during carry. KHX 1911s were designed for target-shooting applications but can also serve as an everyday carry option.














HOGUE MAGRIP G-10 LASER GRIP



OPTICS-READY PLATE

RAPIDE MODELS



serrations, slide-lightening cuts for faster slide-lockup time, DLC-coated, TiN, or a Rose Copper barrel for extreme durability, flush-fitting extended magwell, new V-Cut™ match-

with the standard attributes found across the Kimber 1911 Custom platform.











RAPTOR II **MODELS**



aggressive slide and frame serrations, feathered logo grips, and special-scaled texturing accents. While this patented design is unique, the features, dependability, and accuracy are pure Kimber. Tritium night sights, ambidextrous thumb safety, and a bumped-and-grooved grip safety are all

a choice of calibers (.45 ACP, 9mm, or 10mm), and all Ultra models feature a round-heel frame and flush-cut barrel. The quality of the Kimber 1911 rivals America's finest gunsmiths; hold a Raptor and see for yourself.









\$1,670.00





STAINLESS II **MODELS**



of this family set the standard against which all other 1911 brands and models are measured. The pistol's legendary brings the 6-inch barrel length and Series I configuration to performance has made Kimber the world's largest producer of 1911 pistols. The Stainless™ II is built entirely from stainless steel, while the Pro and Ultra models have carry, accuracy, and concealability.

The Stainless Target (LS), an ideal competition pistol, this benchmark family. Combine these foundations with the slim nature of the 1911, and you have the cornerstone in













TLE II **FULL-SIZE MODELS**



well suited for duty carry, tactical applications, and personal protection. This group of 1911s features an integrated mainspring lanyard slot, aggressive G-10 grips, and a flat-top slide. Created for and in cooperation with law enforcement and military experts, TLE II models are professional tools TLE II, you carry with absolute confidence.

meet the defensive-pistol needs of civilians. Available with barrels threaded for suppression, and a variety of rail and caliber options, the TLE II family offers a configuration that meets almost any requirement. When you carry a Kimber













TLE II **COMPACT MODELS**



well suited for duty carry, tactical applications, and personal protection. This group of 1911s features an integrated mainspring lanyard slot, aggressive G-10 grips, and a flat-top slide. Created for and in cooperation with law enforcement and military experts, TLE II models are professional tools TLE II, you carry with absolute confidence.

outfitted with performance-enhancing features that also meet the defensive-pistol needs of civilians. Available with barrels threaded for suppression, and a variety of rail and caliber options, the TLE II family offers a configuration that meets almost any requirement. When you carry a Kimber












G-10 GRIPS 30 LPI FRONT CHECKERING



















ROSEWOOD GRIPS



CLASSIC TWO-TONE FINISH














THREADED FOR SUPPRESSION

G-10 TACTICAL GRIPS

24 LPI FRONT CHECKERING



SPECIAL EDITION

MODELS




and features that stand out in a crowd. Making a statement above and beyond the ordinary, Kimber Special Editions offer striking aesthetics and custom features. The gemstone collection features polished PVD-finished slides and small parts. Slides are accented by intricate cut-scroll engraving and topped with tritium night sights. Coordinating grips are

The ultimate backcountry protection, RMEF® Camp Guard 10™, finds itself in good company with the Hero Customthe result of a sponsorship with the Boot Campaign. With Kimber, performance and reliability are not compromised when unique finishing details are desired.












CUSTOM SHOP


MODELS



collection is superlative in every respect, from features to accuracy to dependability. The pistols are the finest representatives in the pistols' respective classes. The Super Jägare[™] carries the premier red dot optic from Leupold®, the DeltaPoint Pro. The hunter has a wider field of view with a generous window and a 2 MOA dot. To tame the recoil of the

are ported. At home in any competition, the Super Match II carries an accuracy guarantee of 5 shots, 25 yards, 1-inch group, or less. The Super Match II is the apex example of a single-stack competition model, featuring an extended magwell to aid reloads and beautiful walnut grips. They are indeed the finest examples of their kind.











DELTAPOINT® PRO OPTIC

G-10 GRIPS W/ CHECKERED INLAY

6" PORTED BARREL & SLIDE








WALNUT GRIPS




30 LPI FRONT CHECKERING

LIGHTWEIGHT

MODELS












WEIGHT-REDUCING ALUMINUM FRAME




RED FIBER OPTIC FRONT SIGHT



MATCH GRADE STAINLESS BARREL



R7/MAKO** MODELS




Kydex holster, and a Kimber branded range bag.


a mere 1 inch wide. 15-round KDC Bundles include three

















K6s MODELS



production revolver on the market, regardless of size.

framed, smallest 6-shot cylinder revolvers on the market









6-SHOT CYLINDER




INTERCHANGABLE SIGHTS



NON-STACKING TRIGGER

K6s DASA MODELS



mechanism. The platform maintains the benefits of the

K6s DASA 4" (TARGET) | TEM# | UPC# | CALIBER | BARREL | WEIGHT | CAPACITY | 3700621 | 669278376219 | .357 MAG | 4 MCHES | 29 dunces | 6 \$1,232.00

















stable, yet still carry the quality expected from all Kimbers.

Collectively, the Micro line creates the most refined, ultra-
























3-DOT TRITIUM SIGHTS


CRIMSON TRACE LASERGRIPS®

30 LPI FRONT CHECKERING



SPECIAL EDITION

MODELS


















ENGRAVED SCROLL ACCENTS



MIRROR-POLISHED FINISH



The Micro 9[™] group of pistols put legendary Kimber dependability into a small 1911-like platform. 9mm power and simple operation make these pistols an ideal choice for many shooters. A wide variety of models are available, providing features that meet virtually any need. The Micro 9 line was expanded to offer shooters what they've been asking


for most: a mini compensator (MC) to mitigate both muzzle rise and felt recoil. The Micro 9 has taken design inspiration from the 1911 RAPIDE series of pistols to round out the line extensions. Collectively, these pistols are among the finest ultra-compact 9mm hammer-fired pistols anyone can carry.
















dependability into a small 1911-like platform. 9mm power and simple operation make these pistols an ideal choice for many shooters. A wide variety of models are available, providing features that meet virtually any need. The Micro 9 line was expanded to offer shooters what they've been asking

rise and felt recoil. The Micro 9 has taken design inspiration from the 1911 RAPIDE series of pistols to round out the line extensions. Collectively, these pistols are among the finest ultra-compact 9mm hammer-fired pistols anyone can carry.

















extensions. Collectively, these pistols are among the finest

ultra-compact 9mm hammer-fired pistols anyone can carry.


for many shooters. A wide variety of models are available,

providing features that meet virtually any need. The Micro 9

line was expanded to offer shooters what they've been asking


















dependability into a small 1911-like platform. 9mm power and simple operation make these pistols an ideal choice for many shooters. A wide variety of models are available, providing features that meet virtually any need. The Micro 9 line was expanded to offer shooters what they've been asking

rise and felt recoil. The Micro 9 has taken design inspiration from the 1911 RAPIDE series of pistols to round out the line extensions. Collectively, these pistols are among the finest ultra-compact 9mm hammer-fired pistols anyone can carry.













SPECIAL EDITION

MODELS



















MODELS



(Boot Campaign) in Kryptek Obskura NOX with muzzle brake; this rifle family offers the ideal combinations for any game.

*ALL KIMBER SPORTER RIFLES COME WITH A SUB-MOA ACCURACY GUARANTEE.







MODELS




logo engraved on the barrel, and a portion of the proceeds go Desolve® Blak with a satin-silver barrel and receiver with directly to this charity that works to help veterans across the muzzle brake, and a Desolve® Blak stock; the Hunter Pro United States. Chambered in a wide selection of cartridges, (Boot Campaign) in Kryptek Obskura NOX with muzzle brake; this rifle family offers the ideal combinations for any game.

*ALL KIMBER SPORTER RIFLES COME WITH A SUB-MOA ACCURACY GUARANTEE.









DETACHABLE 3-RND MAGAZINE

REINFORCED POLYMER STOCK

WEATHER RESISTANT, STAINLESS STEEL ACTION



FULL-LENGTH MAUSER CLAW EXTRACTOR



7/16 X 28 THREADED BARREL WITH MUZZLE BREAK



22"-24" BARREL LENGTHS KIMPRO® II GRAY FINISH


MOUNTAIN **MODELS**




Hard-core hunters understand that a true mountain rifle must be light and accurate. Montana™and Mountain Ascent™ models are the lightest production big-game rifles ever offered, delivering legendary Kimber accuracy yet still weighing as little as 4 pounds, 13 ounces. Hand-laid, composite stocks add strength, and stainless steel shrugs the elements. All Kimber

Mountain rifles offer a threaded barrel for the optional use of muzzle brakes and suppressors. Montana rifles combine all the best features in a lightweight, stainless steel, and reinforced composite package that helps ensure performance. Mountain Ascent models go even further, featuring a spiralfluted bolt body and hollow bolt knob.

*ALL KIMBER SPORTER RIFLES COME WITH A SUB-MOA ACCURACY GUARANTEE.







PEPPERBLASTER II

MODELS





MSRP STARTING AT:

\$37.99



MSRP STARTING AT:

\$37.99



Dimensions (inches)	PBII L: 4.7, W: 1.0, H: 3.3
Weight (charged)	4.2 ounces (120 grams)
Effective range	2-13 feet
Operation	Double action with automatic switchover
Content	Liquid irritant, 2 charges per unit
Irritant agent	10% OC (oleoresin capsicum); 2.4% capsaicinoids
Charge volume	0.21 fluid ounces (6 ml/charge)
Charge velocity	112 MPH/164 FPS
Operating temperature	-4 °F (-20 °C) to 176 °F (+80 °C)
Drop safety	Drop tested to 5 feet (1.5 meters)
Water resistant	Yes
Shelf life	4 years

Caution: Strong irritant. Keep out of reach of children. May be unlawful to own or possess in some states or jurisdictions. Use for any purpose other than lawful self defense may be punishable by imprisonment, fines or both.

PepperBlaster® protected by U.S. Pat. 6,951,070B2.

FASTER

13^{FT}@ 112^{MPH}





SPECIFICATIONS

1911 PISTO																ME						DE										GRIP
ECIFICATIO		Footnotes 5	AA Compliant	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty magazine	Magazine capacity	Recoil spring (pounds)	Guide rod	Material	Finish	Ambidextrous thumb safety	Bumped & grooved grip safety	Front strap checkering (LPI)	Extended magazine well	High cut under trigger guard		1913 Picatinny rail	Material Finish	Front serrations	Flat top	Length (inches)	Material	Bushing	Twist rate (left hand)	Ramped	Туре	Tritium night sights	Radius (inches)	Material
Aegis Elite Ultra	15	_	Σ.	.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL		_	24	_	_		_	SS KP		_	3	SS	_	16		FS		4.8	GT
Aegis Elite Ultra	15			9mm	4.75	6.8	1.28	25	8	16	FG	AL	SIL			24					SS KP			3	SS		16		FS		4.8	GT
Aegis Elite Pro	15			.45 ACP	5.25	7.7	1.28	35	7	22	FG	SS	SIL			24					SS KP			4	SS		16		FS		5.7	GT
Aegis Elite Pro	15			9mm	5.25	7.7	1.28	28	9	14	FG	SS	SIL			24					SS KP			4	SS		16		FS		5.7	GT
Aegis Elite Pro (OI)	15			.45 ACP	5.25	7.7	1.28	35	7	22	FG	SS	SIL			24					SS KP			4	SS		16		OI/V			GT
Aegis Elite Pro (OI)	15			9mm	5.25	7.7	1.28	28	9	14	FG	SS	SIL			24					SS KP			4	SS		16	٠	OI/V			GT
Aegis Elite Custom (OI)	15			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL			24			٠		SS KP	٠		5	SS	٠	16		OI/V			GT
Aegis Elite Custom (OI)	15			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL			24					SS KP	•		5	SS	٠	16	٠	OI/V			GT
Aegis Elite Custom	15			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL			24			•		SS KP	•		5	SS	٠	16		FS		6.8	GT
Aegis Elite Custom Ultra CDP™	15			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL			24			•		SS KP	•		5	SS	·	16	·	FS		6.8	GT
Ultra CDP™	17	1,9		.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	CG, KP			30					SS SIL, KF			3	SS		16		FLP FLP		4.8	RW
Pro CDP™	17 17	1,9		9mm .45 ACP	4.75 5.25	6.8 7.7	1.28	25 28	7	16 22	FG FG	AL	CG, KP			30					SS SIL, KF			4	SS		16 16		FLP		4.8 5.7	RW
Pro CDP™	17	1,9		.45 ACP	5.25	7.7	1.28	28	9	14	FG	AL	CG, KP	÷		30					SS SIL, KF			4	SS		16		FLP		5.7	RW
Custom CDP™	17	1,9		.45 ACP	5.25	8.7	1.28	31	7	16	FG	AL	CG, KP			30					SS SIL, KF			5	SS		16		FLP		6.8	RW
Ultra Covert™ (LG)	_	1,2,3		.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	CG, KP			30				_	SS CG, KF			3	SS		16		TW		4.8	UC, L
Pro Covert™ (LG)	19			.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	CG, KP			30					SS CG, KF			4	SS		16		TW		5.7	UC, L
Custom Covert™ (LG)	19			.45 ACP	5.25	8.7	1.28	31	7	16	SL	AL	CG, KP		٠	30					SS CG, KF			5	SS		16		TW	٠	6.8	UC, L
Eclipse Custom™	21			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	CG			30					SS CG, BF			5	SS		16		FLP	٠	6.8	GT
Eclipse Custom™	21			9mm	5.25	8.7	1.28	38	9	12	FG	SS	CG			30				_	SS CG, BF			5	SS	٠	16	٠	FLP	٠	6.8	GT
KHX Ultra	25			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	KP			SP			•		SS KP			3	SS		16		FS		4.8	LEG
KHX Ultra KHX Pro	25			9mm	4.75	6.8	1.28	25	8	16	FG	AL	KP			SP			•		SS KP		٠	3	SS		16	٠	FS		4.8	LEG
KHX Pro	25 25			.45 ACP 9mm	5.25	7.7	1.28	35 28	7	22 14	FG	SS	KP KP			SP SP					SS KP			4	SS		16		FS FS		5.7	LEG
KHX Pro (OR)	25			9mm	5.25 5.25	7.7	1.28	28	9	14	FG FG	SS	KP			SP					SS KP		i i	4	SS		16 16	i	OR		5.7	GTM
KHX Custom	23			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP			SP					SS KP			5	SS		16		FS		6.8	LEG
KHX Custom	23			9mm	5.25	8.7	1.28	38	9	12	FG	SS	KP			SP					SS KP			5	SS		16		FS		6.8	LEG
KHX Custom (OI)	23			.45 ACP	5.25	8.7	1.28	39	8	16	FG	SS	KP			SP					SS KP			5	SS		16		OI/T			GTM
KHX Custom (OI)	23			9mm	5.25	8.7	1.28	39	9	12	FG	SS	KP			SP					SS KP			5	SS		16		OI/T			GTM
KHX Custom (OI)	23			10mm	5.25	8.7	1.28	40	8	18.5	FG	SS	KP			SP					SS KP			5	SS		16		OI/T			GTM
KHX Custom (OR)	23			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP			SP	٠				SS KP	٠	٠	5	SS	٠	16		OR		6.8	GTM
KHX Custom (OR)	23			9mm	5.25	8.7	1.28	38	9	12	FG	SS	KP			SP	٠				SS KP			5	SS	٠	16	٠	OR		6.8	GTM
KHX Custom/RL (OI)	23			.45 ACP	5.25	8.7	1.28	39	8	16	FG	SS	KP			SP	•				SS KP	•		5	SS	•	16		OI/T			GTM
KHX Custom/RL (OI) KHX Custom/RL (OI)	23			9mm	5.25	8.7 8.7	1.28	39 40	9	12	FG	SS	KP KP			SP SP	•				SS KP		·	5	SS	÷	16 16		OI/T OI/T			GTM GTM
RAPIDE	27	8		.45 ACP	5.25	8.7	1.28	38	8	18.5	FG SL	SS	KP			SP					SS KP	Ť	Ť	5	SS		16	·	TFX		6.8	GT
RAPIDE	27	8		10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (DAWN)	27	8		.45 ACP	5.25	8.7	1.28	38	8	16	SL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (DAWN)	27	8		10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (DAWN)	27	9		9mm	5.25	8.7	1.28	40	9	12	SL	SS	KP	٠		SP	٠				SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (DUSK)	27	8		.45 ACP	5.25	8.7	1.28	38	8	16	SL	SS	KP	٠	٠	SP	•	•			SS KP	•		5	SS		16		TFX	•	6.8	GT
RAPIDE (DUSK)	27	8		10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	KP	٠	٠	SP	•	٠			SS KP	•		5	SS	٠	16	٠	TFX		6.8	GT
RAPIDE (DUSK)	27	9		9mm	5.25	8.7	1.28	40	9	12	SL	SS	KP	٠	٠	SP	•	•			SS KP	•		5	SS	•	16	•	TFX	•	6.8	GT
RAPIDE (FROST) RAPIDE (FROST)	27	8		.45 ACP	5.25	8.7	1.28	38	8	16 18.5	SL	SS	KP KP	•	•	SP	•				SS KP	•		5	SS	•	16		TFX	•	6.8	GT
RAPIDE (FROST)	27	9			5.25	8.7	1.28	40	9	18.5	- OL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (SCORPIUS)	27	8		9mm .45 ACP	5.25	8.7	1.28	38	8	16	SL SL	SS	KP	·	·	SP					SS KP	·		5	SS	i	16	Ė	TFX	i.	6.8	GT
RAPIDE (SCORPIUS)	27	8		10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (SCORPIUS)	27	9		9mm	5.25	8.7	1.28	40	9	12	SL	SS	KP			SP					SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (HEAT) (OR) (TFS)	11	8		.45 ACP	5.25	9.19	1.28	38	8	16	SL	SS	KP	٠	٠	SP					SS KP			5	SS		16		TFX	٠	6.8	GT
RAPIDE (HEAT) (OR) (TFS)	11	9		9mm	5.25	9.19	1.28	40	9	12	SL	SS	KP		٠	SP	•				SS KP			5	SS		16		TFX		6.8	GT
RAPIDE (ICE) (OR) (TFS)	11	8		.45 ACP	5.25	9.19	1.28	38	8	16	SL	SS	KP	٠	٠	SP	•	٠			SS KP			5.5	SS		16		TFX	٠	6.8	GT
RAPIDE (ICE) (OR) (TFS)	11	8		9mm	5.25	9.19	1.28	40	9	12	SL	SS	KP	٠	٠	SP	٠	٠			SS KP	•		5.5	SS	٠	16	٠	TFX	٠	6.8	GT
Ultra Raptor™ II Pro Raptor™ II	29			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	MB	•	٠	SR					ST MB		BC	3	SS		16	٠	TW	٠	4.8	ZW
Raptor™ II	29 29			.45 ACP	5.25 5.25	7.7 8.7	1.28	35 38	8	22 16	FG FG	ST	MB MB, BP			SR SR					ST MB, BF	SR	BC BC	5	SS		16 16		TW		5.7 6.8	ZW
Stainless Ultra Raptor™ II	29			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL		·	SR					SS SIL	214	BC	3	SS	Ė	16		TW	·	4.8	ZW
Stainless Ultra Raptor™ II	29			9mm	4.75	6.8	1.28	25	8	14	FG	AL	SIL	÷		SR					SS SIL		BC	3	SS		16	i	TW		4.8	ZW
Stainless Pro Raptor™ II	29			.45 ACP	5.25	7.7	1.28	35	8	22	FG	SS	SIL			SR					SS SIL		BC	4	SS		16		TW		5.7	ZW
Stainless Pro Raptor™ II	29			9mm	5.25	7.7	1.28	35	8	14	FG	SS	SIL			SR					SS SIL		BC	4	SS		16		TW		5.7	ZW
Stainless Raptor™ II	29			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL, BP			SR					SS SIL, BF	SR	BC	5	SS		16		TW		6.8	ZW
Stainless Raptor™ II	29			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL, BP	٠	٠	SR					SS SIL, BF	SR	BC	5	SS		16	٠	TW	٠	6.8	ZW
Stainless Ultra Carry™ II	31			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL								SS SIL			3	SS		16		FLP, FO		4.8	RW
Stainless Ultra Carry™ II	31			9mm	4.75	6.8	1.28	25	8	16	FG	AL	SIL								SS SIL			3	SS		16	٠	FLP, FO		4.8	RW
Stainless Pro Carry™ II	31			.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	SIL								SS SIL			4	SS		16		FLP, FO		5.7	RW
Stainless Pro Carry™ II Stainless™ II	31			9mm	5.25	7.7	1.28	28	9	14	FG	AL	SIL								SS SIL			4	SS		16	٠	FLP		5.7	RW
Stainless II	31			.45 ACP 9mm	5.25 5.25	8.7 8.7	1.28	38	7	16 12	FG FG	SS	SIL								SS SIL			5	SS		16 16		FLP, FO FLP, FO		6.8	RW
Stainless Target™ (LS)	31			.45 ACP	6	9.7	1.28	42	7	16	SL	SS	SIL								SS SIL	Ė		6	SS		16		KA, FO		7.8	RW
Stainless Target™ (LS)	31			10mm	6	9.7	1.28		8																				10,,10			
Statiliess larget (LS)								42		18.5	SL	SS	SIL								SS SIL			6	SS		16		KA, FO		7.8	RW

															FR	AME						SLII	Œ			В	ARRE	L		,	SIGHTS		GRIPS	1
III PISTOL CIFICATION	Lage Page	Footnotes	MA Compliant	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty magazine	Magazine capacity	Recoil spring (pounds)	Guide rod	Material	Finish	Ambidextrous thumb safety	Bumped & grooved grip safety	Front strap checkering (LPI)	Extended magazine well	High cut under trigger guard	Round-heel frame	1913 Picatinny rail	Material	Finish	Front serrations	Flat top	Length (inches)	Material	Bushing	Twist rate (left hand)	Ramped	Туре	Tritium night sight profile	Radius (inches)	Material	
Ultra TLE™ II	35			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	MB		_	30	_	_	_		ST	MB	_		3	SS	_	16	_	FLP		4.8	GT	۳
Pro TLE™ II	35			.45 ACP	5.25	7.7	1.28	35	7	22	FG	ST	MB			30					ST	MB			4	SS		16		FLP		5.7	GT	
Custom TLE™ II	33			.45 ACP	5.25	8.7	1.28	38	7	16	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE™ II	33			10mm	5.25	8.7	1.28	38	8	18.5	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II	33			.45 ACP	5.25	8.7	1.28	39	7	16	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II	33			10mm	5.25	8.7	1.28	39	8	18.5	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II (TFS)	33	5		.45 ACP	5.25	9.19	1.28	39	7	16	FG	ST	MB			30					ST	MB			5.5	SS		16		FC, SH		6.8	GT	
Custom TLE/RL™ II (TFS)	33	5		9mm	5.25	9.19	1.28	39	9	12	FG	ST	MB			30					ST	MB			5.5	SS		16		FC. SH		6.8	GT	
Stainless TLE™ II	33			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL			30					SS	SIL			5	SS		16		FLP		6.8	GT	
Stainless TLE/RL™ II	33			.45 ACP	5.25	8.7	1.28	39	7	16	FG	SS	SIL			30					SS	SIL			5	SS		16		FLP		6.8	GT	
Ultra Carry™ II (Two-Tone)	37			.45 ACP	4.75	6.8	1.28	25	7	18	FG	Al	SIL									MB, BP			3	SS		16		FLP.WD		4.8	RW	ī
Ultra Carry™ II (Two-Tone)	37			9mm	4.75	6.8	1.28	25	7	16	FG	AL	SIL								ST	MB, BP			3	SS		16		FLP,WD		4.8	RW	
Pro Carry™ II (Two-Tone)	37			.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	SIL									MB, BP			4	SS		16		FLPWD		5.7	RW	
Pro Carry™ II (Two-Tone)	37			9mm	5.25	7.7	1.28	28	9	14	FG	AL	SIL									MB, BP			4	SS		16		FLP,WD		5.7	RW	
Custom II™ (Two-Tone)	37			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL, BP								ST	MB, BP			5	SS		16		FLPWD		6.8	RW	
Custom II™ (Two-Tone)	37			9mm	5.25	8.7	1.28	38	7	12	FG	SS	SIL, BP								ST	MB, BP			5	SS		16		FLP,WD		6.8	RW	
Desert Warrior®	39	2		.45 ACP	5.25	8.7	1.28	40	7	16	SL	ST	DT. KP			24					ST	DT. KP			5	SS		16		TW		6.8	GT	7
Desert Warrior® (TFS)	39	2,4		.45 ACP	5.25	9.19	1.28	40	7	16	SL	ST	DT, KP			24					ST	DT, KP			5.5	SS		16		FC, SH		6.8	GT	
Sapphire Ultra™ II	41			9mm	4.75	6.8	1.15	25	8	16	FG	AL	SIL			BM					SS	BB			3	SS		16		TW		4.8	GT	٦
Sapphire Ultra™ II	41			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	SIL			BM					SS	BB			3	SS		16		TW		4.8	GT	
Amethyst Ultra™ II	41			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	SIL			BM					SS	AP			3	SS		16		TW		4.8	GT	
Amethyst Ultra™ II	41			9mm	4.75	6.8	1.15	25	8	16	FG	AL	SIL			BM					SS	AP			3	SS		16		TW		4.8	GT	
Rose Gold Ultra™ II	41			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	MB, KP			BM					SS	RG			3	SS		16		TW		4.8	GT	
Rose Gold Ultra™ II	41			9mm	4.75	6.8	1.15	25	8	16	FG	AL	MB, KP			BM					SS	RG			3	SS		16		TW		4.8	GT	
Camp Guard 10™	41			10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	SIL			30					SS	MB, KP			5	SS		16		TW		6.8	RW	
Hero Custom	41	7		.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP, DT								SS	KP			5	SS	٠	16		FS		6.8	GT	
Super Jägare™	43	1,6		10mm	5.25	9.7	1.28	42	8	18.5	SL	SS	CG, KP			SC		٠			SS	DLC		SC	6	SS		16		OI/DP			MI	
Super Match™ II	43	5,9		.45 ACP	5.5	8.7	1.28	39	8	16	FG	SS	SIL			30					SS	MB, KP	FL	SE	5	SS		16		KA		6.8	W	
Custom LW, Shadow Ghost	45			.45 ACP	5.25	8.7	1.28	31	7	16	FG	AL	KP								SS	KP			5	SS		16		FLP		6.8	RU	Ī
Custom LW, Nightstar	45			.45 ACP	5.25	8.7	1.28	31	7	16	FG	AL	KP								SS	KP			5	SS		16		FLP		5.7	SCL	
Stainless LW, Arctic	45			.45 ACP	5.25	8.7	1.28	31	7	16	FG	AL	KP								SS	SIL			5	SS		16		FLP		5.7	SCL	

FEATURE KEY

AL	Aluminum	FS	Fiber-optic sights	MI	Micarta	SE	Serrations
AP	Amethyst purple PVD finish	GM	Gunmetal PVD finish	OI/H	Optics installed, Holosun 507C-GR-X2®	SIL	Satin silver
BA	Bel Air Blue™ finish	GT	G-10	OI/T	Optics installed, Trijicon Type 2 RMR®06	SL	Standard or military-length guide rod
BB	Bright blue PVD finish	GTMG	Hogue Magrip™ G-10 Mag Grip	OI/V	Optics installed, Vortex Venom 6 MOA	SP	Stiplex™ pattern
BM	Ball-milled front strap	HF	Highly polished flats	OI/D	Optics installed, Leupold DeltaPoint Pro	SR	Scaled Raptor™ pattern
BP	Brush-polished flats	KP	KimPro® II	P	Polished flats	SS	Stainless steel
CG	Charcoal gray	KA	Kimber adjustable	PA	Premium aluminum	ST	Steel
DLC	Diamond-Like Carbon coating	KA B/D	Kimber adjustable bar/dot	RG	Rose gold PVD finish	TFX	TruGlo TFX Pro day/night
DT	Desert tan	LEG	Hogue® Laser Enhanced G-10 MagGrip™	RU	Rubber	TW	Tactical wedge
FC, SH	Fixed cocking shoulder, suppressor height	LG	Crimson Trace Lasergrips®	RW	Rosewood	UC	Urban camouflage
FG	Full-length guide rod	MB	Matte black	SA	Solid aluminum	W	Walnut
FLP	Fixed low profile, black	MI	Micarta	SC	Super Carry™ pattern	WD	White-dot sights
F0	Fiber-optic front sight	OR	Optics ready	SCL	Smooth/Checkered Laminate	ZW	Zebrawood

FOOTNOTES

- Lanyard slot in mainspring housing.
 All LG models with Crimson Trace grips have a recessed slide stop pin.
- TFS models are threaded for suppression, include a thread protector cap.
 Super Match has serrated rear of slide, flush magwell and flush fit barrel crown.
- Ported barrel.

- American Flag engraving on the slide and Kryptek® Highlander™ grips.
 Ported slide.
- 9. 30 LPI checkering under trigger guard.

	ay azine														SLIDE			BAR	REL		SIG	нтѕ	GRIPS	TI	RIGGER
Page KDS9C SPECIFICATIONS Caliber (Inches) Width (inches) Weight (onces) w/ empty magazine												checkering (LPI)	frame			rations	(sai		(left hand)		Туре				etting (appx. pounds)
Model	Page	Caliber	Height (inch	Length (incl	Width (inch	Weight (our	Magazine capacity	Recoil spring	Guide rod	Material	Finish	Front strap	Round-heel	Material	Finish	Front serrat	Length (inches)	Material	Twist rate (Ramped	Front Sight	Rear Sight	Material	Туре	Factory sett
NEW KDS9C (Black)	07	9mm	5.35	7.75	1.33	25	15	16.9	FG	AL	KP			SS	KP		4.09	SS	1:10	•	F0	KA	GT	PA	3.50-4.50
NEW KDS9C (Stainless)	07	9mm	5.35	7.75	1.33	35	15	16.9	FG	AL	KP			SS	KP		4.09	SS	1:10		FO	KA	GT	PA	3.50-4.50

FEATURE KEY

AL	Aluminum	FS	Fiber-optic sights	KA	Kimber adjustable	PA	Premium aluminum
FG	Full-length guide rod	GT	G-10	KP	KimPro® II	SS	Stainless steel

84 | KIMBER CATALOG KIMBER CATALOG | 85

SPECIFICATIONS

R7 MAK SPECIFICAT

KO ATII	DNS	Page	Footnotes	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/o magazine	Recoil spring (pounds)	Guide rod	Material	Texture	Material	Finish	Length (inches)	Material	Twist rate (left hand)	Ramped	Tritium night sights	Radius (inches)	Optic Installed	Factory setting (appx. pound
	R7 Mako™ (OR)	49	9m	m 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5		5.00-6.75
	R7 Mako™ (OI)	49	9n	nm 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5		5.00-6.75
NEW	R7 Mako™ (OR) Gray	49	9m	m 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5		5.00-6.75
NEW	R7 Mako™ (OI) Gray	49	9n	nm 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5	•	5.00-6.75
NEW	R7 Mako™ (OR) FDE	49	9m	m 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5		5.00-6.75
NEW	R7 Mako™ (OI) FDE	49	9n	m 4.30	6.2	1.0	19.5	16	FG	PM	ST	SS	FNC	3.37	SS	10			5.5	•	5.00-6.75

FEATURE KEY

FG	Full-length guide rod	FNC	Ferritic nitrocarburizing	PM	Polymer	SS	Stainless steel	ST	Stippled

K6s	REVOLVER
SPEC	IFICATIONS

ER INS	Page	Caliber	Available in California*	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty cylinder	Cylinder capacity	Action	Material	Finish	Back strap	Material	Finish	Length (inches)	Material	Finish	Black serrated	Adjustable rear sight	White-dot sights	Tritium night sights	Fiber-optic	Brass bead	Radius (inches)	Material	Single-action factory setting (appx. pounds)	Double-action factory setting (appx. pounds)
K6xs™ Carry	09	.38 SPL +P		4.46	6.52	1.39	15.9	6	DAO	AL	GB	SE	SS	GB	2	SS	GB							3.38	BR		9.5-11.5
K6s™ Stainless™ (3")	53	.357 Mag.		4.46	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS							5.1	W		9.5-11.5
K6s™ Stainless™	53	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	BR		9.5-11.5
K6s™ DCR™	53	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	SIL	SE	SS	SIL	2	SS	SIL							4.1	W		9.5-11.5
K6s™ DASA 4" (Target)	55	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
K6s™ DASA 4" (GFO)	55	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
K6s™ DASA 4" (Combat)	55	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
K6s™ DASA 3"	55	.357 Mag.		4.46	7.62	1.39	25.1	6	DA/SA	SS	BRS	SE	SS	BRS	3	SS	BRS							5.1	W	3-3.5	9.5-11.5
K6s™ DASA 2"	55	.357 Mag.		4.46	6.62	1.39	23	6	DA/SA	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	W	3-3.5	9.5-11.5
K6s™ DASA 2" (Texas Edition)	55	.357 Mag.		4.46	6.62	1.39	23	6	DA/SA	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	BIV	3-3.5	9.5-11.5

FRAME CYLINDER BARREL SIGHTS GRIPS TRIGGER

FEATURE KEY

	_								
AL	Aluminum	BRS	Brushed stainless finish	DLC	Diamond-like carbon finish	LW	Laminated wood	SIL	Satin silver
BIV	Bonded Ivory	DAO	Double action only	GB	Glass bead	МВ	Matte black	SS	Stainless steel
BR	Black rubber	DA/SA	Double action/single action	HP	High polish	SE	Serrated	w	Wood

SPECIFI

IICRO FICATIONS		otes		t (inches)	h (inches)	(inches)	t (ounces) w/ empty mai	rine capacity	spring (pounds)	lai		dextrous thumb safety	strap checkering (LPI)	lai		Length (inches)	rial	rate (left hand)	Pa	dot sights	n night sights	optic sights	TFX Pro day/night sigh	s (inches)	ial		y setting (appx. poun
Model	Page	Footn	Calibe	Height	Length	Width	Weight	Magazin	Recoil	Material	Flnish	Ambic	Front	Material	Finish	Lengt	Mater	Twist	Ramped	White	Tritium	Fiber-	TruGlo	Radiu	Mater	Type	Factory
Micro™ Two-Tone (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL			SS	MB	2.75	SS	16			٠			4.1	RW	SA	7
Micro™ Stainless Rosewood™ (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL			SS	SIL	2.75	SS	16						4.1	RW	SA	7
Micro™ Desert Tan (LG) (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	MB			SS	KP	2.75	SS	16						4.1	DT, LG	SA	7
Micro™ Desert Night (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	KP			SS	KP	2.75	SS	16						4.1	GT	SA	7
Micro™ Raptor™ (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	MB		SR	SS	MB	2.75	SS	16						4.1	ZW	SA	7
Micro™ Raptor Stainless™ (NS)	59	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		SR	SS	SIL	2.75	SS	16						4.1	ZW	SA	7
Micro™ Eclipse (NS)	61	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	KP		30	SS	Р	2.75	SS	16						4.1	GT	SA	7
Micro™ Amethyst™ (NS)	63	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	AP	2.75	SS	16						4.1	GT	SA	7
Micro™ Rose Gold (NS)	63	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	RG	2.75	SS	16						4.1	GT	SA	7
Micro™ Sapphire™ (NS)	63	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	BB	2.75	SS	16						4.1	GT	SA	7
Micro™ Bel Air™ (NS)	63	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	BA			SS	MP	2.75	SS	16						4.1	MI	SA	7

FEATURE KEY

					V				
AL	Aluminum	ВМ	Ball-milled front strap	LG	Crimson Trace Lasergrips®	P	Polished flats	SIL	Satin silver
AP	Amethyst purple PVD finish	DT	Desert tan	MB	Matte black	RG	Rose gold PVD finish	SR	Scaled Raptor™ pattern
BA	Bel Air Blue™ finish	GT	G-10	MI	Micarta	RW	Rosewood	SS	Stainless steel
BB	Bright blue PVD finish	KP	KimPro® II	MP	Mirror polished	SA	Solid aluminum	7W	7ehrawood

MIC SPECIF

CRO 9 FICATIONS		otes	ā	rt (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty magazir	Magazine capacity	Recoil spring (pounds)	rial	_	Ambidextrous thumb safety	Front strap checkering (LPI)	lai	_	Length (inches)	rial	rate (left hand)	pə	-dot sights	Tritium night sights	Fiber-optic sights	ruGlo TFX Pro day/night sights	Radius (inches)	ria I		Factory setting (appx. pounds)
Model	Page	Footnotes	Caliber	Height	Lengt	Width	Weigh	Maga	Recoi	Material	Fluish	Ambi	Front	Material	Finish	Lengt	Material	Twist	Ramped	White-dot	Tritiu	Fiber-	TruGlo	Radiu	Material	Type	Facto
Micro 9™ Two-Tone (LG)	65	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	MB	3.15	SS	16						4.1	RW	SA	7
Micro 9™ Stainless	65	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	SIL	3.15	SS	16						4.1	RW	SA	7
Micro 9™ Stainless (Rosewood LG)	65	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	SIL	3.15	SS	16						4.1	RW, LG	SA	7
Micro 9™ Stainless (DN)	65	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	SIL	3.15	SS	16						4.1	R	SA	7
Micro 9™ Stainless (MC)(TP)	65	1	9mm	4.07	7.09	1.08	19.2	7		AL	KP			SS	SIL	3.45	SS	16						4.1	WG	SA	7
Micro 9™ ESV Two-Tone (MC)(TP)	65	1, 2	9mm	4.07	7.09	1.08	19.2	7		AL	KP			SS	KP	3.45	SS	16						4.1	WG	SA	7
Micro 9™ ESV (Black)	67	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	KP	3.15	SS	16						4.1	GT	SA	7
Micro 9™ ESV (Gray)	67	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	KP	3.15	SS	16						4.1	GT	SA	7
Micro 9™ KHX	67	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GM	SA	7
Micro 9™ Nightfall (DN)	67	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	MB			SS	MB	3.15	SS	16						4.1	WG	SA	7
Micro 9™ Desert Night (DN)	67	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	DT			SS	MB	3.15	SS	16						4.1	WG	SA	7
Micro 9™ Desert Tan (LG)	67	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	MB			SS	KP	3.15	SS	16						4.1	DT, LG	SA	7
Micro 9™ RAPIDE	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ RAPIDE (Black Ice)	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ RAPIDE (Dawn)	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ RAPIDE (Dusk)	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ RAPIDE (Frost)	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ RAPIDE (Scorpius)	69	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
Micro 9™ Raptor Shadow	71	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SR	SS	SIL	3.15	SS	16						4.1	ZW	SA	7
Micro 9™ Stainless Raptor (NS)	71	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SR	SS	SIL	3.15	SS	16						4.1	ZW	SA	7
Micro 9™ Woodland Night (LG)	71	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP			SS	MB	3.15	SS	16						4.1	DG, LG	SA	7
Micro 9™ Eclipse (NS)	71	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	Р	3.15	SS	16						4.1	GT	SA	7
Micro 9™ Black Diamond	71	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	Р	3.15	SS	16						4.1	GT	SA	7
Micro 9™ Triari™	73	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	MI	SA	7
Micro 9™ (Hero Custom)	73	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	DT			SS	MB	3.15	SS	16						4.1	WG	SA	7
Micro 9™ Amethyst (NS)	73	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		BM	SS	AP	3.15	SS	16						4.1	GT	SA	7
Micro 9™ Rose Gold (NS)	73	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		BM	SS	RG	3.15	SS	16						4.1	GT	SA	7
Micro 9™ Sapphire (NS)	73	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		BM	SS	BB	3.15	SS	16						4.1	GT	SA	7
Micro 9™ Bel Air	73	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	BA			SS	MP	3.15	SS	16						4.1	GT	SA	7

FEATURE KEY

AL	Aluminum	CM	Carry Melt™ treatment	KP	KimPro® II	PA	Premium aluminum	SP	Stiplex pattern
AP	Amethyst purple PVD finish	DLC	Diamond-Like carbon coating	LG	Crimson Trace Lasergrips®	R	Rubber grips	SR	Scaled Raptor™ pattern
BA	Bel Air Blue™ finish	DT	Desert tan	MB	Matte black	RG	Rose gold PVD finish	SS	Stainless steel
BB	Bright blue PVD finish	GT	G-10	MI	Micarta	RW	Rosewood	VC	V-cut trigger
ВМ	Ball-milled front strap	GM	Hogue G-Mascus® G-10 Grips & mainspring housing	MP	Mirror polished	SA	Solid aluminum	WG	Hogue Wraparound Grip
BP	Brush-polished flats	HF	Highly polished flats	P	Polished flats	SIL	Satin silver	ZW	Zebrawood

- All magazine capacities are given with the extended magazines. Flush-fit magazine capacity for Micro 9™ are 6 rounds.
- 2. Micro 9 ESV models have a ported slide.

- **FOOTNOTES**
 - Carry Melt treatment.
 Micro 9 RAPIDE (Black Ice) and RAPIDE only accept Extended Magwell Magazines
 - 5. (OI) models ship with the Crimson Trace CT-1500 optic

LIFLE					Stock			Barrel					
FICATIO	NS			(sa		(s	(g)	ches)	କ		s/ounces) 1	(88	
Caliber	Action	Page	Footnotes	Length of pull (inch	Drop at heel (inches	Drop at comb (inche	Barrel length (inche	Muzzle diameter (in	Twist rate (right han	Magazine capacity	Approx. weight (pound	Overall length (inches)	
.308 Win.	84M	77		13.7	0.54	0.43	22	0.56	10	3	5/7	41.25	
6.5 Creedmoor	84M	77		13.7	0.54	0.43	22	0.56	8	3	5/9	41.25	
.308 Win.	84M	79	2	13.7	0.54	0.43	22	0.56	10	4	4/13	41.25	
6.5 Creedmoor	84M	79	2	13.7	0.54	0.43	22	0.56	8	4	4/14	41.25	
.270 Win.	84L	79	2	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75	
.280 Ack. Imp.	84L	79	2	13.8	0.54	0.43	24	0.56	9	4	5/6	43.75	
.30-06 Sprg.	84L	79	2	13.8	0.54	0.43	24	0.56	10	4	5/5	43.75	
.300 Win. Mag.	8400 LM	79	2	13.8	0.54	0.43	26	0.56	10	4	6/7	46.5	
.308 Win.	84M	79	3	13.7	0.54	0.43	22	0.56	10	4	5/2	41.2	
6.5 Creedmoor	84M	79	3	13.7	0.54	0.43	22	0.56	8	4	5/2	41.2	
	308 Win. 6.5 Creedmoor 308 Win. 6.5 Creedmoor 270 Win. 280 Ack. Imp. 30-06 Sprg. 300 Win. Mag.	308 Win. 84M 6.5 Creedmoor 84M 6.5 Creedmoor 84M 6.5 Creedmoor 84M 2.70 Win. 84L 3.00 6 Sprg. 84L 3.00 Win. Mag. 8400 LM 3.08 Win. 84M	1.308 Win. 84M 79 2.20 Win. 84L 79 3.308 Win. 84L 79 3.308 Win. 84L 79 3.300 Win. 84L 79 3.300 Win. 84L 79 3.300 Win. 840 79	Section Sect	### ### ### ### ### ### ### ### ### ##	Table Tabl	Section Sect	Section Sect	Section Sect	Page Page	Second S	Second S	

FOOTNOTES

- 1. Weight can vary as much as 8 ounces due to natural walnut density.
- Montana models have a threaded barrel and ship with a thread protector cap, but do not include a muzzle brake (which is available as an accessory).

			Hunter	Montana™	Mountai Ascent
		Reinforced carbon fiber			
	Material	Polymer composite			
		Coverage	None	None	None
STOCK	Checkering	Stippling			
ST(Front sling swivel studs		•	
		Rear sling swivel studs	•	•	
		Recoil pad thickness (inches)	1	1	1
		Pillar bedding			
	Material	Stainless steel			
ᇜ	Finish	Satin stainless steel		•	
BARREL	FIIIISII	KimPro® II Black			
m i		Fluting			•
		Threaded barrel		•	
	Material	Stainless steel			
	Finish	Satin stainless steel			
	Finish	KimPro® II Black			
ACTION	Туре	Front-locking repeater			
ACT	туре	Mauser claw extractor		•	٠
	Bolt handle	Sporter			
	Doit Hallule	Fluted, hollowed			
		3-position model 70-type wing safety			
FRIGGER		Adjustable	•	•	
TRIG		Factory setting (pull) pounds	3-3.5	3.5-4	3.5-4

86 | KIMBER CATALOG KIMBER CATALOG | 87

^{1.} All magazine capacities are given with the extended magazines. Flush-fit magazine capacity for Micro are 6 rounds.

