

© 2021 KIMBER MFG., INC. WWW.KIMBERAMERICA.COM

upgrades you typically find in custom offerings, you've got to have the right kind of factory. That's why we gave our new Troy, Alabama facility the same level of attention we give our firearms, so you'll know that every Kimber coming off the line — your Kimber — is the best it can possibly be.





KIMBER. WHAT ALL GUNS SHOULD BE.



▷ NEW PRODUCTS

JUST LIKE YOU, at Kimber, we go our own way. When we introduce a new gun, it's because we want to push its limits, and bring Kimber's signature quality, innovation, reliability, and swagger to bear on it. Take our latest offerings for concealed carry and personal defense, target shooting, hunting, and other pursuits. Being better than the rest wasn't good enough. That's why the Kimber you carry is What All Guns Should Be™. Learn more about these and all things Kimber at kimberamerica.com.









K6xs CARRY
See page 47





See page 40

HANDGUN SELECTION GUIDE		 5
1911 PISTOLS		 9
AEGIS ELITE		 1
CDP™		 12
COVERT™		 13
КНХ		 . 14
RAPIDE		 1
RAPTOR™ II		 10
STAINLESS™ II		 17
TLE™ II		 18
TWO-TONE II		 19
WARRIOR®		 . 20
SPECIAL EDITIONS		 . 2
CUSTOM SHOP		 . 22
R7 MAKO PISTOLS		 . 25
EVO SP PISTOLS		 . 29
MICRO PISTOLS		 . 33
MICRO™		 . 3
MICRO 9™		 . 39
K6s REVOLVERS		 . 45
RIFLES		 . 5
RIFLE SELECTION GUIDE		 . 52
HUNTER		 . 53
MOUNTAIN		 . 5
OPEN RANGE		 . 59
TRADITIONAL		 . 63
DANGEROUS GAME		 . 6
VARMINT		 . 6
TACTICAL		 . 69
OPTICS		 . 7
LESS LETHAL		 . 73
ACCESSORIES		 . 74
SPECIFICATIONS		 . 75
1911		 . 7
R7 MAKO™		 . 70
MICRO™		 . 7
EVO SP™		 . 7
K6s™ REVOLVER		 . 78
RIFLE		 . 78

> HANDGUN SELECTION GUIDE

MICRO & MICRO 9

MICRO™ and MICRO 9™ pistols include many proven 1911 design elements that make them comfortable to carry, safe to operate, and easy to shoot accurately. With a starting weight of 13.4 ounces in the Micro, 15.6 ounces in the Micro 9, and barrel length of 2.75 inches in the Micro and 3.15 inches in the Micro 9, they are well-suited for concealed carry. With a mild .380 ACP recoil in the Micro and a manageable 9mm recoil in the Micro 9, both are ideal subcompact carry guns.

- ► Short barrels and thin profiles ensure concealability
- Lightweight and easy to carry
- ► Smaller grip dimensions provide a good fit for all hand sizes



ULTRA

ULTRA™ models are easy to conceal and comfortable to carry due to the guns' 3-inch bull barrels and short grips. Most frames are made from aluminum to reduce weight. While light pistols do have a slight increase in recoil, this is minimized by Kimber's recoil system and unequaled 1911 ergonomics. Ultra pistols are the smallest and lightest 1911 pistols offered today, but Kimber quality helps ensure this does not compromise dependability or accuracy.

- > 3-Inch barrel length for easy concealment
- ► Short grip for concealability and comfortable carry
- ► Most Ultra models weigh 25 ounces
- Available in 2 calibers



K6s

K6s™ models have a 6-round capacity, compact frame and cylinder, and a 2- to 4-inch barrel. Edges are rounded and blended so it is less likely to snag on clothing. For those that require power in a slim package, the revolver models fit the bill as they all have a 6-round cylinder housed in a small or extra small frame. This makes them well suited for backup or concealed carry.

- Compact, 6-round capacity cylinder
- Ergonomic grip design for easily controlled recoil
- Available .38 SPL/.357 Mag. or .38 SPL +P



PRO

PRO™ models may be the best all-around 1911 configuration, combining a 4-inch barrel with a full-length grip. An ideal choice for concealed carry. personal defense or general use. Some have lightweight aluminum frames, while others have heavier steel frames. Two models include the Kimber Tactical Rail[™] for mounting lights and accessories. All Pro models have a near-perfect balance that makes shooting the pistols easy, accurate and fun.

- ▶ 4-Inch barrel length to optimize balance and concealability
- Full-length grip fits shooters with larger hands
- Frame options permit a model selection that meets multiple needs
- Available in 2 calibers



EVO SP

EVO SP™ models have a 3.16-inch barrel in a striker-fired, all-metal platform. Chambered in 9mm and shipping with a 7-round magazine, the EVO SP pistols are an excellent combination of the time-tested construction of an all-metal gun in an ultra-reliable, striker-fired pistol. At 19 ounces, the EVO SP has a user-configurable magazine release, a grip system that is scalable and requires no hardware, and breaks down without a trigger press.

- ► Ships with 7-round magazine
- ► All-metal construction weighing only 19 ounces
- Available in 9mm



R7 MAKO

R7 MAKO™ models have a 3.37 inch barrel built into a modular polymer striker-fired system. Shipping with both an 11-round and 13-round magazine, the R7 Mako pistols are an excellent combination of the time-tested steel and polymer construction in an ultra-reliable, striker-fired platform. At just 19.5 ounces, the R7 Mako has fully ambidextrous controls and full wrap-around stippled texturing.

- ► Ships with 11- and 13-round magazines
- ▶ Weighing only 19.5 ounces without the magazine
- ► Available in 9mm



CUSTOM

CUSTOM™ models are full-size 1911 pistols featuring a 5-inch barrel and full-length grip. The most popular configuration, Custom models are favored by law enforcement professionals and competition shooters. Slightly heavier and with a greater distance between sights, the pistols are easier to shoot accurately and have reduced recoil. The slim profile and outstanding 1911 ergonomics make them well suited for duty, personal defense and general use.

- Full-length grip fits shooters with larger hands
- > 5-Inch barrel length for improved velocity and accuracy
- ▶ Wide selection of models for any application
- Available in 4 calibers



LS

LS models are full-size 1911 pistols featuring a 6-inch barrel and full-length grip. An ideal configuration for competition or as a hunting sidearm, the Long Slide 1911s are a popular platform at the range and in the field because of the pistols' inherent accuracy and recoil-reducing weight.

- ► 6-Inch barrel length for optimal velocity and accuracy
- Various models feature custom-level features such as porting, optics, adjustable sights, and a round-heel frame
- Available in 2 calibers






▶ 1911 PISTOLS


ALL 1911s AREN'T CREATED EQUAL. There's just something about the 1911 platform. It's big. Bold.

Rock solid. At Kimber we take what's already great about the 1911, and make it even better. We transform it into a firearm that stands apart from the rest. So while we may be the largest producer of 1911s in the world, you'll still be able to find a Kimber 1911 that speaks to you. Compare yours with any other—or any other type of semi automatic—and you'll see why Kimber is on an entirely different level.



KIMBER® BUILDS the world's best factory 1911 pistols to the highest tolerances possible, right here in America. Those facts alone set us apart from so many others, but the differences run deeper. We only choose the highest-quality raw materials; that's our foundation for success. We manufacture every critical component in our Kimber factories; getting it right means doing it yourself. Finally, all parts are fitted together by hand; there's

simply no other way to make a Kimber. It's why America's best shooters, including legendary SWAT units and United States Marines assigned to the U.S. Special Operations Command, have chosen Kimber: We'll never settle for what anyone else could make. Discover our different 1911 models on the following pages, or visit kimberamerica.com.



> AEGIS ELITE

The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9.

FEATURES

SIGHTS

Vortex® Venom® Red Dot installed with 6 MOA dot and white-dot co-witness sights.

SLIDE

AEX serrations provide innovative grip surface at the rear and forend of the slide. Edges receive a Carry Melt treatment.

FINISH

KimPro® II charcoal gray on the slide, and silver on the frame.

GRIPS

Striking G-10 green, black and gray grips.

FRAME

Serrated, rounded-heel frame wears 24 lines-per-inch (LPI) front strap checkering.



AEGIS ELITE has round-heel frames, finished in KimPro® II silver and two-tone styling, and is completed with G-10 Cyclone-patterned grips, making these pistols particularly useful in target-shooting scenarios. AEX-pattern serrations are a stylish answer to the practical need for grip surface during reloads. The Aegis Elite feature fiber-optic sights on the Ultra, Pro, and

Custom models, while the Optics Installed (OI) Pro and Custom models have the Vortex® Venom® Red Dot with a 6 MOA dot, milled and installed before leaving Kimber. Remaining true to Kimber's original purpose, this puts an otherwise custom gun within the reach of every shooter's hands.



> CDP

The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9.

THIS MODEL FEATURES

SIGHTS

Low-profile, 3-dot tritium night sights.

SLIDE

Aggressive slide serrations are paired with a low-glare flat top.

FINISH

Gray KimPro® II frame, KimPro® II on slide, and small parts for added protection. Carry Melt™ treatment rounds edges for smooth carry.

GRIPS

Rosewood double-diamond grips.

FRAME

Round-heel frame on Ultra models, 30 LPI checkering on front strap and under trigger guard, with high undercut trigger guard for positive grip.



MODEL ITEM UPC CALIBER BARREL Ultra CDP" 3000245 669278302454 Ultra CDP 3000256 669278302560 Pro CDP™ 3000243 669278302430 .45 ACP Pro CDP™ 3000258 669278302584 9mm Custom CDP1 3000234 669278302348 45 ACP

A complete presentation of specifications and features begins on page 75.

THE CDP™ (CUSTOM DEFENSE PACKAGE) pistols combine all the best carry features into a package that gives the pistol its name and reduces the price by over \$600, making them an incredible value. Featuring tritium night sights mounted on a stainless-steel, flat-top slide, and a flush-cut barrel. The lightweight, aluminum frame has 30 LPI checkering on the front strap and

under the trigger guard. The frame, slide and small parts wear our KimPro® II finishes. The Carry Melt™ treatment rounds and blends edges to prevent snagging on clothing. The Ultra-sized pistol features a round-heel frame and flush-cut barrel. CDP pistols have no equal for carry and defense—just what you expect from Kimber.







▷ COVERT (LG)

► KHX



No-snag Tactical Wedge profile, with 3-dot tritium night sights.

SLIDE

SIGHTS

Carry Melt treatment is applied throughout, and rear serrations for positive slide manipulations.

KimPro® II gray finish on the frame and slide provides additional moisture resistance and is accented by small, black parts.

GRIPS

Digital camouflage Crimson Trace Lasergrips® ensure performance in low-light conditions.

FRAME

Tactical, bumped grip safety for higher grip on frame, and 30 LPI front strap checkering with border base provide a positive grip.



THE COVERT™ .45 ACP pistols have the perfect combination of lightweight, meaningful features. Covert pistols feature a gray color palette, flush-cut barrel and a round-heel frame on the Ultra models, as well as both the Crimson Trace Laser grips® and Tactical Wedge tritium night sights—two sight systems that create a sight picture regardless of light conditions. The 30 LPI front strap checkering ensures a positive grip even with cold, wet, or

gloved hands. The Carry Melt™ treatment contours, rounds and blends edges so it won't snag. A bumped and grooved beavertail grip safety provides control under stress, while the mainspring housing with lanyard slot on the Custom and Pro models add an extra level of safeguard if needed. Kimber's Covert quality ensures unequaled accuracy and dependability-there is no reason to be afraid of the dark.







The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9. THIS MODEL **FEATURES** SIGHTS 3.25 MOA Trijicon RMR® Type 2 Adjustable with suppressor-height white-dot sights. SLIDE Hexagon-patterned serrations on slide, stair-stepped in height for maximum grip surface. KHX CUSTOM/RL (01)KimPro® II gray finish .45 ACP, 9MM, 10MM on slide and frame. Hogue® MagGrips are made of G-10 and extend to the mainspring housing, creating UPC CALIBER BARREL MODEL ITEM an external magwell. 3000371 669278303710 .45 ACP KHX Ultra™ KHX Pro™ (OR) 3000370 669278303703 3000364 669278303642 FRAME KHX Pro™ 3000363 669278303635 Steel frame with 1913 Picatinny .45 ACP KHX Custom 3000358 669278303581 accessory rail. Stiplex front strap KHX Custom[®] 3000359 669278303598 9mm 45 ACP KHX Custom™ (OR) 3000360 669278303604 texture for positive grip. KHX Custom™ (OR 3000374 669278303741 KHX Custom™ (OI) 3000376 669278303765 KHX Custom™ (OI) 3000377 669278303772 KHX Custom™ (OI 3000378 669278303789 669278303802 .45 ACP KHX Custom/RL™ (OI 3000380 KHX Custom/RL™ (OI 3000381 669278303819 KHX Custom/RL™ (OI) 3000382 669278303826

KHX 1911s are loaded with features that set it apart, like hexagonal serrations on the slide and top strap, Stiplex[™] front strap surfacing, fiber-optic ledged sights, and Hoque's unique G-mascus® G-10 grips and mainspring housings. Custom models carry a unique integral magwell/Magrip™ system. KHX Ultra, Pro, and Custom models wear the laser-equipped MagGrips featuring a red laser. Optics Ready (OR) models are milled to accept plates

for the most popular mini red dot sights available today. Optics Installed (OI) models have the Trijicon RMR® Type 2 installed. Pro and Ultra models have a round-heel frame for comfort and reduced printing during carry. KHX 1911s were designed for target-shooting applications, but can serve as an everyday carry option, too.



.45 ACP, 9MM



.45 ACP, 9MM









KHX CUSTOM (OR) .45 ACP, 9MM .45 ACP, 9MM


A complete presentation of specifications and features begins on page 75.

2022 KIMBER CATALOG > 14 13 > 2022 KIMBER CATALOG

> RAPTOR II

The features detailed below are offered in addition to the standard

features found on every Kimber 1911 listed on page 9.



THIS MODEL **FEATURES**

SIGHTS

Vortex® Venom 6 MOA Red Dot optic, co-witnessing with white-dot suppresor-height sights.

Ported for a faster slide lockup, the slide is adorned with stepped cocking serrations.

FINISH

KimPro® II two-tone silver and gray finish on slide and frame. DLC- (Diamond-Like Carbon coating) finished barrel for durability, reduced surface friction, and ease of cleaning.

GRIPS

Black G-10 grips carry both the stair-stepped serrations and Stiplex texturing.

FRAME

Steel frame carries an extended magwell for easier reloading. Stiplex front strap texturing makes for a unique but hardy grip surface.



THE RAPIDE boasts performance-enhancing features that make it an ideal target pistol, such as stepped cocking serrations, slide-lightening cuts for faster slide-lockup time, DLC-coated barrel for extreme durability, flushfitting extended magwell, new V-Cut™ match-grade trigger-breaking crisply at 4-5 lbs—and Tru-Glo® TFX™ Pro Day/Night sights. For 2021, the RAPIDE

(Black Ice) (OI) and RAPIDE (OI) were equipped with all the features found on the RAPIDE (Black Ice) and RAPIDE, but with a Vortex® Venom Red Dot Sight and co-witnessing white-dot suppressor-height sights. They both ship with one 8-round Tac-Mag® Magazine. All of these features are coupled with the standard attributes found across the Kimber 1911 Custom platform.





THIS MODEL **FEATURES**

SIGHTS

No-snag Tactical Wedge profile, with 3-dot tritium night sights.

SERRATIONS

Scaled slide serrations on the rear with back-cut row of larger scales along the flat top of the slide.

KimPro® II satin silver. with brush-polished flats.

Striking zebra-wood grips with scale pattern and Kimber logo pair perfectly with serrations throughout.

FRAME

A back-cut row of large scales runs along the mainspring housing for extra grip confidence. The round-heel frame keeps this lightweight-aluminum, Ultra-framed Raptor™ II well concealed.



STAINLESS ULTRA RAPTOR II

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Ultra Raptor™ II	3200378	669278323787	.45 ACP	3
Stainless Ultra Raptor™ II	3200375	669278323756	.45 ACP	3
Stainless Ultra Raptor™ II	3200374	669278323749	9mm	3
Pro Raptor™ II	3200118	669278321189	.45 ACP	4
Stainless Pro Raptor™ II	3200195	669278321950	.45 ACP	4
Stainless Pro Raptor™ II	3200365	669278323657	9mm	4
Raptor™ II	3200117	669278321172	.45 ACP	5
Stainless Raptor™ II	3200181	669278321813	.45 ACP	5
Stainless Raptor™ II	3200366	669278323664	9mm	5
Stainless Raptor™ II	3200386	669278323862	10mm	5

A complete presentation of specifications and features begins on page 75.

RAPTOR™ II pistols take their name from a combination of aggressive slide and frame serrations, feathered logo grips and special-scaled texturing accents. While this patented design is unique, the features, dependability and accuracy are pure Kimber. Tritium night sights, ambidextrous thumb safety, and a bumped-and-grooved grip safety are all standard within the


Raptor family. Stainless Raptors offer a choice of calibers (.45 ACP, 9mm, or 10mm), and all Ultra models feature a round-heel frame and flush-cut barrel. The quality of the Kimber 1911 rivals America's finest gunsmiths. Hold a Raptor and see for yourself.



15 > 2022 KIMBER CATALOG

> STAINLESS II

> TLE II



THE ACCURACY, dependability and renowned Kimber features of this family set the standard against which all other 1911 brands and models are measured. The pistol's legendary performance has made Kimber the world's largest producer of 1911 pistols. The Stainless™ II is built entirely from stainless steel, while the Pro and Ultra models have stainless steel

slides and lightweight, aluminum frames. The Stainless Target (LS), an ideal competition pistol, brings the 6-inch barrel length and Series I configuration to this benchmark family. Combine these foundations with the slim nature of the 1911, and you have the cornerstone in carry, accuracy, and concealability.

3200330

3200329

A complete presentation of specifications and features begins on page 75.

669278323305

Stainless Ultra Carry™ II

Stainless Ultra Carry™ II

STAINLESS ULTRA CARRY II .45 ACP, 9MM



STAINLESS PRO CARRY II .45 ACP, 9MM



STAINLESS II .45 ACP, 9MM



STAINLESS TARGET II .45 ACP, 9MM



STAINLESS TARGET (LS) .45 ACP, 10MM

The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9. THIS MODEL **FEATURES** SIGHTS Low-profile, 3-dot tritium night sights. SLIDE Flat-top slide with serrations at the rear and forend of the slide. Low-glare, matte-black finish throughout. GRIPS Aggressively textured G-10 grips in a green/black pattern. FRAME

30 LPI front strap checkering

retention accessories. 1913

Kimber Picatinny Tactical

Rail for weapon-mounted

accessories.

and integrated lanyard slot for

MODEL ITEM UPC CALIBER BARREL Ultra TLE™ II 669278323411 3200341 Pro TLE™ II 3200340 669278323404 .45 ACP Custom TLE™ II 3200335 669278323350 .45 ACP Custom TLE™ II 3200347 Stainless TLE™ II .45 ACP 3200342 669278323428 Custom TLE/RL™ II 3200336 669278323367 .45 ACP Custom TLE/RL™ II 3200338 669278323381 Stainless TLE/RL™ II 669278323435 .45 ACP 3200343 Custom TLE/RL™ II TFS 3200337 669278323374 3200339 A complete presentation of specifications and features begins on page 75.

THE TLE™ (Tactical Law Enforcement) II family of pistols is well suited for duty carry, tactical applications, and personal protection. This group of 1911s features an integrated mainspring lanyard slot, aggressive G-10 grips and a flat-top slide. Created for and in cooperation with law enforcement and military experts, TLE II models are professional tools outfitted with

performance-enhancing features that also meet the defensive-pistol needs of civilians. Available with barrels threaded for suppression, and a variety of rail and caliber options, the TLE II family offers a configuration that meets almost any requirement. When you carry a Kimber TLE II, you carry with absolute confidence.



ULTRA TLE II







CUSTOM TLE/RL II TFS .45 ACP, 9MM



CUSTOM TLE II .45 ACP, 10MM



STAINLESS TLE II .45 ACP



STAINLESS TLE/RL II .45 ACP

17 > 2022 KIMBER CATALOG

CUSTOM TLE/ RL II

.45 ACP, 9MM, 10MM

DESERT WARRIOR

The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9.

THIS MODEL **FEATURES**

SIGHTS

White 3-dot sights have the proven sight picture that works in the widest environments.

SLIDE

Brush-polished slide flats with rear serrations for slide manipulations.

FINISH

Matte-black slide and satin-silver frame.

GRIPS

Classic rosewood grips have a checkered panel and smooth top for a fine-tuned balance of grip texture.

FRAME

Lightweight-aluminum frame carries all the standard features found in all Kimber 1911s.



GETTING BACK TO BASICS never looked so good. The Kimber Two-Tone family has no-nonsense features that promote intuitive operation and dependability, including lowered and flared ejection ports, machined dovetail-mounted sights, and edges that are rounded and blended for no-snag,

comfortable carry. The classic two-tone slide and frame finish is accented by rosewood grips. Offering two caliber options in all three sizes, this Kimber 1911 is a perfect choice for concealed carry or personal defense.



ULTRA CARRY II (TWO-TONE) .45 ACP, 9MM



ULTRA CARRY II (TWO-TONE) (LG) 45 ACP 9MM



PRO CARRY II (TWO-TONE) .45 ACP, 9MM



PRO CARRY II (TWO-TONE) (LG) .45 ACP, 9MM



A complete presentation of specifications and features begins on page 75.

CUSTOM II (TWO-TONE) 45 ACP 9MM



CUSTOM II (TWO-TONE) (LG) .45 ACP, 9MM

The features detailed below are offered in addition to the standard features found on every Kimber 1911 listed on page 9.

THIS MODEL **FEATURES**

SIGHTS

Rugged, serrated suppressorheight night sights.

SLIDE

Barrel threaded for suppression (TFS), housed in a slide with rear and forend serrations.

KimPro® II finish on the slide and frame offers additional resistance to chemicals, moisture, salt, and UV light.

GRIPS

G-10 grips retain a front panel of the familiar warrior texture while adding a rear panel with directional texturing.

24 LPI front strap checkering for grip confidence, and integrated lanyard slot for retention accessories. 1913 Kimber Picatinny Tactical Rail for weapon-mounted accessories.



MODEL CALIBER BARREL ITEM 3000236 669278302362 .45 ACE Desert Warrior® Desert Warrior® (TFS) 3000237 669278302379 .45 ACP A complete presentation of specifications and features begins on page 75.

DESERT WARRIOR® models are highly refined technical pistols loaded with features that enhance real-world performance-they are the realization of the 1911 as a tool of military and law enforcement. The Kimber Tactical Rail permits the guick and secure mounting of accessories, Tactical Wedge night sights ensure low-light performance, and new G-10 grips and aggresive

24 LPI front strap checkering ensure a secure grip. Standard features include a military-length guide rod for guick field takedown, tough, new KimPro® II self-lubricating finish, ambidextrous thumb safety, and a lanyard slot for additional retention options.





19 > 2022 KIMBER CATALOG

> SPECIAL EDITIONS

▷ CUSTOM SHOP



- ► KimPro® II finish provides resistance to the elements
- ► Custom RMEF®-carved rosewood grips
- ▶ Round-heel frame
- ▶ Tactical Wedge tritium 3-dot night sights



 KimPro® II black slide with flag engraving on slide flat and Boot Campaign logo on top strap

SAPPHIRE

ULTRA


- ► KimPro® II Desert Tan frame
- ▶ Kryptek Highlander™-patterned grips
- ▶ Integrated lanyard loop
- Fiber-optic sights



- Stainless-steel slide finished in KimPro® II charcoal gray with brush-polished flats
- ► Stainless-steel frame in KimPro® II charcoal gray
- ► G-10 grips
- ▶ Low-profile, 3-dot tritium night sights
- ► Factory trigger pull (4-5 lbs)







MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	N
Sapphire Ultra™ II	3200362	669278323626	.45 ACP	3	Н
Sapphire Ultra™ II	3200273	669278322735	9mm	3	C
Rose Gold Ultra™ II	3200373	669278323732	.45 ACP	3	E
Rose Gold Ultra™ II	3200372	669278323725	9 m m	3	E
Amethyst Ultra™ II	3200363	669278323633	.45 ACP	3	
Amethyst Ultra™ II	3200319	669278323190	9mm	3	

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Hero Custom™	3200383	669278323831	.45 ACP	5
Camp Guard 10™	3000233	669278302331	10mm	5
Eclipse Custom™	3000238	669278302386	.45 ACP	5
Eclipse Custom™	3000239	669278302393	10mm	5

A complete presentation of specifications and features begins on page 75.

KIMBER CONTINUES in its tradition of providing custom finishes and features that stand out in a crowd. Making a statement above and beyond the ordinary, Kimber Special Editions offer striking aesthetics and custom features. The gemstone collection features polished PVD-finished slides and small parts. Slides are accented by intricate cut-scroll engraving and

topped with tritium night sights. Coordinating grips are slim, allowing for increased hand contact. The ultimate backcountry protection, RMEF® Camp Guard 10™, finds itself in good company with the Hero Custom—the result of a sponsorship with the Boot Campaign. With Kimber, performance and reliability are not compromised when unique finishing details are desired.



EACH UNIQUE model found in the Kimber Custom Shop collection is superlative in every respect, from features to accuracy to dependability. The pistols are the finest representatives in the pistols' respective classes. The Super Jägare™, carries the premier red dot optic from Leupold®, the DeltaPoint Pro. With a generous window and 2 MOA dot, the hunter has a wider field of view. To tame the recoil of the 10mm round, the Super Jägare's

6-inch barrel and LS slide are ported, and finished in DLC for a durable, hunt-ready 1911. At home in any competition, the Super Match II carries an accuracy guarantee of 5 shots, 25 yards, 1-inch group or less. The Super Match II is the apex example of a single stack competition model, wearing KimPro® II throughout, an extended magwell to aid reloads, and beautiful walnut grips. They are truly the finest examples of their kind.

FEED YOUR APPETITE FOR SOMETHING DIFFERENT R7MAKO

23 > 2022 KIMBER CATALOG

▶ R7 MAKO PISTOLS

BREAKING NEW GROUND. SHATTERING OLD PERCEPTIONS. A high-capacity, polymer-frame,


striker-fired subcompact...from Kimber. It makes sense that the best concealed carry pistol in years would come from a name most people didn't see coming. After all, we make every firearm we touch better, by making it on our terms. Not only have we given the R7 Mako™ the most advanced technology and upgrades, we've given it the attention to fit, finish, and detail you've come to expect from every Kimber.

DETAILS AND CRAFTSMANSHIP OTHERS CONSIDER EXTRA All R7 Makos are optics ready. **WE CALL STANDARD ON EVERY R7 MAKO** The Optics Installed model comes with the Crimson Trace CT-1500 optic already installed. The optic cut also accepts the Shield RMSc Red Dot Sight. **FULLY AMBIDEXTROUS** The slide lever and magazine release are fully functional on either side of the gun. The barrel lug sits farther back than most barrel designs and minimizes cant when the slide is unlocked. Less cant means less movement, and minimizes perceived recoil. CAPACITY R7 Makos come with an 11- and 13-round magazine. SLIDE The closed top gives added strength to the slide. This With a pull weight of 5.00-6.75 design reduces potential pounds, Kimber's flat-faced trigger material buildup between the breaks crisp and clean, increasing barrel hood and slide. both confidence and accuracy On the following pages you will find model details unique to each

KIMBER IS UPGRADING the standards of the polymer-pistol market with the R7 Mako[™], a pistol in a league all its own due to its unmatched features. The polymer frame features molded stippling for a sure grip in all conditions and makes the pistol lightweight (19.5 ounces empty). Measuring a mere 1 inch wide, the R7 Mako still manages to pack 11 rounds in the standard

magazine, and 13 rounds in the included extended magazine (10-round magazines are available). The low-tilt, 3.37-inch, stainless-steel barrel mitigates recoil. The R7 Mako makes it's debut with two models: Optics Ready and Optics Installed. In a market flooded with polymer-framed guns, feed your appetite for something different.

family, in addition to the features outlined on this page.



▶ R7 MAKO

The features detailed below are offered in addition to the standard features found on every Kimber R7 Mako listed on page 25.

THIS MODEL **FEATURES**

SIGHTS

Crimson Trace® CT-1500 Red Dot optic with 3 MOA. TruGlo® Tritium™ Pro night sights with an orange high-contrast front ring co-witness.

SLIDE

Milled for the Crimson Trace® optic, with rear and forend serrations. Shrouded ejection port keeps slide stiffer, and more durable, while allowing less foreign material to accumulate during carry.

FINISH

Tough FNC (Ferritic Nitrocarburizing) finish is durable and resists the elements.

Fully ambidextrous controls are housed in a polymer frame, dressed with a carry-ready texture. Generous trigger guard allows for use with gloved hands.

 \times \times \times \times

 \times \times \times \times \times \times



MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
R7 Mako™ (OR)	3800004	669278380049	9 m m	3.37
R7 Mako™ (OI)	3800005	669278380056	9 m m	3.37
A complete prese	ntation of sp	ecifications and fea	tures begins on	page 76.

THE R7 MAKO™, Kimber's new polymer-framed pistol, doesn't just copy what's been done by other manufacturers. From the outset, Kimber went to work to produce a better gun than anything currently available, and to gives you everything you need in a defensive pistol, and then some. Whether you never have to leave a feature on the table.

it's the iron-sighted Optics Ready or Optics Installed model, both carry the completely ambidextrous controls and the long list of features. The R7 Mako is at home with either its 11-round magazine (shown above) or its 13-round say Kimber succeeded is an understatement. The feature-heavy R7 Mako extended magazine, all while maintaining a slim profile. With the R7 Mako The features detailed below are offered in addition to the standard features found on every Kimber R7 Mako listed on page 25.

THIS MODEL **FEATURES**

SIGHTS

The OR model retains the robust TruGlo® Tritium™ Pro night sights.

SLIDE

Milled for the Crimson Trace optic, with rear and forend serrations. Shrouded ejection port keeps slide stiffer, and more durable, while allowing less foreign material to accumulate during carry.

FINISH

Tough FNC (Ferritic Nitrocarburizing) finish is durable and resists the elements.

FRAME

Fully ambidextrous controls are housed in a polymer frame, dressed with a carry-ready texture. Generous trigger guard allows for use with gloved hands.



AVAILABLE MAGAZINES:





EVO SP PISTOLS

FORGED WITH SOMETHING MORE THAN METAL. Confidence. You feel it when you first pick up the EVO SP™. Attention to detail. You'll see it in every aspect of Kimber's all-metal, striker-fired subcompact. It was designed to deliver the performance you demand, with a level of style and ruggedness you won't find anywhere else. With all of this, plus more finishes,

custom grips, and a wealth of upgrades, there's just one thing left to do: carry it.



AT THE HEART of the handgun is a striker-fire mechanism that delivers a smooth, crisp and consistent trigger pull from start to finish. Linking the shooter to the system is a metal trigger and trigger safety that not only ensure accuracy, but inspire confidence as well. An aluminum-alloy frame provides overall integrity and a rigid platform in which the deep-crowned,

stainless steel barrel rests. Standard features for all models include a lowered and flared ejection port for enhanced ejection, a beveled magazine well for efficient, positive loading, and night sights for fast target acquisition in any lighting level.



▷ EVO SP

The features detailed below are offered in addition to the standard features found on every Kimber EVO SP listed on page 29.

THIS MODEL **FEATURES**

SIGHTS

Ledged tritium night sights with high-contrast front ring.

SLIDE

Raptor-scaled serrations on stainless-steel slide.

FINISH

Slide and barrel feature FNC finish. The slide is glass bead over FNC for the classic Stainless Raptor look. KimPro® Il silver finish on the frame.

GRIPS

G-10/zebrawood hybrid grip and back strap panels in medium size.

FRAME

Aluminum frame features unique scaling texture on front strap for additional grip confidence.



MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
EVO SP™ (CS)	3900013	669278390130	9mm	3.16
EVO SP™ (Stainless Raptor)	3900014	669278390147	9mm	3.16
EVO SP™ (CDP)	3900011	669278390116	9mm	3.16
EVO SP™ (Two-Tone)	3900010	669278390109	9mm	3.16
EVO SP™ Select (Black)	3900017	669278390178	9mm	3.16
EVO SP™ Select (Stainless)	3900018	669278390185	9mm	3.16

A complete presentation of specifications and features begins on page 77.

EVO SP™ (Striker Pistol) was tailored by Kimber engineers to be the best shooting and most well-equipped, compact, metal-framed pistol on the market. Not only was EVO SP machined to the tightest allowable tolerances, but it was also put through thorough testing to ensure the best possible user experience. Standout features include an innovative grip system that eliminates hardware on the grip surface, a magazine release configurable for right- or left-handed

shooters, a striker indicator allowing for both a visual and physical confirmation, ledged night sights for single-hand manipulations and a sight picture in all the light conditions, a 6-7 lb trigger with crisp reset, and shipped with two 7-round magazines (EVO SP Select models are shipped with one 7-round magazine). EVO SP is the ideal choice for shooters that demand a feature-packed, compact striker-fired firearm, matched with all-metal construction.



▶ TruGlo Tritium Pro ledged night sights

▶ 30 LPI checkered front strap









White 3-Dot sights




 \times \times \times \times

 \times \times \times \times

 \times \times \times \times

PICK UP AN INDEPENDENT STREAK. Micro™ .380 ACP and 9mm pistols bring an unmatched level of safety, dependability and performance to concealed carry. Small and light, they blend Kimber quality with superior 1911-like ergonomics and simple operation. Mild recoil and a smooth single-action trigger pull make them a pleasure to shoot.



WITH A STARTING WEIGHT of 13.4 ounces and a barrel length of 2.75-inches, Kimber Micro™ .380 ACP and 9mm pistols are easy to carry and conceal. Micro barrels are machined from stainless steel for superior resistance to moisture, and all Micro frames are shaped from the finest aluminum for integrity and strength. In many respects a miniature 1911, the

Micro offers a crisp single-action trigger and thumb safety. Sights are steel, and mounted in machined dovetails for additional integrity. Well suited for all shooters, including those with small hands, Micro pistols provide power in our smallest platform. Best of all, they offer unequaled Kimber quality, dependability and performance.



> MICRO

The features detailed below are offered in addition to the standard features found on every Kimber Micro listed on page 33.

THIS MODEL **FEATURES**

SIGHTS

Low-profile Tritium night sights.

SLIDE

Brushed slide flats contrast sharply with the rear serrations in a reference to the 1911 of the same name.

FINISH

KimPro™ II charcoal gray with brushed slide flats and black small parts.

GRIPS

Black/gray G-10 grips provide a positive surface texture for grip confidence.

FRAME

Lightweight-aluminum frame has 24 LPI front strap checkering.



MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Micro™ Eclipse (NS)	3300188	669278331881	.380 ACP	2.75
Micro™ Stainless Rosewood™ (NS)	3300207	669278332079	.380 ACP	2.75
Micro™ Two-Tone (NS)	3300206	669278332062	.380 ACP	2.75
Micro™ Desert Tan™ (LG)(NS)	3300209	669278332093	.380 ACP	2.75
Micro™ Desert Night™ (NS)	3300208	669278332086	.380 ACP	2.75

A complete presentation of specifications and features begins on page 77.

operation with no sacrifice on quality and performance. Mirroring the Collectively, the Micro line creates the most refined, ultra-compact .380 ACPs quality expected from all Kimbers.

 \times \times \times \times

 \times \times \times \times

 \times \times \times \times \times \times


THE MICRO™ .380 ACP group of pistols combines mild recoil and simple available today. Standard components and characteristics found across the Micro line include a single-action trigger design, a lowered and flared features and finishes of some of Kimber's most popular 1911 families, as ejection port, beveled magazine well and night sights. These features make well as unique models for the platform, there truly is a Micro for everyone. the Micro line the smallest firearms in the Kimber stable, yet still carry the







- MICRO **DESERT TAN** (LG) (NS) ► KimPro® II Desert Tan stainless steel slide
 - ► KimPro® II black frame








MICRO

► Rosewood Crimson Trace Lasergrips®

▶ Two-tone finish

▶ Tritium night sights

TWO-TONE (LG)













MODEL	ITEM	UPC	CALIBER	BARREI (Inches)
Micro™ Raptor™ (NS)	3300087	669278330877	.380 ACP	2.75
Micro™ Raptor Stainless™ (NS)	3300084	669278330846	.380 ACP	2.75
Micro™ Two-Tone (LG)(NS)	3300215	669278332154	.380 ACP	2.75
Micro™ Bel Air™(NS)	3300210	669278332109	.380 ACP	2.75
Micro™ Rose Gold (NS)	3300173	669278331737	.380 ACP	2.75
Micro™ Amethyst™ (NS)	3300160	669278331607	.380 ACP	2.75
Micro™ Sapphire™ (NS)	3300090	669278330907	.380 ACP	2.75

The features detailed above are offered in addition to the standard features found on every Kimber Micro listed on page 33.

▶ MICRO 9

The features detailed below are offered in addition to the standard features found on every Kimber Micro 9 listed on page 33.

THIS MODEL **FEATURES**

SIGHTS

Ledged U-notch TruGlo Tritium Pro night sights.

SLIDE

ESV porting on the slide removes weight for a faster lock time. Mini-compensator reduces muzzle rise and recoil.

FINISH

KimPro® II black finish on frame and silver on the slide. Durable DLC finish on the barrel.

GRIPS

Hogue® wrap-around grips add comfort and confidence.

FRAME

Lightweight-aluminum frame.



× ×	×	×	×
× ×		×	\times \times
•	× ×	× × ×	× × × ×
	^ ^	^	

2021, the Micro 9 line was expanded to offer shooters what they've been hammer-fired pistols anyone can carry.

 \times \times \times \times \times

THE MICRO 9™ group of pistols put legendary Kimber dependability into asking for most: a mini compensator (MC) to mitigate both muzzle rise and a small 1911-like platform. 9mm power and simple operation make these felt recoil, and optics-installed models (OI). To round out the line extensions, pistols an ideal choice for many shooters. A wide variety of models are the Micro 9 has taken design inspirations from the 1911 RAPIDE series of available, providing a selection of features that meet virtually any need. For pistols. Collectively, these pistols are among the finest ultra-compact 9mm

A complete presentation of specifications and features begins on page 77.





G-10 grips















MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Micro 9™ Stainless (OI)	3300220	669278332208	9mm	3.15
Micro 9™ ESV (Black)(NS)	3300199	669278331997	9 m m	3.15
Micro 9™ ESV (Gray)(NS)	3300204	669278332048	9 m m	3.15
Micro 9™ KHX (NS)	3300198	669278331980	9 m m	3.15
Micro 9™ Triari™	3300212	669278332123	9 m m	3.15


The features detailed above are offered in addition to the standard features found on every Kimber Micro 9 listed on page 33.












The features detailed above are offered in addition to the standard features found on every Kimber Micro 9 listed on page 33.



2022 KIMBER CATALOG > 42













MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Micro 9™ Stainless Raptor (NS)	3300109	669278331096	9mm	3.15
Micro 9™ Amethyst (NS)	3300214	669278332147	9mm	3.15
Micro 9™ Sapphire (NS)	3300111	669278331119	9mm	3.15
Micro 9™ Rose Gold (NS)	3300174	669278331744	9mm	3.15

The features detailed above are offered in addition to the standard features found on every Kimber Micro 9 listed on page 33.






MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
Micro 9™ Bel Air	3300110	669278331102	9 m m	3.15
Micro 9™ Two-Tone (LG)*	3300216	669278332161	9 m m	3.15
Micro 9™ Two-Tone	3300099	669278330990	9 m m	3.15
Micro 9™ Eclipse (NS)	3300189	669278331898	9 m m	3.15

The features detailed above are offered in addition to the standard features found on every Kimber Micro 9 listed on page 33.

43 > 2022 KIMBER CATALOG > 44

> K6s REVOLVERS

NOW THIS IS HOW YOU ROLL. Until Kimber, concealed carry revolvers left something to be desired. Now, our K6s™ series is what's desired. The reasons are clear. Each K6s takes the proven ruggedness and reliability of the revolver platform and evolves it. You get improved shootability. Greater control. Light, no-stack triggers. Superior ergonomics. It's all there. With Kimber, the wheel gun is better than ever.



On the following pages you will find model details unique to each revolver, in addition to the features outlined on this page.

THE KIMBER K6s™ are among the most accurate, shootable and dependable compact revolvers available today. Delivering on size and power, the K6s and K6xs are among the slimmest-framed, smallest 6-shot cylinder revolvers on the market today. Mild recoil and a smooth double-action trigger pull make

these revolvers a pleasure to shoot. Kimber engineers pushed the envelope to create the finest premium-grade production revolver on the market, no matter the size.



> K6s REVOLVERS



The features detailed below are offered in addition to the standard features found on every Kimber revolver listed on page 45.

THIS MODEL **FEATURES**

SIGHTS

Fixed rear sight and front sight with a bright, high-contrast orange dot.

CYLINDER

6-shot fluted cylinder chambered in .38 Special +P.

FINISH

Silver KimPro® II finish on the frame, with a glass bead finish on the stainless-steel barrel.

GRIPS

Hoque® rubber Cobblestone grips have finger grooves and pinky extension for a comfortable, confident grip surface.

Slightly smaller, the "xs" is for extra small, and is made of lightweight aluminum.

THE BIG NEWS for Kimber's K6s[™] line is the addition of the K6xs Carry. Not only is it the lightest K6s ever, it offers something others in its category don't: six-round capacity. Built specifically for concealed carry and chambered in .38 SPL +P, the aluminum-alloy frame and fluted cylinder keep the revolver's total weight under a pound (15.9 ounces). The K6xs wears a silver KimPro II finish on the frame and a glass-bead finish on the 2-inch, stainless-steel barrel. The

Hoque rubber Cobblestone grips with finger grooves make it comfortable to shoot. Other additions to the K6s series include the brand-new Nightfall models. Both models are decked out in a matte-black finish and black Hoque G-10 grips with finger grooves. The K6s DC (Red) features Black DLC over a brushed-stainless finish and Red Lava G-10 Hogue grips.







- ► TruGlo Tritium Pro Day/Night sights
- with high-vis orange front ring

 Hogue® black/grey textured G-10
 3-finger grips

> K6s REVOLVERS







imes ime

 \times \times \times \times \times \times \times \times \times



K6s DASA STAINLESS 3" .357 MAG ▶ Low-glare, brushed-stainless ▶ White 3-dot sights ► Checkered, laminated-walnut boot grip

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)
K6s™ DCR	3400009	669278340098	.357 Mag.	2
K6s™ Stainless 3"	3400011	669278340111	.357 Mag.	3
K6s™ DC (Red)	3400040	669278340401	.357 Mag.	2
K6s™ Nightfall 2"	3400038	669278340388	.357 Mag.	2
K6s™ Nightfall 3"	3400039	669278340395	.357 Mag.	3
K6s™ Stainless	3400010	669278340104	.357 Mag.	2
K6s™ Stainless (NS)	3400037	669278340371	.357 Mag.	2
K6s™ DASA Stainless 2"	3400021	669278340210	.357 Mag.	2
K6s™ DASA Stainless 3"	3400016	669278340166	.357 Mag.	2

A complete presentation of specifications and features begins on page 78.


The features detailed above are offered in addition to the standard features found on every Kimber K6s listed on page 45.

> RIFLES

WE DON'T SIZE RIFLES. WE TAILOR THEM. When Kimber first introduced its line of hunting rifles back in 1979,

they were an unknown. That didn't last long. They quickly began turning heads with their good looks, and changing minds with their superior performance. Today, we're proud to offer discerning hunters and shooters a full lineup of classic sporters, hard-core hunting guns, varmint rigs, and no-compromise tactical rifles. Each is based on an action size designed with minimal dimensions for the cartridge's family, and each is guaranteed under the Kimber SUB-MOA Accuracy Standard.

DETAILS AND CRAFTSMANSHIP OTHERS CONSIDER EXTRA **WE CALL STANDARD ON EVERY KIMBER RIFLE**



KIMBER RIFLES offer a combination of features that set them apart from other production brands. Barrels, chambers, and triggers are crafted to critical match-grade dimensions for unmatched accuracy. All of Kimber's rifles are controlled-round feed. Pillar and/or glass bedding add strength and ensure that nothing shifts under recoil or during rough use. Walnut stocks are finished and checkered by hand, and reinforced composite stocks are the finest worn by any production rifle. Descriptions of each rifle family are presented throughout the following pages, and more than 2,000 Kimber Master Dealers across America stand ready to assist in the selection of a model that will meet your needs. To locate your nearest Kimber Master Dealer, find complete information on each model, or view product videos, visit kimberamerica.com,

84M

The 84M (Medium) action has minimal dimensions for cartridges ranging from .204 Ruger to .308 Win. As part of the lightest production rifles available today, this action is built for short bolt travel and allows for faster operation.


- ▶ Magazine capacity is 3-6 rounds, depending on cartridge chambering
- ► Available in 9 models and 8 calibers



8400 SM

The 8400 SM (Short Magnum) action, sized for short magnum cartridges, has a greater diameter but remains as short as possible to reduce weight and ensure proper balance. Ideal for almost any North American big game.


- ► Magazine capacity is 3-4 rounds, depending on cartridge chambering
- ► Available in 4 models and 4 calibers



84L

The 84L (Long) action has the minimal diameter of the 84M but is slightly longer to fit America's most popular and powerful hunting cartridges, such as the .270 Win. and .30-06 Sprg, making it the lightest rifle in its class.


- ▶ Magazine capacity is 3-6 rounds, depending on cartridge chambering
- Available in 4 models and 3 calibers



8400 LM

The 8400 LM (Long Magnum) action has the additional length necessary to fire some of the world's most powerful cartridges, such as .300 Win. Mag. and .375 H&H.

- > Suitable for hunting both large and dangerous game
- ► Magazine capacity is 3-5 rounds, depending on cartridge chambering
- ► Available in 5 models and 3 calibers





ALL KIMBER SPORTER RIFLES COME WITH A SUB-MOA ACCURACY GUARANTEE.

ALL KIMBER TACTICAL RIFLES COME WITH A HALF-MOA ACCURACY GUARANTEE.

NEW

NEW

THIS MODEL **FEATURES**

STOCK

Reinforced synthetic stock with Pro Desolve® Blak pattern.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a weather-resistant, stainless steel action finished in silver KimPro® II.

HUNTER MAGAZINE

Detachable magazine for quick, easy loading and unloading with a 3-round capacity. Standard with all Hunter rifles.

BARREL

Barrel lengths of 22" to 24" finished in KimPro® II silver.

MUZZEL

7/16 x 28 threaded barrel with muzzle brake and thread protector (removable).



HUNTER PRO



The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL	ITEM	UPC	CALIBER
Hunter Pro Desolve Blak	3000881	669278308814	6.5 Creedmoor
Hunter Pro Desolve Blak	3000880	669278308807	.308 Win.
Hunter Pro Desolve Blak	3000879	669278308791	.280 Ack. Imp.
Hunter Pro (Boot Campaign)	3000894	669278308944	6.5 Creedmoor
Hunter	3000791	669278307916	.243 Win.
Hunter	3000792	669278307923	.257 Roberts
Hunter	3000790	669278307909	7mm-08 Rem.
Hunter	3000789	669278307893	.308 Win.
Hunter	3000793	669278307930	6.5 Creedmoor
Hunter	3000795	669278307954	.270 Win.
Hunter	3000796	669278307961	.280 Ack. Imp.
Hunter	3000794	669278307947	.30-06 Sprg.

A complete presentation of specifications and features begins on page 78.

FEATURES

STOCK

Reinforced synthetic stock with Kryptek Obskura NOX.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a weather--resistant, stainless steel action finished in black KimPro® II.

BOOT Boot Campaign CAMPAIGN provides programs and initiatives to help veterans and military families transition from military life to civilian life. Kimber is a proud sponsor of Boot Campaign.

BARREL

Barrel lengths of 22" to 24" finished in KimPro® II black with engraved Boot Campaign logo.

MUZZEL

7/16 x 28 threaded barrel with muzzle brake and thread protector (removable).

HUNTER PRO (BOOT CAMPAIGN)



paired with a synthetic stock and detachable box magazine. Three models are available: the Hunter Pro Desolve® Blak with a satin-silver barrel and receiver with muzzle brake, and a Desolve® Blak stock; the Hunter Pro offers the ideal combinations for any type of game. (Boot Campaign) in Kryptek Obskura NOX with muzzle brake; and the original Hunter with a satin silver-finished barrel and action. Our Boot Campaign rifle

THE KIMBER HUNTER offers our legendary accuracy and performance carries the Boot Campaign logo engraved on the barrel, and a portion of the proceeds go directly to this charity that works to help veterans across the United States. Chambered in a wide selection of cartridges, this rifle family

HUNTER



- Reinforced synthetic stock
- ▶ Detachable magazine for quick, easy loading and unloading
- ► Weather-resistant, stainless steel action with KimPro® II silver finish

ADIRONDACK



THIS MODEL **FEATURES**

STOCK

Reinforced composite stock in soft-touch Gore™ Optifade™ Elevated II.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action.

BOLT

Fluted bolt and hollow bolt knob.

Stainless steel barrel. 7/16 x 28 threaded barrel ranging from 16" to 18".

MUZZLE

7/16 x 28 threaded barrel with knurled thread protector.

CALIBER

.308 Win.

6.5 Creedmoor

.280 Ack. Imp.

.30-06 Sprg.

.300 WSM

.300 Win. Mag

The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL	ITEM	UPC	CALIBER
MODEL	IIEW	UPC	CALIBER
Adirondack™	3000815	669278308159	7mm-08 Rem.
Adirondack™	3000816	669278308166	.308 Win.
Adirondack™	3000817	669278308173	6.5 Creedmoor

A complete presentation of specifications and features begins on page 78.

understand that. Montana™, Adirondack™, and Mountain Ascent™ models are the lightest production big-game rifles ever offered, delivering legendary Kimber accuracy yet still weighing as little as 4 pounds, 13 ounces. Hand-laid, composite stocks add strength, and stainless steel shrugs the elements. All Kimber Mountain rifles offer a threaded barrel for optional use of muzzle

A TRUE MOUNTAIN RIFLE must be light and accurate—hard-core hunters brakes and suppressors. Montana rifles combine all the best features in a lightweight, stainless steel and reinforced composite package that helps ensure performance. Adirondack and Mountain Ascent models go even further. Featuring a combination of spiral-fluted bolt body and hollow bolt knob, the Adirondack is compact for fast maneuvering.

MOUNTAIN ASCENT

(SUBALPINE)

FEATURES

STOCK

Reinforced composite stock in soft-touch Gore™ Optifade™ Subalpine with pillar and glass bedding.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action.

BOLT

Fluted bolt, bolt handle, and hollow bolt knob.

BARREL

Fluted stainless steel barrel. 7/16 x 28 threaded barrel ranging from 24" to 26".

MUZZLE

7/16 x 28 threaded barrel with muzzle brake and thread protector (removable).



MODEL	ITEM	UPC	CALIBER
Mountain Ascent™ (Subalpine)	3000869	669278308692	.308 Win.
Mountain Ascent™ (Subalpine)	3000871	669278308715	.280 Ack. Imp
Mountain Ascent™ (Subalpine)	3000872	669278308722	.30-06 Sprg.
Mountain Ascent™ (Subalpine)	3000873	669278308739	.300 WSM
Mountain Ascent™ (Subalpine)	3000870	669278308708	.300 Win. Mag.

A complete presentation of specifications and features begins on page 78.

FEATURES

STOCK

Reinforced composite stock in soft-touch Gore™ Optifade™ Open Country with pillar and glass bedding.

ACTIO

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action.

BOLT

Fluted bolt, bolt handle, and hollow bolt knob.

BARREL

Fluted stainless steel barrel. 7/16 x 28 threaded barrel ranging from 24" to 26".

MUZZLE

7/16 x 28 threaded barrel with muzzle brake and thread protector (removable).

MOUNTAIN ASCENT



The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL	ITEM	UPC	CALIBER
Mountain Ascent™	3000763	669278307633	.308 Win.
Mountain Ascent™	3000798	669278307985	7mm-08 Rem.
Mountain Ascent™	3000797	669278307978	6.5 Creedmoor
Mountain Ascent™	3000765	669278307657	.270 Win.
Mountain Ascent™	3000764	669278307640	.280 Ack. Imp
Mountain Ascent™	3000766	669278307664	.30-06 Sprg.
Mountain Ascent™	3000775	669278307756	.300 WSM
Mountain Ascent™	3000776	669278307763	.270 WSM
Mountain Ascent™	3000777	669278307770	.300 Win. Mag.
Mountain Ascent™	3000778	669278307787	7mm Rem. Mag.

A complete presentation of specifications and features begins on page 78.

THE MOUNTAIN ASCENT is set apart from every other rifle on the market due to its extremely lightweight design. The rifle gives the discerning hunter the peak performance they expect from top-notch Kimber products. From the fluted barrel and bolt body to the skeletonized bolt handle and extractor, as much material as is safely possible has been removed from the rifle. If your motto is "ounces equal pounds and pounds equal pain," this ultralightweight

tips the scales at an ounce less than 6.5 pounds in the 8400 Magnum action, the "heaviest" action available. For those who want a rifle in the trimmest configuration possible, the Mountain Ascent can be had in the 84M Short action, weighing a mere 4 pounds, 13 ounces. Dressed with Gore™ Optifade™ soft-touch stock treatments and comes with Talley matte-black scope rings. Optifade rings and muzzle brake accessories are available separately.

 OPEN RANGE PRO CARBON

(GRANITE)

THIS MODEL **FEATURES** STOCK

Custom hand-laid, composite stock from AG Composites™ has pillar bedding and a textured granite color.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action. Action and bottom metal wear a KimPro® II black finish.

SLING SWIVEL STUDS

Bipod and sling ready, the Open Range comes equipped with what you need.

BARREL

BARREL

Proof Research™ carbon

fiber-wrapped barrel.

Proof Research™ carbon fiber-wrapped barrel.

MUZZLE

5/8-24 threaded muzzle with thread protector and brake (not shown).

THIS MODEL **FEATURES**

STOCK

Custom hand-laid, composite stock from AG Composites™ has pillar bedding and Gore™ Optifade™ Open Country pattern. ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action. Action and bottom metal wear a KimPro® II gray finish.

SLING SWIVEL STUDS

Bipod and sling ready, the Open Range comes equipped with what you need.

5/8-24 threaded muzzle with thread protector and brake (not shown).

MUZZLE

OPEN RANGE PRO CARBON (OPEN COUNTRY)



The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL ITEM UPC CALIBER Open Range Pro (Open Country) 3000875 669278308753 6.5 Creedmoor Open Range Pro (Granite) 3000877 669278308777 6.5 Creedmoor

A complete presentation of specifications and features begins on page 78.

KIMBER'S OPEN RANGE rifles are the culmination of premier technologies being offered in premium hunting rifles. The Open Range Pro Carbon rifle line provides the perfect balance of style and performance. AG Composites™, the industry leader in stock technology, provides a reliable platform that the pinnacle of modern barrel science, Proof Research's stainless steel, drivers for the most demanding hunter.

carbon fiber-wrapped barrels offer superior stiffness, reduced harmonic vibration, life-extending heat dissipation and 12 ounces of weight reduction. Single-point cut rifling limits barrel stress and is preferred by many target shooters for its uniformity and close tolerances. Currently available in is ultra lightweight, supremely stiff, and impervious to the elements. At .308 Win. and 6.5 Creedmoor, the Open Range Pro Carbon rifles are true tack

THIS MODEL **FEATURES** STOCK

ACTION Custom hand-laid, composite stock from AG Composites™ has pillar bedding and a textured granite color.

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action. Action and bottom metal wear a KimPro® II black finish.

SLING SWIVEL STUDS

Bipod and sling ready, the Heavy, deep-fluted, stainless Open Country comes equipped steel barrel dissipates heat with what you need. faster while maintaining rigidity.

BARREL

BARREL

Heavy, deep-fluted,

stainless-steel barrel

dissipates heat faster

while maintaining rigidity.

5/8-24 threaded muzzle with thread protector and brake (not shown).

MUZZLE

FEATURES

STOCK

Custom hand-laid, composite stock from AG Composites™ has pillar bedding and Gore™ Optifade™ Open Country pattern.

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action. Action and bottom metal wear a KimPro® II black finish.

SLING SWIVEL STUDS

Bipod and sling ready, the Open Country comes equipped with what you need.

MUZZLE

5/8-24 threaded muzzle with thread protector and brake (not shown).

The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL	ITEM	UPC	CALIBER
Open Country	3000782	669278307824	6.5 Creedmoor
Open Country	3000862	669278308623	.308 Win.
Open Country (Granite)	3000861	669278308616	6.5 Creedmoor
Open Country (Granite)	3000860	669278308609	.308 Win

A complete presentation of specifications and features begins on page 78.

OPEN COUNTRY

OPEN COUNTRY

(GRANITE)

61 > 2022 KIMBER CATALOG

CLASSIC SELECT GRADE

THIS MODEL **FEATURES**

STOCK

Matte-finished French walnut with 20 LPI, hand-finished checkering and an ebony tip.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a steel action. Action and sculpted bottom metal wear a matte-black finish.

BEDDING

Pillar and glass bedding to stabilize the receiver for consistancy from shot to shot.

BARREL

22"-26" carbon-steel barrel lengths, finished in matte blue.



FEATURES

STOCK

AAA-grade walnut with 24 LPI, hand-finished checkering and an ebony tip. A pancake cheek piece on the left side of the stock allows for the perfect

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a steel action. Action and sculpted bottom metal wear a hand-polished, blued finish.

BEDDING

Pillar and glass bedding to stabilize the receiver for consistancy from shot to shot.

BARREL

22" carbon steel with a hand-polished, blued finish.

SUPERAMERICA



elegance and performance. All actions have minimal dimensions for the fine walnut, then checkered and finished by hand. The elegant pillar- and Kimber traditional rifle is more than just a rifle.

KIMBER'S TRADITIONAL rifles offer an unequaled combination of features, glass-bedded sporter stock is carefully shaped. The properly dimensioned classic stock and recoil-absorbing 1-inch Pachmayr Decelerator® recoil pad cartridges the rifles chamber, permitting a trim overall profile that reduces diminish felt recoil. The straight-comb stock slides back into the shoulder, weight by as much as two pounds. All traditional rifles include critical design not up into the cheekbone, and a floorplate release inside the trigger bows, features that ensure performance and dependability. Stocks are borne of preventing accidental opening. Just as hunting is more than a sport, a The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.



MODEL	ITEM	UPC	CALIBER
Classic Select Grade™	3000709	669278307091	.257 Rob.
Classic Select Grade™	3000667	669278306674	.308 Win.
Classic Select Grade™	3000733	669278307336	.270 Win.
Classic Select Grade™	3000734	669278307343	.30-06 Sprg.
Classic Select Grade™	3000703	669278307039	.300 Win. Mag
SuperAmerica™	3000620	669278306209	.308 Win.

A complete presentation of specifications and features begins on page 78.

DANGEROUS GAME

wrap-around checkering, ebony forend cap, and a traditional pancake cheek



65 > 2022 KIMBER CATALOG > 66

elevation. These are the best production dangerous-game rifles available.

FEATURES

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a steel action. Sculpted, steel bottom metal with floorplate release inside the trigger guard.

ACTION

BEDDING

Pillar and glass bedding to stabilize the receiver for consistancy from shot to shot.

BARREL

Stainless steel fluted barrel dissipates heat quicker.

VARMINT



FEATURES

STOCK

STOCK

A-grade walnut sporter stock

with 20 LPI, hand-finished

Laminated, gray wood stock with hand-rubbed oil finish and a beavertail forend.

ACTION

Full-length Mauser claw extractor delivers superior controlled-round feeding and extraction, housed in a stainless steel action.

BEDDING

Pillar and glass bedding to stabilize the receiver for consistancy from shot to shot.

DS

SLING SWIVEL STUDS
Bipod and sling ready, the
Pro Varmint comes equipped
with what you need.

BARREL

Stainless steel fluted barrel dissipates heat quicker.

PRO VARMINT



VARMINT AND HEAVY-BARRELED rifles must deliver pinpoint accuracy with absolute consistency regardless of field conditions. This group of Kimber rifles ensures that level of performance through a combination of match-grade components, careful bedding and proper design. Light to heavy, there is a Kimber Varmint rifle for any type of predator hunting or varmint functional and elegant.

shooting. Varmint™ and Pro Varmint™ models are perfect for hunters who move and call. The Varmint configuration has a heavy target stock shaped from ultra-stable, laminated wood blanks. Both models have sculpted, steel bottom metal with a floorplate release inside the trigger guard, which is both functional and elegant.


The features detailed on these pages are offered in addition to the standard features found on every Kimber rifle listed on page 51.

SUB MOA	

MODEL	ITEM	UPC	CALIBER
Varmint™	3000650	669278306506	.204 Ruger
Varmint™	3000601	669278306018	.22-250 Rem.
Pro Varmint™	3000638	669278306384	.223 Rem.
Pro Varmint™	3000639	669278306391	.22-250 Rem.

A complete presentation of specifications and features begins on page 78.

67 > 2022 KIMBER CATALOG > 68





KIMBER BUILDS no-compromise tactical rifles to help meet the manipulation while folded, a 4-point adjustable cheek weld for a versatile requirements of military and law enforcement professionals. Kimber Sniper Gray. These rifles feature a left-folding stock, allowing for bolt measuring .5 MOA prior to shipping.

level of personalization, M-LOK® slots, tripod mount and stock pack. The tactical rifles have match-grade barrels, chambers, and triggers for the match-grade dimensions of the Advanced Tactical™ SOC II and Advanced highest degree of accuracy. Advanced Tactical SOC II rifles ship with a Tactical SRC II barrels are verified with an air gauge to ensure accuracy, McRees Precision custom stock for Kimber in two color options: FDE and and every rifle is built by hand, guaranteeing they have fired 3-shot groups



A complete presentation of specifications and features begins on page 78.

> LEUPOLD



ZEISS CONQUEST V6

Compact and lightweight 30mm tube design.

BODY Gore Optifade Elevated II pattern on tube and turrets.

LotuTec® lens coatings shed moisture and resist scratching.

ZOOM

6X zoom ratio for increased versatility.

MODEL	ITEM	UPC
ZEISS CONQUEST V4 SCOPE 3-12x56 ZPlex Reticle w/Open Country pattern	4100992	669278419923
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/SubAlpine pattern	4100993	669278419930
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/Open Country pattern	4100994	669278419947
ZEISS CONQUEST V4 6-24x50 ZMOA1 Reticle SCOPE w/Open Country pattern	4100995	669278419954
ZEISS CONQUEST V4 6-24x44 ZPlex Reticle SCOPE w/Open Country pattern	4100997	669278419978

A PERFECT MATCH for the Kimber Mountain Ascent™ and Adirondack™ rifles, the Zeiss Conquest V6 (offered in Gore™ Optifade™ Open Country and Elevated II patterns) offers premium German optical performance and field versatility in a compact, lightweight yet rugged body. The enhanced optical design provides extremely bright images and contrast for precision shooting, even at high magnifications and in low-light conditions.

ZEISS CONQUEST V6	3-12x56		4-16	x44	6-24	x50
Magnification	3	12	4	16	6	24
Effective lens diameter	27.7 mm	56 mm	33.2 mm	44 mm	44.9 mm	50 mm
Exit pupil diameter	9.2 mm	4.7 mm	8.5 mm	2.8 mm	7.5 mm	2.1 mn
Twilight factor	9.1	25.9	11.5	26.5	16.4	34.6
Field of view at 100 yards	38 ft	9.5 ft	28.5 ft	7.1 ft	19 ft	4.8 ft
Objective viewing angle	7.2°	1.8°	5.4°	1.4°	3.6°	0.9°
Diopter adjustment range	+3 / -2 dpt		-3 / 2 dpt		-3 / 2 dpt	
Eye relief	3.5 in		3.5 in		3.5 in	
Parallax setting	100 yo	ds	50 yds − ∞		50 yds - ∞	
Elevation adjustment range	70 MC)A	80 MOA		80 MOA	
Windage adjustment range	70 MC)A	60 MOA		60 MOA	
Adj. per click at 100 yards	1/4 M	DA				
Center tube diameter	30 mm		30 mm		30 n	nm
Eyepiece tube diameter	44 mm		44 mm		44 n	nm
Objective tube diameter	62 mr	m	50 mm		56 mm	
Coating	LotuTec® / 2	ZEISS T*	LotuTec® / ZEISS T*		LotuTec® / ZEISS T*	
Nitrogen filling	yes		yes		yes	
Water resistant	400 ml	bar	400 mbar		400 mbar	
Operating temperature	-4 / + 13	31°F	-4 / + 1	31°F	-4/+1	131°F
Length	14.5	in	14 i	n	14.5	in
Weight	21.5	oz	22.6 oz		24.4 oz	
Reticles	ZPle	x	ZMO	A-2	ZPlex, ZMOA-2	

LEUPOLD VX-6HD





TUBE

THIS MODEL

In-scope cant indicator in the illuminated reticle blinks when the VX®-6HD isn't level for precise mounting and superior long-range accuracy.

BODY

Gore Optifade Subalpine pattern on tube and turrets.

LENS

Guard-ION hydrophobic lens coating protects lenses from the elements. All VX®-6HD scopes include Alumina® flip-back lens covers.

TURRETS

CDS-ZL2 elevation dials deliver extended long-range accuracy and eliminate accidental dial rotation.


MODEL	ITEM	UPC
Leupold Scope: 2-12X42mm / Firedot Triton / Subalpine	4100178	66927841178
Leupold Scope: 3-18X44mm / Firedot Triton / Subalpine	4100179	669278411798

THE LEUPOLD VX®-6HD is begging to go where other scopes can't. It features High-Definition lenses for sharpened clarity, and the Twilight Max™ Light Management System for even greater low-light performance. An in-scope cant indicator, throw lever for fast magnification changes, and a robust erector system makes the VX-6HD ready for almost anything and everything.


LEUPOLD VX®-6HD	2-12 x 4 (30 n CDS-	nm)	3-18 x 4 (30 m CDS-2	ım)
Magnification	2X	12X	3X	18X
Effective objective lens diameter	42 mm	42 mm	44 mm	44 mm
Exit pupil diameter	21 mm	3.5 mm	14.7 mm	2.4 mm
Field of view at 100 yards	57.5	10.2	38.2	6.9
Eye relief	3.8	in.	3.7 ii	١.
Total adjustment travel	120 N	10A	75 M)A
Adjustment per click	1/4 M	10A	1/4 M	0A
Main tube diameter	30 m	nm	30 m	m
Gas filling type	Argon/K	rypton	Argon/Kr	ypton
Waterproof	ye:	s	yes	
Length	12.5	in	13.5	in
Weight	16.8	oz	19 o	z
Model numbers	1729	55	1732	09

RETICLES





RETICLES



EXCLUSIVE KIMBER RETICLE

ZMOA-1 ZMDA-2

THIS MODEL **FEATURES**

SOLUTION

A powerful solution of 10% Oleoresin Capsicum (OC) combines with benzyl alcohol to create the most effective inflammatory agent available. Effects are immediate and last up to 60 minutes.

SPEED

PepperBlaster® II uses patented Jet Protector Technology to propel two separate blasts of potent OC at 112 mph. This speed keeps each blast on target and reduces the risk of blowback or drift. Unlike sprays, PepperBlaster does not lose pressure over time.

UNWAVERING

The non-aerosol pyrotechnic delivery system is not affected by cold or heat and blasts straight through wind and rain. This delivery system is capable of accurate placement and enough force to wrap-around glasses or penetrate masks.

RANGE

PepperBlaster® II has an effective range of up to 13 feet, stopping threats at a distance. The unit does not have to be vertically indexed like sprays and can be fired from any angle or position.



		-
	112 MPH	
Λ Γ	13 Feet	\neg

Holsters and other PepperBlaster II accessories are available through Kimberamerica.com





MODEL	ITEM	UPC
PepperBlaster® II, (gray) in clear clamshell	LA98022	669278980225
PepperBlaster® II, (red) in clear clamshell	LA98021	669278980218

Dimensions (inches)	PBII L: 4.7, W: 1.0, H: 3.3
Weight (charged)	4.2 ounces (120 grams)
Effective range	2-13 feet
Operation	Double action with automatic switchover
Content	Liquid irritant, 2 charges per unit
Irritant agent	10% OC (oleoresin capsicum); 2.4% capsaicinoids
Charge volume	0.21 fluid ounces (6 ml/charge)
Charge velocity	112 MPH/164 FPS
Operating temperature	-4 °F (-20 °C) to 176 °F (+80 °C)
Drop safety	Drop tested to 5 feet (1.5 meters)
Water resistant	Yes
Shelf life	4 years

Caution: Strong irritant. Keep out of reach of children. May be unlawful to own or possess in some states or jurisdictions. Use for any purpose other than lawful self defense may be punishable by imprisonment, fines or both. PepperBlaster® protected by U.S. Pat. 6,951,070B2.



RIMFIRE TARGET CONVERSION KIT

THIS MODEL **FEATURES**

SIGHTS

Adjustable, serrated rear sight with white-dot front sight.

Fits 4- (Pro models) or 5-inch (Custom models) 1911s.



RIMFIRE COMPACT CONVERSION KIT

THIS MODEL FEATURES

SIGHTS

Fixed rear sight with white-dot front sight.

Fits 3- (Ultra models) or 4-inch (Pro models) 1911s.

PEPPERBLASTER® II offers technology, ergonomics and unmatched performance as the most effective less-lethal protection available today. PepperBlaster isn't spray, it's better. Don't spray... shoot.



SHOOTING A RIMFIRE is an effective way to teach new shooters and enhance the training of others, regardless of their level of experience. Kimber's Rimfire Target Conversion Kit™ (fits 4- and 5-inch barrel models) and Rimfire Compact Conversion Kit™ (fits 3- and 4-inch barrel models) are compatible with Kimber and most other mil-spec 1911 pistols. Conversion kits are designed to operate with high-velocity .22 LR ammunition. Adding a Rimfire Conversion Kit to any 1911 gives you two pistols in one and pays for itself in just a few hundred rounds.

MODEL	ITEM	UPC	CALIBER (Inches)	BARREL (Ounces)
Rimfire Target Conversion Kit™ (black)	1100043		.22 LR	5
Rimfire Target Conversion Kit™ (silver)	1100044		.22 LR	5
Rimfire Compact Conversion Kit™ (black)	1100479		.22 LR	4
Rimfire Compact Conversion Kit™(silver)	1100485		.22 LR	4

A complete presentation of specifications and features begins on page 75.

► SPECIFICATIONS

1911 PISTO)L														FR.	AME						SLIDE				B/	ARREL			51	GHTS		GRIPS	
ECIFICATIO		Footnotes Contracts	MA Compliant	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/empty magazine	Magazine capacity	Recoil spring (pounds)	Gui de rod	Material	Finish	Ambidextrous thumb safety	Bumped & grooved grip safety	Front strap checkering (LPI)	Extended magazine well	High cut under trigger guard	Round-heel frame	1913 Picatinny rail	Material	Finish	Front serrations	Flat top	Length (inches)	Material	Bushing	Twist rate (left hand)	Ramped	Гуре	Tritium night sights	Radius (inches)	Material	
Model Aegis Elite Ultra		Œ	2						_		_	_	_	•	-		ш	I	_	-	_		ш.	ш			-		~		_		_	۲
	11			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL			24			•		SS	KP			3	SS		16		FS		4.8	GT	
Aegis Elite Ultra	11			9mm	4.75	6.8	1.28	25	8	16	FG	AL	SIL			24			٠		SS	KP			3	SS		16	•	FS		4.8	GT	
Aegis Elite Pro Aegis Elite Pro	11			.45 ACP	5.25	7.7	1.28	35	7	22	FG	SS	SIL			24					SS	KP KP			4	SS		16		FS		5.7	GT	
Aegis Elite Pro (OI)	11			9mm	5.25	7.7	1.28	28	7	14	FG	SS	SIL			24					SS				4	SS		16		FS		5.7	GT	
Aegis Elite Pro (OI)	11			.45 ACP 9mm	5.25 5.25	7.7	1.28	35 28	9	22 14	FG FG	SS	SIL			24					SS	KP KP			4	SS		16 16		OI/V OI/V			GT GT	
Aegis Elite Custom (OI)	11			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL			24			·		SS	KP			5	SS		16		OI/V			GT	
Aegis Elite Custom (OI)	11			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL			24					SS	KP			5	SS		16		0I/V 0I/V			GT	
Aegis Elite Custom	11			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL			24			·		SS	KP	i		5	SS		16		FS		6.8	GT	
Aegis Elite Custom	11			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL			24					SS	KP			5	SS		16		FS		6.8	GT	
Ultra CDP™	12	1,9		.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	CG, KP			30					SS	SIL, KP			3	SS		16		FLP		4.8	RW	١
Ultra CDP™	12	1,9		9mm	4.75	6.8	1.28	25	8	16	FG	AL	CG, KP			30					SS	SIL, KP			3	SS		16		FLP		4.8	RW	
Pro CDP™	12	1,9		.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	CG, KP			30					SS	SIL, KP			4	SS		16		FLP		5.7	RW	
Pro CDP™	12	1,9		9mm	5.25	7.7	1.28	28	9	14	FG	AL	CG, KP			30					SS	SIL, KP			4	SS		16		FLP		5.7	RW	
Custom CDP™	12	1,9		.45 ACP	5.25	8.7	1.28	31	7	16	FG	AL	CG, KP			30					SS	SIL, KP			5	SS		16		FLP		6.8	RW	j
Ultra Covert™ (LG)	13	1,2,3		.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	CG, KP			30					SS	CG, KP			3	SS		16		TW	٠	4.8	UC, LG	J
Pro Covert™ (LG)	13	1,2,3		.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	CG, KP			30					SS	CG, KP			4	SS		16		TW	٠	5.7	UC, LG	
Custom Covert™ (LG)	13	1,2,3		.45 ACP	5.25	8.7	1.28	31	7	16	SL	AL	CG, KP		٠	30					SS	CG, KP			5	SS		16		TW	٠	6.8	UC, LG	
KHX Ultra	14			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	KP			SP					SS	KP			3	SS		16		FS		4.8	LEG	
KHX Ultra	14			9mm	4.75	6.8	1.28	25	8	16	FG	AL	KP			SP			٠		SS	KP			3	SS		16		FS		4.8	LEG	
KHX Pro	14			.45 ACP	5.25	7.7	1.28	35	7	22	FG	SS	KP			SP			٠		SS	KP		٠	4	SS		16		FS		5.7	LEG	
KHX Pro	14			9mm	5.25	7.7	1.28	28	9	14	FG	SS	KP			SP			•		SS	KP		٠	4	SS		16		FS		5.7	LEG	
KHX Pro (OR)	14			9mm	5.25	7.7	1.28	28	9	14	FG	SS	KP			SP			•		SS	KP			4	SS		16	•	OR		5.7	GTMG	
KHX Custom	14			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP			SP	٠				SS	KP	٠	٠	5	SS	٠	16		FS		6.8	LEG	
KHX Custom	14			9mm	5.25	8.7	1.28	38	9	12	FG	SS	KP			SP	•				SS	KP			5	SS	•	16	٠	FS		6.8	LEG	
KHX Custom (OI)	14			.45 ACP	5.25	8.7	1.28	39	8	16	FG	SS	KP			SP	٠				SS	KP	٠	٠	5	SS	٠	16		OI/T			GTMG	
KHX Custom (OI)	14			9mm	5.25	8.7	1.28	39	9	12	FG	SS	KP			SP	•				SS	KP	•	•	5	SS	•	16	•	OI/T			GTMG	
KHX Custom (OI)	14			10mm	5.25	8.7	1.28	40	8	18.5	FG	SS	KP			SP	٠				SS	KP	٠	•	5	SS	٠	16		OI/T			GTMG	
KHX Custom (OR) KHX Custom (OR)	14			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP			SP					SS	KP			5	SS	•	16		OR		6.8	GTMG	
KHX Custom/RL (OI)	14			9mm .45 ACP	5.25 5.25	8.7 8.7	1.28	38	9	12 16	FG FG	SS	KP KP			SP					SS	KP KP			5	SS		16 16		OR OI/T		6.8	GTMG GTMG	
KHX Custom/RL (OI)	14			9mm	5.25	8.7	1.28	39	9	12	FG	SS	KP			SP					SS	KP			5	SS		16		OI/T			GTMG	
KHX Custom/RL (OI)	14			10mm	5.25	8.7	1.28	40	8	18.5	FG	SS	KP			SP					SS	KP			5	SS	i	16		OI/T			GTMG	
RAPIDE	15	8		.45 ACP	5.25	8.7	1.28	38	8	16.5	SL	SS	KP			SP					SS	KP			5	SS		16		TFX		6.8	GT	Ť
RAPIDE	15	8		10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	KP			SP					SS	KP			5	SS		16		TFX		6.8	GT	
RAPIDE (OI)	15	8		.45 ACP	5.25	8.7	1.28	40	8	16	SL	SS	KP			SP					SS	KP			5	SS		16		OI/V		6.8	GT	
RAPIDE (OI)	15	8		10mm	5.25	8.7	1.28	41	8	18.5	SL	SS	KP			SP					SS	KP			5	SS		16		OI/V		6.8	GT	
RAPIDE (OI)	15	8		9mm	5.5	8.7	1.28	41	9	12	SL	SS	KP			SP					SS	KP			5	SS		16		OI/V		6.8	GT	
RAPIDE (Black Ice)	15	8		.45 ACP	5.5	8.7	1.28	38	8	16	SL	SS	KP			SP					SS	KP			5	SS		16		TFX	٠	6.8	GT	
RAPIDE (Black Ice)	15	8		10mm	5.5	8.7	1.28	39	8	18.5	SL	SS	KP			SP					SS	KP			5	SS		16		TFX		6.8	GT	
RAPIDE (Black Ice)	15	8		9mm	5.5	8.7	1.28	39	9	12	SL	SS	KP			SP					SS	KP			5	SS		16		TFX		6.8	GT	
RAPIDE (Black Ice) (OI)	15	8		.45 ACP	5.5	8.7	1.28	40	8	16	SL	SS	KP		٠	SP					SS	KP		٠	5	SS		16		OI/V		6.8	GT	
RAPIDE (Black Ice) (OI)	15	8		10mm	5.5	8.7	1.28	41	8	18.5	SL	SS	KP	٠		SP	٠	٠			SS	KP			5	SS		16		OI/V	٠	6.8	GT	
RAPIDE (Black Ice) (OI)	15	8		9mm	5.5	8.7	1.28	41	9	12	SL	SS	KP	٠	·	SP	٠	٠			SS	KP	·	•	5	SS	٠	16	·	OI/V	·	6.8	GT	4
Ultra Raptor™ II	16			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	MB	٠		SR					ST	MB		BC	3	SS		16	٠	TW	٠	4.8	ZW	
Pro Raptor™ II	16			.45 ACP	5.25	7.7	1.28	35	8	22	FG	ST	MB	٠	٠	SR					ST	MB		BC	4	SS		16		TW	٠	5.7	ZW	
Raptor™ II Stainless IIItra Pantor™ II	16			.45 ACP	5.25	8.7	1.28	38	8	16	FG	ST	MB, BP	٠	•	SR					ST	MB, BP	SR	BC	5	SS	٠	16		TW	٠	6.8	ZW	
Stainless Ultra Raptor™ II Stainless Ultra Raptor™ II	16			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL	•	•	SR					SS	SIL		BC	3	SS		16	•	TW	٠	4.8	ZW	
Stainless Ottra Raptor II Stainless Pro Raptor™ II	16			9mm	4.75 5.25	6.8	1.28	25	8	14	FG	AL	SIL			SR SR					SS	SIL		BC	3	SS		16	•	TW		4.8	ZW	
Stainless Pro Raptor™ II	16 16			.45 ACP 9mm	5.25	7.7	1.28	35 35	8	22 14	FG FG	SS	SIL		i.	SR					SS	SIL		BC BC	4	SS		16 16		TW	•	5.7	ZW	
Stainless Raptor™ II	16			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	SIL, BP			SR					SS	SIL, BP	SR	BC	5	SS		16		TW		6.8	ZW	
Stainless Raptor™ II	16			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL, BP	i.		SR					SS	SIL, BP		BC	5	SS		16		TW		6.8	ZW	
Stainless Ultra Carry™ II	17			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL, BF			OIL					SS	SIL, DF	OIL	50	3	SS		16		FLP, FO		4.8	RW	Ť
Stainless Ultra Carry™ II	17			9mm	4.75	6.8	1.28	25	8	16	FG	AL	SIL								SS	SIL			3	SS		16		FLP, FO		4.8	RW	
Stainless Pro Carry™ II	17			.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	SIL								SS	SIL			4	SS		16		FLP, FO		5.7	RW	
Stainless Pro Carry™ II	17			9mm	5.25	7.7	1.28	28	9	14	FG	AL	SIL								SS	SIL			4	SS		16		FLP		5.7	RW	
Stainless™ II	17			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL								SS	SIL			5	SS		16		FLP, FO		6.8	RW	
Stainless™ II	17			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL								SS	SIL			5	SS		16		FLP, FO		6.8	RW	
Stainless Target™ (LS)	17			.45 ACP	6	9.7	1.28	42	7	16	SL	SS	SIL								SS	SIL			6	SS		16		KA, FO		7.8	RW	
Stainless Target™ (LS)	17			10mm	6	9.7	1.28	42	8	18.5	SL	SS	SIL								SS	SIL			6	SS		16		KA, FO		7.8	RW	
Stainless Target™ II	17			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL								SS	SIL			5	SS		16		KA, FO		6.8	RW	
Stainless Target™ II	17			9mm	5.25	8.7	1.28	38	9	12	FG	SS	SIL								SS	SIL			5								RW	

															FR.	AME						SLID	E			В	ARRE				SIGHTS		GRIPS	i
111 PISTOL CIFICATION	S	8	oliant		iches)	iches)	thes)	unces) w/empty magazine	capacity	spring (pounds)				Ambidextrous thumb safety	s grooved grip safety	p checkering (LPI)	Extended magazine well	High cut under trigger guard	el frame	ıtınıy rail			ations		iches)			(left hand)			Tritium night sight profile	iches)		
Model	Page	Footnotes	MA Complian	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces)	Magazine capacity	Recoil spr	Gui de rod	Material	Finish	Ambidext	Bumped & grooved	Front strap	Extended	High cut u	Round-heel frame	1913 Picatinny	Material	Finish	Front serrations	Flat top	Length (inches)	Material	Bushing	Twist rate	Ramped	Туре	Tritium nj	Radius (inches)	Material	
Ultra TLE™ II	18			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	MB			30					ST	MB			3	SS		16		FLP		4.8	GT	
Pro TLE™ II	18			.45 ACP	5.25	7.7	1.28	35	7	22	FG	ST	MB			30					ST	MB			4	SS		16		FLP		5.7	GT	
Pro TLE/RL™ II	18			45 ACP	5.25	7.7	1.28	36	7	22	FG	ST	MB			30					ST	MB			4	SS		16		FLP		5.7	GT	
Custom TLE™ II	18			.45 ACP	5.25	8.7	1.28	38	7	16	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE™ II	18			10mm	5.25	8.7	1.28	38	8	18.5	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II	18			.45 ACP	5.25	8.7	1.28	39	7	16	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II	18			10mm	5.25	8.7	1.28	39	8	18.5	FG	ST	MB			30					ST	MB			5	SS		16		FLP		6.8	GT	
Custom TLE/RL™ II (TFS)	18	5		.45 ACP	5.25	9.19	1.28	39	7	16	FG	ST	MB			30					ST	MB			5.5	SS		16		FC, SH		6.8	GT	
Custom TLE/RL™ II (TFS)	18	5		9mm	5.25	9.19	1.28	39	9	12	FG	ST	MB			30					ST	MB			5.5	SS		16		FC, SH		6.8	GT	
Stainless TLE™ II	18			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL			30					SS	SIL			5	SS		16		FLP		6.8	GT	
Stainless TLE/RL™ II	18			.45 ACP	5.25	8.7	1.28	39	7	16	FG	SS	SIL			30					SS	SIL			5	SS		16		FLP		6.8	GT	
Ultra Carry™ II (Two-Tone)	19			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL								ST	MB. BP			3	SS		16		FLP.WD		4.8	RW	۱
Ultra Carry™ II (Two-Tone)	19			9mm	4.75	6.8	1.28	25	7	16	FG	AL	SIL								ST	MB, BP			3	SS		16		FLP,WD		4.8	RW	
Ultra Carry™ II (Two-Tone)(LG)	19			.45 ACP	4.75	6.8	1.28	25	7	18	FG	AL	SIL								ST	MB			3	SS		16		FLP		4.8	RW, LG	
Pro Carry™ II (Two-Tone)	19			.45 ACP	5.25	7.7	1.28	28	7	22	FG	AL	SIL								ST	MB, BP			4	SS		16		FLP,WD		5.7	RW	
Pro Carry™ II (Two-Tone)	19			9mm	5.25	7.7	1.28	28	9	14	FG	AL	SIL								ST	MB, BP			4	SS		16		FLP,WD		5.7	RW	
Pro Carry™ II (Two-Tone)(LG)	19	3		.45 ACP	5.25	7.7	1.28	28	8	22	FG	AL	SIL								ST	MB			4	SS		16		FLP		5.7	RW, LG	
Custom II™ (Two-Tone)	19			.45 ACP	5.25	8.7	1.28	38	7	16	FG	SS	SIL, BP								ST	MB, BP			5	SS		16		FLP,WD		6.8	RW	
Custom II™ (Two-Tone)	19			9mm	5.25	8.7	1.28	38	7	12	FG	SS	SIL, BP								ST	MB, BP			5	SS		16		FLP,WD		6.8	RW	
Custom II™ (Two-Tone)(LG)	19	3		.45 ACP	5.25	8.7	1.28	31	8	16	FG	AL	SIL								ST	MB			5	SS		16		FLP		6.8	RW, LG	
Desert Warrior®	20	2		.45 ACP	5.25	8.7	1.28	40	7	16	SL	ST	DT, KP		•	24					ST	DT, KP			5	SS		16		TW		6.8	GT	
Desert Warrior® (TFS)	20	2,4		.45 ACP	5.25	9.19	1.28	40	7	16	SL	ST	DT, KP			24					ST	DT, KP			5.5	SS		16		FC, SH		6.8	GT	
Eclipse Custom™	21			.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	CG			30					SS	CG, BP			5	SS		16		FLP	•	6.8	GT	
Eclipse Custom™	21			10mm	5.25	8.7	1.28	38	8	18.5	FG	SS	CG			30					SS	CG, BP			5	SS		16		FLP		6.8	GT	
Sapphire Ultra™ II	21			9mm	4.75	6.8	1.15	25	8	16	FG	AL	SIL			BM					SS	BB			3	SS		16		TW		4.8	GT	
Sapphire Ultra™ II	21			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	SIL			BM					SS	BB			3	SS		16		TW		4.8	GT	
Amethyst Ultra™ II	21			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	SIL			BM					SS	AP			3	SS		16		TW		4.8	GT	
Amethyst Ultra™ II	21			9mm	4.75	6.8	1.15	25	8	16	FG	AL	SIL			BM			٠		SS	AP			3	SS		16	٠	TW		4.8	GT	
Rose Gold Ultra™ II	21			.45 ACP	4.75	6.8	1.15	25	7	18	FG	AL	MB, KP	٠		BM					SS	RG			3	SS		16	٠	TW		4.8	GT	
Rose Gold Ultra™ II	21			9mm	4.75	6.8	1.15	25	8	16	FG	AL	MB, KP			BM			٠		SS	RG			3	SS		16	٠	TW		4.8	GT	
Camp Guard 10™	21			10mm	5.25	8.7	1.28	38	8	18.5	SL	SS	SIL			30					SS	MB, KP	٠		5	SS	٠	16		TW		6.8	RW	
Hero Custom	21	7		.45 ACP	5.25	8.7	1.28	38	8	16	FG	SS	KP, DT								SS	KP	٠		5	SS	٠	16		FS		6.8	GT	
Super Jägare™	22	1,6		10mm	5.25	9.7	1.28	42	8	18.5	SL	SS	CG, KP	٠		SC					SS	DLC		SC	6	SS	٠	16		OI/DP			MI	
Super Match™ II	22	5,9	_	.45 ACP	5.5	8.7	1.28	39	8	16	FG	SS	SIL	٠		30	٠	٠			_	MB, KP	FL	SE	5	SS	٠	16		KA		6.8	W	
Rimfire Compact Conversion Kit™	74			.22 LR		7.7		13			FG		-								AL	SIL			4	ST	٠	16	٠	FLP		5.7	-	
Rimfire Compact Conversion Kit™	74			.22 LR		7.7		13	10		FG		-								AL	MB			4	ST	٠	16	٠	FLP		5.7	-	
Rimfire Target Conversion Kit™	74			.22 LR		8.7		15	10		FG		-								AL	SIL	٠		5	ST	٠	16	٠	KA		6.8	-	
Rimfire Target Conversion Kit™	74			.22 LR		8.7		15	10		FG		-								AL	MB			5	ST		16		KA		6.8	_	

FEATURE KEY

AL	Aluminum	F0	Fiber-optic front sight	MI	Micarta	SIL	Satin silver
AP	Amethyst purple PVD finish	FS	Fiber-optic sights	OR	Optics ready	SL	Standard or military-length guide rod
BA	Bel Air Blue™ finish	GM	Gunmetal PVD finish	OI/T	Optics installed, Trijicon Type 2 RMR®06	SP	Stiplex™ pattern
BB	Bright blue PVD finish	GT	G-10	OI/V	Optics installed, Vortex Venom 6 MOA	SR	Scaled Raptor™ pattern
BM	Ball-milled front strap	GTMG	Hogue Magrip™ G-10 Mag Grip	OI/D	Optics installed, Leupold DeltaPoint Pro	SS	Stainless steel
BP	Brush-polished flats	HF	Highly polished flats	P	Polished flats	ST	Steel
CG	Charcoal gray	KP	KimPro® II	PA	Premium aluminum	TFX	TruGlo TFX Pro day/night
DLC	Diamond-Like Carbon coating	KA	Kimber adjustable	RG	Rose gold PVD finish	TW	Tactical wedge
DT	Desert tan	KA B/D	Kimber adjustable bar/dot	RW	Rosewood	UC	Urban camouflage
FC, SH	Fixed cocking shoulder, suppressor height	LEG	Hogue® Laser Enhanced G-10 MagGrip™	SA	Solid aluminum	W	Walnut
FG	Full-length guide rod	LG	Crimson Trace Lasergrips®	SC	Super Carry™ pattern	WD	White-dot sights
FLP	Fixed low profile, black	MB	Matte black	SE	Serrations	ZW	Zebrawood

FOOTNOTES

- Carry Melt treatment.
- Lanyard slot in mainspring housing.
 All LG models with Crimson Trace grips have a recessed slide stop pin.
- TFS models are threaded for suppression, include a thread protector cap.
 Super Match has serrated rear of slide, flush magwell and flush fit barrel crown.
 Ported barrel.

- American Flag engraving on the slide and Kryptek® Highlander™ grips.
- Ported slide.
 30 LPI checkering under trigger guard.

R7 MAKO SPECIFICATIONS NEW R7 Mako™ (OR)
NEW R7 Mako™ (OI) 9mm 4.30 6.2 1.0 19.5 16 FG PM ST SS FNC 3.37 SS 10 · · 5.5 5.00-6.75 9mm 4.30 6.2 1.0 19.5 16 FG PM ST SS FNC 3.37 SS 10 · · 5.5 · 5.00-6.75

				ı	FEATURE KEY					
FG	Full-length guide rod	FNC	Ferritic nitrocarburizing	PM	Polymer	SS	Stainless steel	ST	Stippled	

► SPECIFICATIONS

												FRA	ME		SI	LIDE		BARF	REL				SIGHTS	S		GRIPS	TRIG	GER
	IICRO FICATIONS	Page	Footnotes	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty magazine	Magazine capacity	Recoil spring (pounds)	Material	Flnish	Ambidextrous thumb safety	Front strap checkering (LPI)	Material	Finish	Length (inches)	Material	Twist rate (left hand)	Ramped	White-dot sights	Tritium night sights	Fiber-optic sights	TruGlo TFX Pro day/night sights	Radius (inches)	Material	Туре	Factory setting (appx. pounds)
	Micro™ Stainless Rosewood™ (NS)	36	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL			SS	SIL	2.75	SS	16						4.1	RW	SA	7
	Micro™ Raptor™ (NS)	37	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	MB		SR	SS	MB	2.75	SS	16						4.1	ZW	SA	7
	Micro™ Raptor Stainless™ (NS)	37	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		SR	SS	SIL	2.75	SS	16						4.1	ZW	SA	7
	Micro™ Two-Tone (LG) (NS)	37	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL			SS	MB	2.75	SS	16						4.1	RW, LG	SA	7
	Micro™ Sapphire™ (NS)	38	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	BB	2.75	SS	16						4.1	GT	SA	7
	Micro™ Rose Gold (NS)	38	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	RG	2.75	SS	16						4.1	GT	SA	7
	Micro™ Amethyst™ (NS)	38	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL		BM	SS	AP	2.75	SS	16						4.1	GT	SA	7
	Micro™ Bel Air™ (NS)	37	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	BA			SS	MP	2.75	SS	16						4.1	GT	SA	7
	Micro™ Two-Tone (NS)	36	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	SIL			SS	MB	2.75	SS	16						4.1	RW	SA	7
	Micro™ Desert Night (NS)	36	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	KP			SS	KP	2.75	SS	16						4.1	GT	SA	7
	Micro™ Desert Tan (LG) (NS)	36	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	MB			SS	KP	2.75	SS	16						4.1	DT, LG	SA	7
	Micro™ Eclipse (NS)	35	1	.380 ACP	4	5.6	1.07	13.4	7	8	AL	KP		30	SS	Р	2.75	SS	16						4.1	GT	SA	7
NEW	Micro 9™ Black (OI)	40	1, 5	9mm	5.29	6.1	1.08	18.4	7	16	AL	KP			SS	KP	3.15	SS	16		-				4.3	R	SA	7
NEW	Micro 9™ Stainless (OI)	41	1, 5	9mm	5.29	6.1	1.08	18.4	7	16	AL	KP			SS	SIL	3.15	SS	16						4.3	R	SA	7
NEW	Micro 9™ RAPIDE (Black Ice)	40	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
NEW	Micro 9™ RAPIDE	40	1, 4	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GT	VC	7
	Micro 9™ Sapphire (NS)	43	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		BM	SS	BB	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ Amethyst (NS)	43	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		ВМ	SS	AP	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ Rose Gold (NS)	43	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL		ВМ	SS	RG	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ Two-Tone	44	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	MB	3.15	SS	16						4.1	RW	SA	7
	Micro 9™ Two-Tone (LG)	44	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP			SS	MB	3.15	SS	16						4.1	RW, LG	SA	7
	Micro 9™ Stainless		1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	SIL	3.15	SS	16						4.1	RW	SA	7
	Micro 9™ Stainless Raptor (NS)	43	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SR	SS	SIL	3.15	SS	16						4.1	ZW	SA	7
	Micro 9™ Bel Air	44	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	BA			SS	MP	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ Desert Tan (LG)	42	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	MB			SS	KP	3.15	SS	16						4.1	DT, LG	SA	7
	Micro 9™ Woodland Night (LG)	42	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP			SS	MB	3.15	SS	16						4.1	DG, LG	SA	7
	Micro 9™ Stainless (DN)		1	9mm	4.07	6.1	1.08	15.6	7	16	AL	SIL			SS	SIL	3.15	SS	16						4.1	WG	SA	7
	Micro 9™ Nightfall (DN)	42	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	MB			SS	MB	3.15	SS	16						4.1	WG	SA	7
	Micro 9™ Desert Night (DN)	42	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	DT			SS	MB	3.15	SS	16						4.1	WG		7
	Micro 9™ Eclipse (NS)	44	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	P	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ ESV (TiN) (NS)	41	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	KP	3.15	SS	16						4.1	GT	SA	7
	Micro 9™ ESV (GRY) (NS)	41	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		30	SS	KP	3.15	SS	16						4.1	GT	SA	7
NEW	Micro 9™ ESV Two-Tone (MC)(TP)	39	1, 2	9mm	4.07	7.09	1.08	19.2	7		AL	KP			SS	KP	3.45	SS	16						4.1	WG	SA	7
NEW	Mciro 9™ Stainless (MC)(TP)	40	1	9mm	4.07	7.09	1.08	19.2	7		AL	KP			SS	SIL	3.45	SS	16						4.1	WG	SA	7
	Micro 9™ KHX	41	1	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	GM	SA	7
	Micro 9™ Triari™	41	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	AL	KP		SP	SS	KP	3.15	SS	16						4.1	MI	SA	7
		71	1, 4, 3	7111111	4.0/	0.1	1.00	10.0	,	10	AL.	IXE		OI.	JJ	IXI	0.10	00	10						4.1	IVII	UM.	

FEATURE KEY

AL	Aluminum	СМ	Carry Melt [™] treatment	KP	KimPro® II	PA	Premium aluminum	SP	Stiplex pattern
AP	Amethyst purple PVD finish	DLC	Diamond-Like carbon coating	LG	Crimson Trace Lasergrips®	R	Rubber grips	SR	Scaled Raptor™ pattern
BA	Bel Air Blue™ finish	DT	Desert tan	MB	Matte black	RG	Rose gold PVD finish	SS	Stainless steel
BB	Bright blue PVD finish	GT	G-10	MI	Micarta	RW	Rosewood	VC	V-cut trigger
BM	Ball-milled front strap	GM	Hogue G-Mascus® G-10 Grips & mainspring housing	MP	Mirror polished	SA	Solid aluminum	WG	Hogue Wraparound Grip
BP	Brush-polished flats	HF	Highly polished flats	P	Polished flats	SIL	Satin silver	ZW	Zebrawood

FOOTNOTES

- All magazine capacities are given with the extended magazines. Flush-fit magazine capacity for both Micro 9™ and Micro are 6 rounds.

- 3. Carry Melt treatment.
 - 4. Micro 9 RAPIDE (Black Ice) and RAPIDE only accept Extended Magwell Magazines 5. (OI) models ship with the Crimson Trace CT-1500 optic

2. Micro 9 ESV models have a ported slide.

O SP ICATIONS	Page	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty magazine	Magazine capacity	Recoil spring (pounds)	Melt treatment	Material	Finish	Front strap checkering (LPI)	Material	Finish	Length (inches)	Material	Twist rate (left hand)	Tritium night sights	Radius (inches)	Material	Factory setting (appx. pounds)	
EVO SP™ (Custom Shop)	34	9mm	4.03	6.1	1.06	19	7	16	•	AL	KP	30	SS	FNC	3.16	SS	16	•	4.3	G-10	6-7	
EVO SP™ (CDP)	34	9mm	4.03	6.1	1.06	19	7	16	•	AL	KP	30	SS	FNC	3.16	SS	16	٠	4.3	G-10	6-7	
EVO SP™ Stainless Raptor	33	9mm	4.03	6.1	1.06	19	7	16		AL	KP	SR	SS	FNC	3.16	SS	16	•	4.3	G-10/ZW	6-7	
EVO SP™ (Two-Tone)	34	9mm	4.03	6.1	1.06	19	7	16		AL	KP	SP	SS	FNC	3.16	SS	16		4.3	N	6-7	
EVO SP™ Select (Black)	34	9mm	4.03	6.1	1.06	19	7	16		AL	KP		SS	MB	3.16	SS	16		4.3	N	6-7	
EVO SP™ Select (Stainless)	34	9mm	4.03	6.1	1.06	19	7	16		AL	KP		SS	SIL	3.16	SS	16		4.3	N	6-7	

FEATURE KEY

AL	Aluminum	KP	KimPro® II	N	Nylon	SS	Stainless steel
FNC	Ferritic nitrocarburizing	MB	Matte black	SP	Stiplex pattern	ZW	Zebrawood
GT	G-10	SIL	Satin silver	SR	Scaled Raptor™ pattern		

K6s REVOLVER **SPECIFICATIONS**

FEATURE KEY

Black rubber Brushed stainless finish Double action only Double action/single action
finish Double action only Double action/single
Double action/single
Diamond-like carbon finish
Glass bead
G-10
High polish
Laminated wood
Matte black
Serrated
Satin silver
Stainless steel
Wood

IN5	Model	Page	Caliber	Available in California*	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty cyli	Cylinder capacity	Action	Material	Finish	Back strap	Material	Finish	Length (inches)	Material	Finish	Black serrated	Adjustable rear sight	White-dot sights	Tritium night sights	Fiber-optic	Brass bead	Radius (inches)	Material	Single-action factory setting (appx. pounds)	Double-action factory setting (appx. pounds)
NEW	K6xs™ Carry	49	.38 SPL +P		4.46	6.52	1.39	15.9	6	DAO	AL	GB	SE	SS	GB	2	SS	GB							3.38	BR		9.5-11.5
NEW	K6s™ DASA 4" (Combat)	50	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
NEW	K6s™ DASA 4" (Target)	50	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
NEW	K6s™ DASA 4" (GFO)	50	.357 Mag.		4.63	8.61	1.39	29	6	DA/SA	SS	BRS	SE	SS	BRS	4	SS	BRS							6.23	W	3-3.5	9.5-11.5
NEW	K6s™ Stainless 3" (GS)	50	.357 Mag.		4.46	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS							5.1	GT		9.5-11.5
	K6s™ Stainless™	52	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	BR		9.5-11.5
NEW	K6s™ Stainless™ (NS)	52	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	BR		9.5-11.5
	K6s™ Stainless™ (3")	51	.357 Mag.		4.46	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS							5.1	W		9.5-11.5
	K6s™ DCR™	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	SIL	SE	SS	SIL	2	SS	SIL							4.1	W		9.5-11.5
NEW	K6s™ DC™ (Red)	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS/DLC	2	SS	BRS/DLC							4.1	GT		9.5-11.5
NEW	K6s™ Nightfall 2"	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	MB	SE	SS	MB	2	SS	MB							4.1	GT		9.5-11.5
NEW	K6s™ Nightfall 3"	51	.357 Mag.		4.46	7.62	1.39	25.1	6	DAO	SS	MB	SE	SS	MB	3	SS	MB							5.1	GT		9.5-11.5
	K6s™ DASA 2"	52	.357 Mag.		4.46	6.62	1.39	23	6	DA/SA	SS	BRS	SE	SS	BRS	2	SS	BRS							4.1	W	3-3.5	9.5-11.5
	K6s™ DASA 3"	52	.357 Mag.		4.46	7.62	1.39	25.1	6	DA/SA	SS	BRS	SE	SS	BRS	3	SS	BRS							5.1	W	3-3.5	9.5-11.5

RIFLE SPECIFICATIONS

3F LUII IL	•			(Sa	_	<u>8</u>	(SE	(se y)	<u>ē</u>		ds/ounce	(Sa	
Model	Caliber	Action	Page	Footnotes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounce	Overall length (inches)
	7mm-08 Rem.	84M	59	2	13.7	0.54	0.43	22	0.56	9	4	4/13	41.25
	.308 Win.	84M	59	2	13.7	0.54	0.43	22	0.56	10	4	4/13	41.25
	6.5 Creedmoor	84M	59	2	13.7	0.54	0.43	22	0.56	8	4	4/14	41.25
	.270 Win.	84L	59	2	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75
Mountain Ascent™	.280 Ack. Imp.	84L	59	2	13.8	0.54	0.43	24	0.56	9	4	5/6	43.75
Mountain Ascent	.30-06 Sprg.	84L	59	2	13.8	0.54	0.43	24	0.56	10	4	5/5	43.75
	.300 WSM	8400 SM	59	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5
	.270 WSM	8400 SM	59	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5
	.300 Win. Mag.	8400 LM	59	2	13.8	0.54	0.43	26	0.56	10	4	6/7	46.5
	7mm Rem. Mag.	8400 LM	59	2	13.8	0.54	0.43	26	0.56	9.5	4	6/7	46.5
	6.5 Creedmoor	84M	63		13.8	0.54	0.43	24	0.85	8	4	6/15	43.25
Open Country	.308 Win.	84M	63		13.8	0.54	0.43	24	0.56	10	4	6/15	43.25
Open Range Pro Carbon	6.5 Creedmoor	84M	61		13.8	0.54	0.43	24	0.85	8	4	6/3	43.25
	.204 Ruger	84M	59	1	13.8	0.54	0.43	24	0.69	12	6	7/5	43.25
Varmint	.22-250 Rem.	84M	59	1	13.8	0.54	0.43	26	0.69	14	5	7/9	45.25
	.223 Rem.	84M	59		13.8	0.54	0.43	24	0.85	9	6	8/0	43.25
Pro Varmint™	.22-250 Rem.	84M	59		13.8	0.54	0.43	24	0.85	14	5	8/0	43.25
Caprivi™	.375 H&H Mag.	8400 LM	67	1	13.8	0.49	0.59	24	0.7	12	4	8/10	44.5
Talkeetna™	.375 H&H Mag.	8400 LM	67		13.8	0.49	0.59	24	0.7	12	4	7/12	44.5
Advanced Tactical™ SRC II	.308 Win.	8400 SM	71	3	13.5	Adjust.	Adjust.	16	0.83	10	5	10/8	37
	.308 Win.	8400 SM	71	3	13.7	Adjust.	Adjust.	22	0.83	10	5	11/8	43
Advanced Tactical™ SOC II	6.5 Creedmoor	8400 SM	71	3	13.7	Adjust.	Adjust.	22	0.83	8	5	11/8	43

							Stock			Barrel				
Overall length (in ches)	Model	Caliber	Action	Page	Footnotes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) '	Overall length (inches)
41.25		.257 Roberts	84M	65	1	13.7	0.54	0.43	22	0.56	10	5	5/12	41.25
41.25	Classic	.308 Win.	84M	65	1	13.7	0.54	0.43	22	0.56	10	5	5/10	41.25
41.25	Select Grade™	.270 Win.	84L	65	1	13.8	0.54	0.43	24	0.56	10	5	6/2	43.75
43.75		.30-06 Sprg.	84L	65	1	13.8	0.54	0.43	24	0.56	10	5	6/2	43.75
43.75		.300 Win. Mag.	8400 LM	65	1	13.8	0.54	0.43	26	0.56	10	4	7/4	46.5
43.75	SuperAmerica™	.308 Win.	84M	65	1	13.7	0.54	0.43	22	0.56	10	5	5/10	41.25
43.5		.243 Win	84M	55		13.7	0.54	0.43	22	0.56	10	3	5/10	41.25
43.5		.257 Roberts	84M	55		13.7	0.54	0.43	22	0.56	10	3	5/10	41.25
46.5		6.5 Creedmoor	84M	55		13.7	0.54	0.43	22	0.56	8	3	5/9	41.25
46.5		7mm-08 Rem.	84M	55		13.8	0.54	0.43	22	0.56	9	3	5/7	41.25
43.25	Hunter	.308 Win.	84M	55		13.7	0.54	0.43	22	0.56	10	3	5/7	41.25
43.25		.270 Win.	84L	55		13.8	0.54	0.43	24	0.56	10	3	5/13	43.75
43.25		.280 Ack. Imp.	84L	55		13.8	0.54	0.43	24	0.56	9	3	5/12	43.75
43.25		.30-06 Sprg	84L	55		13.8	0.54	0.43	24	0.56	10	3	5/11	43.75
45.25		7mm-08 Rem.	84M	57	4	13.7	0.54	0.43	22	0.56	9	4	5/2	41.25
43.25		.308 Win.	84M	57	4	13.7	0.54	0.43	22	0.56	10	4	5/2	41.25
43.25		6.5 Creedmoor	84M	57	4	13.7	0.54	0.43	22	0.56	8	4	5/2	41.25
44.5	Montana™ (Sealskin)	.280 Ack. Imp.	84L	57	4	13.8	0.54	0.43	24	0.56	9	4	5/8	43.75
44.5	(Ocuiskiii)	.30-06 Sprg.	84L	57	4	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75
37		.300 WSM	8400 SM	57	4	13.5	0.54	0.43	24	0.56	10	3	6/3	43.5
43		.300 Win. Mag.	8400 LM	57	4	13.8	0.54	0.43	26	0.56	10	4	6/13	46.5
43		7mm-08 Rem.	84M	57	4	13.7	0.54	0.43	18	0.59	9	4	4/13	37.25
	Adirondack™	.308 Win.	84M	57	4	13.7	0.54	0.43	18	0.59	10	4	4/13	37.25
		6.5 Creedmoor	84M	57	4	13.7	0.54	0.43	18	0.59	8	4	4/14	37.25

FOOTNOTES

- Weight can vary as much as 8 ounces due to natural walnut density.
 Barrel length indicated on Mountain Ascent rifles does not include muzzle brake.
- 3. Advanced Tactical SRC II and Advanced Tactical SOC II rifles are shipped with one (1) 5-round detachable magazine. Additional 5- and 10-round magazines are available as an accessory.

 4. Adirondack and Montana models have a threaded barrel and ship with a thread protector cap, but do not include a muzzle brake (which is
- available as an accessory). Adirondack also has a hollowed bolt knob.

RIFLE SPECIFICATIONS CONTINUE TO NEXT PAGE

► SPECIFICATIONS

RIFLE SPECIFICATIONS

NS.			Classic Select Grade"	Super America"	Hunter	Montana"	Adirondack"	Mountain Ascent**	Open Country	Open Range Pro	Varmint	Pro Varmint™	Caprivi"	Talkeetna ""	Advanced Tactical" SRC	Advanced Tactical" SOC I
		A walnut														
		AAA walnut A French walnut		•												
	rial	AA French walnut														
	Material	Reinforced carbon fiber														
		Polymer composite														
		Gray-laminated wood										•				
		Aluminum													•	٠
	Checkering	Coverage Lines per inch (LPI)	Panel 20	Wrap 24	None	None	None	None	None	None	Panel 20	None	Wrap 24	None	None	None
	Chec	Stippling	20	24							20		24			
		Ebony forend tip														
		Cheekpiece		•												
		Hand-rubbed oil finish	•	•							•	٠	•			
		Optifade™ Elevated II					•									
STOCK		Optifade™ Open Country Optifade™ Subalpine						•	•	•						
ST		Kryptek™ Obskura NOX™														
		Granite														
		Sniper Gray														
		FDE													•	•
		Howell-style inletted rear swivel stud														
	_	Front barrel band swivel stud Front sling swivel studs											·	•		
		Additional front swivel stud for bipod														
		Rear sling swivel studs														
		Flush swivel cups (4)													•	
		Double crossbolts											•			
		Recoil pad thickness (inches)	1	1	1	1	1	1	1	1	0.5	1	1	1	1	1
		Pillar bedding Glass bedding		•		•	•	•	•	•			- :	•		
		Aluminum chassis														
		Steel grip cap														
	le l	Steel														
	Materia	Stainless steel			•	•	•	•				•		•	•	•
		Carbon fiber-wrapped stainless steel														
		Highly polished blue Matte black		•												
BARREL	Finish	Satin stainless steel											<u> </u>			
BA		KimPro® II Gray														
		KimPro® II Black														
		Express sights														
		Fluting						٠	•		•	•				
	- a	Threaded barrel				٠	•	٠	•	•					•	•
	Material	Steel Stainless steel	•	•												
	Ž	Stainless steel Matte black			•		•		·						-	
		Highly polished blue														
	Finish	Satin stainless steel														
	듄	KimPro® II Desert Tan														
z		KimPro® II Gray														
ACTION		KimPro® II Black			•				•	٠					•	•
∢	Туре	Front-locking repeater Mauser claw extractor	•	•	•	•		•	- :				- :	•		•
		Mauser claw extractor Sporter	- :		- :		·		i i	·						
	Bolt handle	Fluted, hollowed														
	30 lt h	Varmint														
		Tactical														•
		3-position model 70-type wing safety	•	•	•	•	•	•	•	•	•	•	•	•	•	•
œ		Picatinny rail, 20 minute elevation													•	•
TRIGGER		Adjustable							225	225	225		254		•	•
Ĕ		Factory setting (pull) pounds	3.5-4	3.5-4	3-3.5	3.5-4	3.5-4	3.5-4	3-3.5	3-3.5	3-3.5	3-3.5	3.5-4	3.5-4	2.5	2.5

KIMBER E-SHOP

STORE.KIMBERAMERICA.COM

MAGAZINES & SPEEDLOADERS. Kimber® pistol magazines are available in an assortment of styles and calibers. 1911 magazines fit Kimber pistols, as well as almost any other brand and model of mil-spec 1911 pistols. The KimPro® Tac-Mag®, which is the finest 1911 .45 ACP magazine on the market, features large round-count holes and includes three base pads built around a quick-change system. Magazines, some with increased ammo capacity, are also offered for the Micro™, Micro 9^{TM} , R7 Mako™, and EVO SP™ product lines. The K6s™ can also be reloaded using the available speedloader.

GRIPS. Kimber offers premium grips and Crimson Trace Lasergrips® for Kimber 1911, Micro $^{\text{m}}$ and Micro 9^{m} pistols, and many showcase hand-cut checkering and hand finishing. Grips for our revolvers and grip panels for the EVO SP $^{\text{m}}$ pistols are also available.

KIMBER-BRANDED GEAR. Kimber offers an ever-expanding variety of Kimber-branded apparel and gear. Visit store kimberamerica.com to see the full collection.

HOLSTERS. An assortment of holsters and magazine carriers bearing the Kimber logo are available for all current handguns.

RIFLE ACCESSORIES. A wide selection of bolt handles, magazines, slings, scopes and scope-mounting systems, and additional items are available to craft your ideal rifle setup.

KIMBER® PISTOLS AND RIFLES are shipped with a California-approved cable lock as a safety measure. Additionally, 1911 pistols are shipped in a lockable high-impact case, and Micro, EVO SP, and K6s handguns are shipped in a lockable soft case. Use of the cable lock is encouraged at all times when a firearm is in storage. Kimber owners may request a free cable lock by mail. Please contact our customer service department at 888-243-4522.



Kimber firearms and less-lethal products should only be purchased and used in complete compliance with all laws; national, state and local. All suggestions for use in this catalog, or in any Kimber literature, must be taken within the context of these laws. Customers and dealers are required to comply with all applicable laws.

All Kimber centerfire 1911 pistols include the Loaded Chamber Indicator Port® feature. When a round is in the chamber and light is available, the brass or silver color of the shell casing should be visible through the port in the barrel hood. This feature is another example of Kimber's commitment to firearm safety. However, one must never assume a firearm is unloaded until both the chamber and magazine are empty and the magazine is removed. Even then, all established rules of firearm safety must always be followed. Micro pistols do not have the Loaded Chamber Indicator Port® feature.

Firearm safety is every gun owner's responsibility. Use and store all firearms safely. Teach everyone in your home, especially children, proper firearm safety.

Kimber less-lethal products contain a strong irritant (inflammatory agent) derived from cayenne peppers. Avoid contact with skin and eyes. In case of contact, flush with water for at least 15 minutes. Seek immediate medical attention if symptoms persist or worsen. Always keep Kimber less-lethal products out of the reach of children. There is risk of injury to eyes if used at less than the minimum safe distances specified in the product instruction manual. Kimber less-lethal products may be unlawful to own or possess in some states and jurisdictions. Check with your state and local authorities. Use of Kimber less-lethal products for any purpose except lawful self-defense may be a crime. U.S. PAT. 6,951,070B2.

Certain products may not be available for sale in certain states.

©2021, Kimber Mfg., Inc. All rights reserved. The absence herein of any product name, mark, logo, etc. does not constitute a waiver by Kimber Mfg., Inc. of any intellectual property rights that Kimber Mfg., Inc. may own. Information and specifications presented are for reference only and subject to change without notice at any time. Company names other than Kimber Mfg., Inc. mentioned herein, and such other companies' respective product names, may be trademarks of such respective companies.

79 > 2022 KIMBER CATALOG > 80



>>WHATEVER KIMBER YOUGHOOSE

