

EVEN BEFORE THE FIRST KIMBER® rifle was completed some 41 years ago, manufacturing firearms of unequaled quality was already Kimber's singular goal. Do this, it was reasoned, and everything else will fall in line. On the strength of that commitment, Kimber has become the world's largest

producer of 1911 pistols and the market leader in classic hunting rifles. Quality is the true measure of value. Whether it means accuracy or dependability, the beauty of a finish or the precise fit of wood to metal, quality is an integral part of every Kimber.

### HANDGUN SELECTION GUIDE

#### SUGGESTED USE ICONS

Below and on the following pages you will find a suggested use based on the size and features of each gun. This icon does not necessarily mean a certain firearm is not suitable for other uses. Visit our website or call our customer service staff for questions.



#### CARRY

The features and size of these firearms are well-suited for personal defense situations.



#### HOME DEFENSE

The features and size of these firearms are well-suited for inhome defense.



#### **MULTIPLE USE**

These firearms are suitable for use in a variety of spaces, in and outside of the home.



#### **TARGET**

Topped with adjustable sights, these 1911s are well-suited for competition or a day at the range.



#### LE

The features on these firearms make them an excellent choice for duty carry.



#### HUNT

These models are wellsuited for backcountry camp protection and handgun hunting.

ULTRA<sup>TM</sup> models are easy to conceal and comfortable to carry with their 3-inch bull barrels and short grips. Most frames are made from aluminum rather than steel to reduce weight. While light pistols do have a slight increase in felt recoil, this is minimized by Kimber's recoil system and unequaled 1911 ergonomics. Ultra pistols are the smallest and lightest 1911 pistols offered today, but Kimber quality helps ensure this does not compromise either dependability or accuracy.

- Barrel is just 3 inches long for easy concealment
- Short grip for concealability and comfortable carry
- Most Ultra models weigh just 25 ounces



COMPACT models blend the short grip of the Ultra with the longer 4-inch barrel of Pro models. The longer barrel increases the distance between the sights for more consistent aiming. It also gives an increase in velocity, and additional weight improves balance and reduces felt recoil. Compact models are ideal for shooters with smaller hands and work well for concealed carry or home defense.

- Barrel is 4 inches long for better balance and extra velocity
- Short grip for easier carry and concealment
- Lighter weight for more comfortable carry



K6S models have a 6-round capacity, compact frame and cylinder, and a 2- or 3-inch barrel. Edges are rounded and blended so they are less likely to hang up on clothing. For those that require power in a small package with mild recoil, the K6s fits the bill as it is designed to handle both .357 Magnum and .38 Special +P ammunition. This makes them well-suited for backup or concealed carry.

- · Compact 6-round capacity cylinder
- · 2- or 3-inch barrel
- Ergonomic grip design for easy recoil control



PRO™ models may be the best all-around 1911 configuration, combining a 4-inch barrel with a full-length grip. It is certain to be an ideal choice for concealed carry, personal defense or general use. Some have lightweight aluminum frames while others have heavier steel frames, and two models include the Kimber Tactical Rail™ for mounting lights and accessories. All have a near-perfect balance that makes shooting them easy, accurate and fun.

- Barrel is 4 inches long to optimize balance and concealability
- Full-length grip fits shooters with larger hands
- Frame options permit a model selection that meets multiple needs



CUSTOM<sup>™</sup> models are full-size 1911 pistols featuring a 5-inch barrel and full-length grip. The most popular configuration, they are favored by law enforcement professionals and competition shooters. Slightly heavier and with a greater distance between sights, they are easier to shoot accurately and have reduced felt recoil. The slim profile and outstanding 1911 ergonomics make them well-suited for duty, personal defense and general use.

- Full-length grip fits shooters with larger hands
- Barrel is 5 inches long for optimal velocity and accuracy
- · Wide selection of models for any application











determine the true quality of a pistol. On the strength other brand—or any other type of semi-automatic—and of quality, Kimber® has become the world's largest prosee why Kimber is What All Guns Should Be™.

ACCURACY, DEPENDABILITY and meaningful features ducer of 1911 pistols. Compare a Kimber 1911 with any



right here in America. Moreover, each critical component is manufactured inside the Kimber factories; getting it right means doing it yourself. The finest raw materials form the foundation and Kimber does the rest, ensuring every part meets unequaled standards. America's best shooters, scriptions of each model pictured in this catalog, visit kimberamerica.com. including legendary SWAT units and United States Marines assigned

Kimber® builds the world's finest 1911 pistols to the tightest tolerances to the U.S. Special Operations Command, have chosen Kimber for its quality, dependability and accuracy. So should you. Descriptions of each Kimber 1911 family of pistols are presented throughout the following pages. To locate your nearest Kimber Master Dealer or find complete de-







Low profile matte black finish

Chamber and barrel are machined from solid stainless steel to critical match grade dimensions

Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

Three hole trigger

Please note: a "II" in the model name designates the Kimber Firing Pin Safety

CUSTOM II

THE FEATURES DETAILED ABOVE ARE OFFERED IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.

MODEL	ITEM	UPC	CALIBER	(Inches)	(Ounces)
Custom II™	3200001CA	669278320014	.45 ACP	5	38
Custom II™ (Night Sights)	3200015CA	669278320151	.45 ACP	5	38
Custom Target II	3200004CA	669278320045	.45 ACP	5	38
Stainless II	3200007CA	669278320076	.45 ACP	5	38
Stainless II (Night Sights)	3200016CA	669278320168	.45 ACP	5	38
Stainless Target II	3200008CA	669278320083	.45 ACP	5	38
Stainless Target II	3200107CA	669278321073	10 m m	5	38
Stainless Target II	3200108CA	669278321080	9mm	5	38

A complete presentation of specifications and features begins on page 58.

this family set the standard against which all other 1911 brands and models are measured. Their legendary performance has made dot rear and Fiber front. Setting the standard in performance for Kimber the world's largest producer of 1911 pistols. The

THE ACCURACY, dependability and renowned Kimber features of Custom II, Pro Carry II and Ultra II (BLACK GUNS) offer White Dot sights. Custom Target II and Stainless II models offer White

STAINLESS TARGET II





THE PRO CARRY FAMILY of pistols combine Kimber performance and popular concealed carry features into one package. Low profile white dot or tritium night sights, a serrated mainspring housing, and black synthetic, double-diamond checkered grips are all standard. Low profile matte black finish and hardworking, satin silver keep these pistols wearing a classic

understated look. Lightweight frames keep the weight low for those looking to shave ounces, while the Pro Carry HD II is an all steel variant that is right choice for all your heavy duty needs. The ideal balance of size and weight, these pistols do not compromise on quality or dependibility.







Black synthetic

double diamond

checkered grips

STAINLESS TLE/RL II



Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

30 lines-per-inch front strap checkering

> The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Stainless TLE™ II	3200148CA	669278321486	.45 ACP	5	38
Custom TLE/RL™ II	3200139CA	669278321394	.45 ACP	5	39
Stainless TLE/RL™ II	3200140CA	669278321400	.45 ACP	5	39
Custom TLE™ II	3200068CA	669278320687	.45 ACP	5	38

A complete presentation of specifications and features begins on page 58.

THE TLE (Tactical Law Enforcement) family of pistols is well-suited for duty carry, tactical applications and personal protection. Created for and in cooperation with law enforcement and military experts, TLE models are professional

meet the defensive pistol needs of civilians. Born from those who refuse to compromise, carried by those who demand more from their pistols, when you carry a TLE, you carry with absolute confidence.



STAINLESS TLE II

Serrated mainspring housing contributes to a secure grip, which speeds sight picture recovery between shots STAINLESS ULTRA CARRY II

ULTRA CARRY II

Low profile white dot rear sight

Red fiber optic front

Lightweight aluminum frame for comfortable carry all day

Double diamond checkered black synthetic grips

> The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Jitra Carry™ II	3200061CA	669278320618	.45 ACP	3	25
Jitra Carry™ II (NS)	3200072CA	669278320724	.45 ACP	3	25
itainless Ultra Carry™ II	3200062CA	669278320625	.45 ACP	3	25

A complete presentation of specifications and features begins on page 58.


THE ACCURACY, dependability and renowned Kimber features of models are measured. Their legendary performance has made Kimber the world's largest producer of 1911 pistols. The Ultra Carry II and Stainless Ultra Carry II continue that tradition, but in a smaller,

highly concealable package. Built with lightweight aluminum frames this family set the standard against which all other 1911 brands and and steel slides topped with red fiber optic, or night sights. Highly concealable 3-inch barrels make these a true star for every day carry. Combine these foundations with the slim nature of the 1911 and you have the cornerstone in carry and concealability.










READY FOR ANYTHING. Kimber Tactical pistols have the performance-enhancing features demanded by law enforcement professionals. Wearing tritium night sights, frontstrap and undertrigger guard checkering, an extended magwell to aid in faster reloading, and ambidexterous thumb safeties, these purpose-built pistols

leave nothing out. Kimber Custom Shop alumnium trigger breaks crisply at 4-5lbs. Like all Kimber pistols, each has rounded and blended edges to prevent snagging, along with match grade barrels, chambers and triggers. Full featured, the Tactical Custom II is the finest example of a tactical response pistol offered.



WARRIOR MODELS ARE HIGHLY REFINED technical pistols loaded with features that enhance real-world performance — they are the realization of the 1911 as a tool of military and law enforcement. The Kimber Tactical Rail permits the quick and secure mounting of accessories, Tactical Wedge night sights ensure low-light performance, and G-10 grips as well as aggresive 24 lines-per-inch front

strap checkering ensure a secure grip. Standard features include a military-length guide rod for quick field takedown, tough KimPro® II low friction finish, ambidextrous thumb safety and a lanyard loop for additional retention options. Warrior II is the perfect choice for personal protection or home defense.

Carry Melt™ treatment rounds

edges for smooth carry


### ULTRA COVERT II



ULTRA COVERT II PISTOLS are the perfect combination of light weight and meaningful features. With a Flat Dark Earth color palette, flush-cut barrel and Round Heel Frame on Ultra models, Covert pistols feature both Crimson Trace Lasergrips® and Tactical Wedge tritium night sights; two sight systems that will ensure you acquire your sight picture regardless of light conditions. The 30 lines-per-inch racy and dependability; there is no reason to be afraid of the dark.

front strap checkering with a bordered base helps ensure a positive grip even with cold, wet or gloved hands. The Carry Melt™ treatment contours, rounds and blends all edges so they will not snag on clothing or holsters. A bumped and grooved beavertail grip safety provides control under stress. Kimber Covert quality ensures unequaled accu-

### CDP II



The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.

ITEM CALIBER BARREL WEIGHT .45 ACP Ultra CDP™ I 3200057CA 669278320571 3200056CA 669278320564

A complete presentation of specifications and features begins on page 58.

CDP (CUSTOM DEFENSE PACKAGE) II pistols combine all the best carry features into a package that gives them their name. Adding these features during production reduces the price of these pistols by over \$600, making them an incredible value. Featuring tritium night sights dovetail mounted on a stainless steel slide, flush cut barrel, and the lightweight aluminum frame has 30 lines-per-inch checkering on the front strap and trigger guard. The frame, slide and small parts

ULTRA CDP II

wear our KimPro® II finishes that are self-lubricating and resistant to moisture and salt. The Carry Melt™ treatment rounds and blends edges so they will not hang up on clothing. Available in 4 sizes and configurations for any concealed carry or personal defense application, CDP II pistols have no equal for carry and defense—just what you expect from Kimber.







## RAPTOR II

Scaled slide

sights

Tactical Wedge night

serrations and ambidextrous thumb safety

Striking grips with scale pattern complete this patented pistol design

Back-cut row of large scales runs along the back strap.

STAINLESS ULTRA RAPTOR II

Back-cut row of larger scales along the flat top of the slide

The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Ultra Raptor™ II	3200150CA	669278321509	.45 ACP	3	25
Raptor™ II	3200117CA	669278921174	.45 ACP	5	38
Stainless Raptor™ II	3200181CA	669278921815	.45 ACP	5	38

A complete presentation of specifications and features begins on page 58.

RAPTOR PISTOLS TAKE their name from a combination of aggressive slide and frame serrations, feathered logo grips and special scaled texturing accents. While this patented design is unique, the features, dependability and accuracy are pure Kimber. Tritium night sights, ambidextrous thumb safety and a

bumped and grooved grip safety are all standard with the Raptor family. Stainless Raptors offer a choice of calibers, 9mm or .45 ACP. The quality of the Kimber 1911 rivals America's finest gunsmiths; hold a Raptor and see for yourself.









Brush-polished finish combines with matte black small parts and a gray frame to create a stunning appearance

Chamber and barrel are machined from solid stainless steel to critical match grade dimensions

Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6.


MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Eclipse Ultra™ II	3200042CA	669278320427	.45 ACP	3	25
Eclipse Pro™ II	3200035CA	669278320359	.45 ACP	4	28
Eclipse Custom™ II	3200034CA	669278320342	.45 ACP	5	38
Eclipse Custom™ II	3200122CA	669278321226	10 m m	5	38
Eclipse Target™ II	3200030CA	669278320304	.45 ACP	5	38

A complete presentation of specifications and features begins on page 58.

PERFORMANCE has never looked so good. Kimber Eclipse pistols have a striking brush-polished finish and special custom shop features. Custom Shop additions include 30 lines-per-inch checkering on the front strap and a Premium Aluminum Trigger<sup>TM</sup>.

While the Eclipse finish is striking, performance is what matters. All models can be chambered in .45 ACP, and the Eclipse Custom II is also available in 10mm. All models are completed with laminated gray/black double diamond grips.











GOLD MATCH II

GOLD MATCH PISTOLS deliver a standard of performance unequaled by any other brand or model of production 1911, and they best many full-custom pistols as well. Each Gold Match model has a stainless steel match grade barrel fitted by hand for exceptional accuracy and looks as good as it shoots, with flat surfaces polished to a high shine and contrasting satin over the curves.

Features include an ambidextrous thumb safety, adjustable sights, serrated flat top slide, match grade Premium Aluminum Trigger™, 30 lines-per-inch front strap checkering and elegant rosewood grips. Designed for competition, the accuracy and dependability of Gold Match pistols have made them a favorite for all-around use.

A complete presentation of specifications and features begins on page 58.




Kimpro® II finished frame and slide Under trigger guard checkering 1 INCH OR BETTER AT 25 YARDS **GUARANTEED.** The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 6. ITEM UPC CALIBER BARREL WEIGHT

EACH UNIQUE MODEL found in the Kimber Custom Shop Collection is superlative in every respect, from features to accuracy to dependability. They are the finest representatives of their class. The Super Match II is designed for action shooting and accuracy competitions and carries features like

a low glare serrated topstrap, extended magwell, and an adjustable rear sight. Each carries an accuracy guarantee of 5 shots, 25 yards, 1-inch group or less. Custom Shop collection pistols are collectively the finest 1911 pistols available today.


GOLD MATCH STAINLESS II






KIMBER  $K6s^{TM}$  REVOLVERS set the bar for concealed carry revolvers by bringing an unmatched level of performance and shootability to concealed carry. Compact and light with the

smallest .357 Magnum cylinder ever offered and a light, no-stack trigger, the K6s blends superior ergonomics and simple operation. Kimber K6s is the revolver of the next generation.




THE KIMBER K65™ IS AMONG THE MOST ACCURATE, shootable and dependable compact revolvers available today. Delivering on size and power, the K6s is the smallest 6-shot revolver on the market today that is specifically designed to fire .357 Magnum defensive

ammunition. Mild recoil and a smooth double-action trigger pull make these revolvers a pleasure to shoot. Kimber engineers pushed the envelope to create the smallest and most comfortable .357 Magnum ever.



## K6s REVOLVERS



With the smallest cylinder capable of holding 6 rounds of .357 Magnum (also compatible with .38 Special) offered today, K6s<sup>TM</sup> compact revolvers are well-suited for backup, concealed carry and home defense. The small frame, 2- and 3-inch barrel and 1.39-inch diameter cylinders are machined from the finest stainless steel for superior integrity, strength and resistance to moisture. The K6s offers important design features, including an advanced double-action trigger with a short, smooth, no-stack trigger that creates confidence while ensuring accuracy. Edges are rounded and blended

to prevent hang up when the revolver is removed from concealment. 2019 brings the addition of the first double/single action for the K6s family, the K6s DASA in 2- and 3 inch barrels, a TLE finish for the K6s in 2- and 3 inch barrels, and LG models for the DC and CDP K6s. For those who require a small package with mild recoil, K6s provides the power needed for concealed carry, home protection and many other applications. Best of all, the K6s revolver offers unequaled Kimber quality, dependability, and performance.







	MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
NEW	K6s™ DASA (2")	3400013	.357 Mag.	2	23
NEW	K6s™ DASA (3")	3400012	.357 Mag.	2	25.1
	K6s™ DCR	3400009	.357 Mag.	2	23
	K6s™ CDP	3400013	.357 Mag.	2	23

A complete presentation of specifications and features begins on page 58.




# K6s REVOLVERS













MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
K6s™ DC	3400012	.357 Mag.	2	23
K6s™ Stainless (LG)*	3400003	.357 Mag.	2	23
K6s™ Stainless (NS)	3400004	.357 Mag.	2	23

MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGH (Ounces
K6s™ Stainless (3")	3400011	.357 Mag.	3	25.1
K6s™ Stainless	3400010	.357 Mag.	2	23



### RIFLE SELECTION GUIDE




THE KIMBER BRAND GOES BACK TO 1979, and its rifles have is based on an action size designed with minimal dimensions been favored by discriminating hunters and shooters ever since. for the cartridge's family. Accuracy is the best measure of rifle Kimber offers a wide selection of classic sporting, hard-core quality, and reliability follows. Each rifle is guaranteed under hunting, unique varmint and no-compromise tactical rifles. Each the Kimber SUB MOA Accuracy Standard.



ACTION 84M	CALIBERS
Action Length 7.63"	.204 Ruger
Action Diameter 1.14"	.223 Rem.
Rifle Weight 4lbs., 13oz.	.22-250 Rem.
mile mergine most, root.	.243 Win.
	.257 Roberts
	6.5 Creedmoor
	7mm-08 Rem.
	.308 Win.
	.308 WIN.
ACTION 841	CALIBERS
Action Length 8.16"	.270 Win
Action Diameter 1.14"	.280 Ack. Imp.
Rifle Weight 5lbs., 5oz.	.30-06 Sprg.
Riffe Weight Sibs., 502.	.30-06 Sprg.
ACTION 8400 SM	CALIBERS
Action Length 8.4"	6.5 Creedmoor
Action Diameter 1.36"	.308 Win.
Rifle Weight 6lbs., 3oz.	.270 WSM
Kille Weight 6ibs., 302.	.300 WSM
	.300 W3M
ACTION 8400 LM	CALIBERS
Action Length 9.24"	7mm Rem. Mag.
Action Diameter 1.36"	.300 Win. Mag.
Rifle Weight 6lbs., 13oz.	.375 H&H Mag.
Kille Weight Olbs., 1502.	.575 Hall Mag.

\*Weight given for the lightest rifle and caliber combination based on this action. See page 59 for complete

KIMBER RIFLES OFFER A COMBINATION OF FEATURES that set them apart from other production brands. Barrels, chambers and triggers are crafted with critical match grade dimensions for unmatched accuracy. All of Kimber's rifles are controlled round feed. Pillar and glass bedding add strength and ensure that nothing shifts under recoil or during rough use. Walnut stocks are finished and checkered by hand, and reinforced carbon fiber stocks are the Pillar and/or glass bedding provides strength and accuracy Each proportioned action gives near perfect balance for fast, positive aiming



#### 84M ACTION FEATURES

- The 84M (Medium) action has minimal dimensions for cartridges ranging from .204 Ruger to .308 Win.
- As part of the lightest production rifles available today, this action is built for short bolt travel and allows for faster operation
- Barrel is an optimal length for the flattest trajectory and superior accuracy
- Magazine capacity is 3-6 rounds, depending on caliber chambering
- · Available in 9 models and 8 calibers



#### 84L ACTION FEATURES

- The 84L (Long) action has the minimal diameter of the 84M but is slightly longer to fit America's most popular and powerful hunting cartridges, such as the .270 Winchester and .30-06 Springfield
- The lightest rifle in its class
- Barrel is an optimal length for the flattest trajectory and superior accuracy
- Magazine capacity is 3-5 rounds, depending on caliber chambering
- Available in 4 models and 3 calibers

Barrel and chamber machined to critical match grade dimensions with rigid quality control ensures exceptional accuracy

> \*This dimension is 2.40 inches in actions chambered for .204 Ruger and .223 Rem.



#### 8400 SM ACTION FEATURES

- The 8400 SM (Short Magnum) action sized for Short Magnum cartridges has a greater diameter but remains as short as possible to reduce weight and ensure proper balance
- Barrel is the proper length for maximum velocity and flat trajectory
- · Ideal for almost any North American big game
- Magazine capacity is 3-4 rounds, depending on caliber chambering
- Available in 4 models and 4 calibers




- The 8400 LM (Long Magnum) action has the additional length required by some of the world's most powerful cartridges, such as .300 Winchester Magnum and .375 H&H Magnum
- Suitable for hunting both large and dangerous game
- Barrel is the proper length for maximum velocity and balance
- Magazine capacity is 3-5 rounds, depending on caliber chambering
- Available in 5 models and 3 calibers

finest worn by any production rifle. Descriptions of each rifle family are presented throughout the following pages, and more than 2,000 Kimber Master Dealers across America stand ready to assist in the selection of a model that will meet your needs. To locate your nearest Kimber Master Dealer, find

complete information on each model or view product videos, please visit kimberamerica.com.

### HUNTER





MODEL	ITEM	UPC	CALIBER
Hunter (Black)	3000850	669278308500	.308 Win.
Hunter (Black)	3000851	669278308517	6.5 Creedmoor
Hunter (Black)	3000852	669278308524	.270 Win.
Hunter	3000791	669278307916	.243 Win.
Hunter	3000792	669278307923	.257 Roberts
Hunter	3000790	669278307909	7mm-08 Rem.
Hunter	3000789	669278307893	.308 Win.
Hunter	3000793	669278307930	6.5 Creedmoor
Hunter	3000795	669278307954	.270 Win.
Hunter	3000796	669278307961	.280 Ack. Imp.
Hunter	3000794	669278307947	.30-06 Sprg.

• 3 round capacity

MODEL	ITEM	UPC	CALIBER
Hunter (Realtree Edge)	3000839	669278308395	.243 Win.
Hunter (Realtree Edge)	3000842	669278308425	.308 Win.
Hunter (Realtree Edge)	3000843	669278308432	
Hunter (Realtree Edge)	3000844	669278308449	.270 Win.
Hunter (Realtree Edge)	3000846	669278308463	.30-06 Sprg.
Hunter (Boot Campaign)	3700443	669278374437	.308 Win.
Hunter (Boot Campaign)	3700539	669278375397	6.5 Creedmoor
Hunter (Boot Campaign)	3700442	669278374420	.270 Win.
Hunter (Boot Campaign)	3700445	669278374451	.280 Ack. Imp.
Hunter (Boot Campaign)	3700440	669278374406	.30-06 Sprg.

The features detailed on these pages are

OFFERED IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY RIFLE LISTED ON PAGE 30.

A complete presentation of specifications and features begins on page 59.

THE KIMBER HUNTER offers our legendary accuracy and performance paired with a synthetic stock and removeable box magazine. Four models are available, the Hunter (Black) with barrel and receiver in low-profile, matte-black KimPro® II finish, the Hunter (Realtree $^{\text{TM}}$ ) in with a stock wrapped in Realtree Edge $^{\text{TM}}$  pattern, the Hunter (Boot Campaign) in Kryptek Highlander $^{\text{TM}}$ , and finally the original Hunter with satin silver

finished barrel and action. Paired with a barrel and action in

finish that controls light reflection and an incredibly popular pattern, the Hunter (Realtree Edge<sup>TM</sup>) is a winning combination for our Eastern US hunters. Our Boot Campaign rifle carries the Boot Campaign logo engraved on the barrel, and a portion of the proceeds go directly to this charity that works to help veterans across the United States. Chambered in a wide selection of calibers, this rifle family offers the ideal combinations for any type of game.

Timber.

### MOUNTAIN





MODEL	ITEM	UPC	CALIBER
Montana™	3000802	669278308029	.308 Win.
Montana™	3000799	669278307992	6.5 Creedmoor
Montana™	3000804	669278308043	7mm-08 Rem.
Montana™	3000814	669278308142	.280 Ack. Imp.
Montana™	3000812	669278308128	.30-06 Sprg.
Montana™	3000805	669278308050	.300 WSM
Montana™	3000807	669278308074	.300 Win. Mag
Adirondack™	3000815	669278308159	7mm-08 Rem.
Adirondack™	3000816	669278308166	.308 Win.
Adirondack™	3000817	669278308173	6.5 Creedmoor

A complete presentation of specifications and features begins on page 59.

hunters understand. Montana<sup>TM</sup>, Adirondack<sup>TM</sup>, and Mountain Ascent™ models are the lightest production big-game rifles ever the Adirondack is compact for fast maneuvering. The Mountain offered, delivering legendary Kimber accuracy yet still weighing as little as 4 pounds, 13 ounces. Hand-laid carbon fiber stocks add strength, and stainless steel shrugs the elements. All Kimber fade™ soft-touch stock treatments that blend into any environ-Mountain rifles offer a threaded barrel for optional use of muzzle brakes and suppressors. Montana rifles combine all the best Kimber features in a lightweight, stainless steel and reinforced carbon fiber package that helps ensure performance. Adiron-

combination of spiral fluted bolt body and hollow bolt knob, Ascent has additional custom features, including a fluted barrel and muzzle brake to reduce felt recoil. Both wear Gore™ Optiment and ship with Talley matte black ring mounts. Optifade ring mounts and muzzle brake accessories are available separately. These rifles have no equal.



# MOUNTAIN



### OPEN RANGE





	MODEL	ITEM	UPC	CALIBER
N	Open Country Pro (Open Country)	3000875	669278308753	6.5 Creedmoor
N	Open Country Pro (Open Country)	3000876	669278308760	.308 Win.
N	Open Country Pro (Granite)	3000877	669278308777	6.5 Creedmoor
N	Open Country Pro (Granite)	3000878	669278308784	.308 Win

A complete presentation of specifications and features begins on page 59.

OUR OPEN RANGE RIFLES are the culmination of the premier technologies being offered in premium hunting rifles. New for 2020, the Open Range Pro Carbon rifle line provides the perfect balance of style and performance. AG Composites, the industry leader in stock technology, provides a reliable platform that is ultralightweight, supremely stiff, and impervious to the elements. At the pinnacle of modern barrel science, Proof Research's stainless steel, carbon-fiber wrapped barrels

offer superior stiffness, reduced harmonic vibration, lifeextending heat dissipation and 12 ounces of weight reduction. Single point cut rifling limits barrel stress and is preferred by many target shooters for its uniformity and close tolerances. Currently available in .308 Win. and 6.5 Creedmoor, the Open Range Pro Carbon rifles are true tack drivers for the most demanding hunter.



## OPEN RANGE





MODEL	ITEM	CALIBER
Open Country	3000782	6.5 Creedmoor
Open Country	3000862	.308 Win.
Open Country (Granite)		6.5 Creedmoor
Open Country (Granite)	3000860	.308 Win

A complete presentation of specifications and features begins on page 59.



### TRADITIONAL



KIMBER'S TRADITIONAL BIG-GAME RIFLES offer an unequaled combination of features, elegance and performance. All actions have minimal dimensions for the cartridges they chamber, permitting a trim overall profile that reduces weight by as much as two pounds. All traditional rifles include critical design features that ensure performance and dependability. Stocks are borne of fine walnut and then checkered and finished by hand. The elegant pillar and glass bedded sporter stock is carefully shaped and

dimensioned from fine walnut for both recoil control and quick pointability. This properly dimensioned classic stock and recoilabsorbing 1-inch Pachmayr Decelerator® recoil pad diminish felt recoil. The Kimber-designed straight comb stock slides back into the shoulder, not up into the cheekbone. A sculpted steel bottom metal has a floorplate release inside the trigger bow that prevents accidental opening. Just as hunting is more than a sport, a Kimber traditional rifle is more than just a rifle.



MODEL	ITEM	CALIBER
Classic Select Grade™	3000670	.243 Win.
Classic Select Grade™	3000709	.257 Rob.
Classic Select Grade™	3000667	.308 Win.
Classic Soloct GradoTM	2000722	270 Win

MODEL	ITEM	CALIBER
Classic Select Grade™	3000734	.30-06 Sprg.
Classic Select Grade™	3000703	.300 Win. Mag
SuperAmerica™	3000620	.308 Win.

A complete presentation of specifications and features begins on page 59.



### DANGEROUS GAME







Reinforced carbon

fiber stock

AA-grade

French walnut

 MODEL
 ITEM
 CALIBER

 Caprivi™
 3000692
 .375 H&H Mag

 Talkeetna™
 3000706
 .375 H&H Mag

Pancake cheek piece

Full-length Mauser claw

extractor delivers superior

controlled round feeding

and extraction

extractor delivers superior

Stainless steel

barrel and action

controlled round feeding

and extraction

A complete presentation of specifications and features begins on page 59.

KIMBER DANGEROUS GAME rifles deliver unwavering reliability and charge-stopping energy. Equally important, they have critical features absent from other production rifles in heavy calibers. The Caprivi™ is designed for Africa and the Talkeetna™ is ready for the unpredictable weather of Alaska —places where Kimber quality takes on a whole new level of importance. The Model 8400 Caprivi has a AA-grade French walnut stock with a hand-rubbed oil finish, 24 lines-per-inch wrap-around checkering, ebony forend tip and traditional pancake cheek piece. It also has a 3-leaf island express sight with the fixed leaf regulated for 50 yards. The Talkeetna has a stainless steel barreled

action and reinforced carbon fiber stock—the finest ever offered in a production dangerous game rifle—and is mounted with a single-leaf express sight. Both the Caprivi and Talkeetna have a full-length Mauser claw extractor for true controlled-round feeding and extraction, plus a 3-position safety that is positive, quiet and fast. A barrel band sling swivel stud will not contact the forward hand during recoil. Front sights on both of these rifles are hooded and adjustable for elevation, and both folders remain green for custom regulation. These are the best production dangerous game rifles available, and the game they were designed to hunt deserve nothing less.

### VARMINT



nents, careful bedding and proper design. Light to heavy, there

is a Kimber varmint rifle for any type of predator hunting or



MODEL	ITEM	UPC	CALIBER
Varmint™	3000650	669278306506	.204 Ruger
Varmint™	3000601	669278306018	.22-250 Rem.
Pro Varmint™	3000638	669278306384	.223 Rem.
Pro Varmint™	3000639	669278306391	.22-250 Rem.

A complete presentation of specifications and features begins on page 59.

Simber .

with a floorplate release inside the trigger guard, which is both

functional and elegant.



### TACTICAL



Extended bolt

oversized knob

handle with



ADVANCED TACTICAL SRC II • 16-inch barrel · 4 points of adjustment for cheek weld and stock position Folding stock • FDE finish on chassis • 5/8-24 threaded muzzle with thread protector Oversized bolt handle Nightvision mount · Controlled round feed





KIMBER BUILDS NO-COMPROMISE tactical rifles to help meet the requirements of military or law enforcement professionals. In these arenas, the need for accuracy and dependability takes on a new meaning. Kimber tactical rifles have match grade barrels, chambers and triggers for the highest degree of accuracy. Each action features a full-length Mauser claw extractor for air gauge to ensure accuracy, and every rifle is built by hand, the superior dependability of controlled-round feeding plus an extended bolt handle with an oversized bolt knob for positive operation regardless of field conditions. Advanced Tactical SOC II rifles now ship with a McRee Precision custom stock for Kimber in two color options—FDE and Sniper Gray—they

feature a left folding stock that allows for bolt manipulation while folded, a 4-point adjustable cheek weld for a versatile level of personalization, M-LOK® slots, tripod mount, and stock pack. The match grade dimensions of the Advanced Tactical™ SOC II and Advanced Tactical SRC II barrels are verified with an guaranteeing each to have fired 3-shot groups measuring .5 MOA prior to shipping. From a short, light configuration for fast deployment to heavier models with advanced features for longrange precision, Kimber tactical rifles are ready for anything.



Left folding stock allows

for bolt cycling while

folded and has 4-point

adjustable comb

MODEL	ITEM	CALIBER
Advanced Tactical™ SOC II (SG)	3000858	.308 Win.
Advanced Tactical™ SOC II (SG)	3000857	6.5 Creedmoor
Advanced Tactical™ SOC II (FDE)	3000856	.308 Win.
Advanced Tactical™ SOC II (FDE)	3000855	6.5 Creedmoor
Advanced Tactical™ SRC II (FDE)	3000859	.308 Win.

Full-length Mauser

claw extractor delivers


feeding and extraction

superior controlled round

A complete presentation of specifications and features begins on page 59.



FOUND ON EVERY RIFLE LISTED ON PAGE 30.



### OPTICS

A PERFECT MATCH for the Kimber Mountain Ascent™ and Adirondack™ rifles, the Zeiss Conquest V6 (offered in Gore™ Optifade™ Open Country and Elevated patterns) offers premium German optical performance and field versatility in a

compact, lightweight yet rugged body. The newly enhanced optical design provides extremely bright images and contrast for precision shooting, even at high magnifications and in low light conditions.

**ZEISS CONQUEST** 3-12x56 4-16x44 6-24x50 50 mm 33.2 mm 44 mm 44.9 mm 11.5 34.6 25.9 26.5 16.4 9.5 ft 28.5 ft 7.1 ft 19 ft 4.8 ft 5.4° 3.6° 0.9° -3 / 2 dpt 3.5 in 3.5 in 3.5 in 50 yds – ∞ 70 MOA 80 MOA 80 MOA 70 MOA 60 MOA 1/4 MOA 30 mm 30 mm 44 mm 44 mm 62 mm 50 mm 56 mm LotuTec\* / ZEISS T\* LotuTec® / ZEISS T\* LotuTec\* / ZEISS T\* -4 / + 131°F -4 / + 131°F -4 / + 131°F 14.5 in 14.5 in 21.5 oz 22.6 oz 24.4 oz ZMOA-2 ZPlex, ZMOA-2

ZMOA-2

ZMOA-1




LotuTec® lens coatings

scratching

shed moisture and resist

AN EXCELLENT CHOICE for the Kimber Subalpine rifle, the Leupold VX®-6HD is begging to go where other scopes can't, featuring new High-Definition lenses for sharpened clarity, and the Twilight Max $^{\text{TM}}$  Light Management System for even

greater low-light performance. An in-scope cant indicator, throw lever for fast magnification changes and a robust erector system makes the VX-6HD ready for almost anything and everything.



CDS-ZL2 elevation dials deliver extended long-range accuracy and eliminate accidental dial rotation



EXCLUSIVE KIMBER RETICLE

In-scope cant indicator in the illuminated reticle blinks when the VX®-6HD isn't level, for precise mounting and superior long-range accuracy

> All VX®-6HD riflescopes include Alumina® flip-back lens covers



GORE<sup>TM</sup> OPTIFADE<sup>TM</sup> SUBALPINE PATTERN

> Guard-ION hydrophobic lens coating protects lenses from the elements

MODEL	ITFM	UPC
ZEISS CONQUEST V4 SCOPE 3-12x56 ZPIex Reticle w/Open Country pattern	4100992	669278419923
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/SubAlpine pattern	4100993	669278419930
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/Open Country pattern	4100994	669278419947
ZEISS CONQUEST V4 6-24x50 ZMOA1 Reticle SCOPE w/Open Country pattern	4100995	669278419954
ZEISS CONQUEST V4 6-24x44 ZPIex Reticle SCOPE w/Open Country pattern	4100997	669278419978

MODEL	ITEM
Leupold Scope: 2-12X42mm / Firedot Triton / Subalpine	4100178
Leupold Scope: 3-18X44mm / Firedot Triton / Subalpine	4100179

### CONVERSION KITS

### ACCESSORIES





MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Rimfire Target Conversion Kit™ (black)	1100043	.22 LR	5	15
Rimfire Target Conversion Kit™ (silver)	1100044	.22 LR	5	15
Rimfire Compact Conversion Kit™ (black)	1100479	.22 LR	4	13
Rimfire Compact Conversion Kit™(silver)	1100485	.22 LR	4	13

A complete presentation of specifications and features begins on page 58.

SHOOTING A RIMFIRE is an effective way to teach new shooters and enhance the training of others, regardless of their level of experience. Our Rimfire Target Conversion Kit™ (fits 4- and 5-inch barrel models) and Rimfire Compact Conversion Kit™ (fits 3- and 4-inch barrel models) are compatible with

Kimber and most other MIL-SPEC 1911 pistols. Conversion kits are designed to operate with high velocity .22 LR ammunition. Adding a Rimfire Conversion Kit to any 1911 gives you two pistols in one and pays for itself in just a few hundred rounds.



#### MAGAZINES

Kimber® pistol magazines are available in an assortment of finishes, sizes and calibers. 1911 magazines fit Kimber pistols, plus almost any brand and model of MIL-SPEC 1911. The KimPro® Tac-Mag® is the finest 1911 .45 ACP magazine available today. Each has a quick-change system that permits immediate attachment of three included bases, along with large round count holes that read at a glance.



#### KIMBER CUSTOM SHOP

The Kimber Custom Shop™ can quickly and professionally modify or personalize any Kimber pistol. Services include installation of night sights, custom finishes, part replacement, checkering, melts, custom parts and



Kimber offers a full selection of premium grips and Crimson Trace Lasergrips® that fit almost any brand of 1911 pistol, regardless of caliber. Many feature hand-cut checkering and hand finishing. A large variety of grips for our K6s® revolvers are also available through the Kimber



An assortment of fine leather holsters and magazine carriers with the Kimber logo are available for Kimber 1911, Micro™ and Micro 9<sup>™</sup> pistols. Kimber holsters also may fit other brands of MIL-SPEC 1911 pistols.



#### LOGO GEAR


Kimber offers a wide variety of logo apparel and gear, and the selection is always growing. Visit store.kimberamerica.com for a complete presentation.



#### RIFLE ACCESSORIES

A selection of scopes, mounting systems for any application, along with extended bolt handles, leather logo slings, patterned slings to match your rifles, and other items are available to complete your rifle set up.





															Fram							Slid					Barrel				Sights		Grip		Tei	gger
					_		_		_				_		rraiii	_	_				_	Silu	=	_	_		arrei	_	_		ignis	_	Grip	,	IFIG	ger
1911 PISTO SPECIFICATI						) w/ empty magazine	idty	(spunoc					trous thumb safety	oved grip safety	checkering (LPI)	er trigger guard (LPI)	magazine well	trigger guard	ame	rail			SI					hand)			ights					(appx. pounds)
	ge	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces)	Magazine capacity	Recoil spring (pounds)	Guide rod	Melt treatment	Material	Finish	Ambidextrous	Bumped & groov	Front strap che	Checkering under	Extended mag	High cut under	Round Heel Fra	1913 Picatinny	Material	Finish	Front serration	Flat top	-ength (inches)	Material	Bushing	Twist rate (left hand)	Ramped	ed	Tritium Night Sights	Radius (inches)	Material	Kimber logo	- B-	Factory setting
Model	Page		_		_	_	_		-	š	_		An	Bu	Fre	ਚੌ	Ä	Ξ̈́	2	19	_		_	£			Bu		Ra	Туре	Ĕ	_		ş	Туре	_
Custom II™	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		ST	MB						$\rightarrow$			ST	MB	•	_	5	CS	Ш	16	Ш	WD		6.8	BS	_	AL	4–5
Custom II™ (NS)	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		ST	MB									ST	MB	•		5	CS		16			FLP	6.8	BS		AL	4–5
Custom Target II	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		ST	MB						_			ST	MB	٠	_	5	CS	Ш	16	Ш	KA,FO		6.8	BS		AL	4–5
Stainless™ II	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		SS	SIL									SS	SIL	•		5	CS	•	16		FLP, FO		6.8	BS		AL	4–5
Stainless™ II (NS)	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		SS	SIL									SS	SIL	•		5	CS		16	Ш		FLP	6.8	BS	<u> </u>	AL	4–5
Stainless Target™ II	8	.45 ACP	5.25	8.7	1.28	38	7	16	FG		SS	SIL									SS	SIL			5	CS		16		KA, FO		6.8	BS		AL	4–5
Stainless Target™ II	8	9mm	5.25	8.7	1.28	38	9	12	FG		SS	SIL									SS	SIL	•		5	CS		16	Ŀ	KA, FO		6.8	BS	<u> </u>	AL	4–5
Stainless Target™ II	8	10mm	5.25	8.7	1.28	38	8	18.5	FG		SS	SIL									SS	SIL	٠		5	CS	·	16		KA, FO		6.8	BS		AL	4–5
Pro Carry™ II	9	.45 ACP	5.25	7.7	1.28	28	7	22	FG		AL	MB								$\Box$	SS	MB			4	CS	Ш	16	Ш	FLP, FO		5.7	BS		AL	4–5
Pro Carry™ II (NS)	9	.45 ACP	5.25	7.7	1.28	28	7	22	FG		AL	MB									SS	MB			4	CS		16			FLP	5.7	BS		AL	4-5
Stainless Pro Carry™ II	9	.45 ACP	5.25	7.7	1.28	28	7	22	FG		AL	SIL									SS	SIL			4	CS	Ш	16		FLP, FO		5.7	BS		AL	4-5
Stainless Pro Carry™ II (NS)	9	.45 ACP	5.25	7.7	1.28	28	7	22	FG		AL	SIL									SS	SIL			4	CS		16			FLP	5.7	BS		AL	4-5
Pro Carry HD™ II	9	.45 ACP	5.25	7.7	1.28	28	7	22	FG		ST	SIL									SS	SIL			4	CS		16		FLP, FO		5.7	BS		AL	4-5
Pro Carry HD™ II (NS)	9	.38 Super	5.25	7.7	1.28	28	9	20	FG		ST	SIL									SS	SIL			4	CS		16			FLP	5.7	BS		AL	4-5
Ultra Carry™ II	10	.45 ACP	4.75	6.8	1.28	25	7	18	FG		AL	MB									SS	MB			3	CS		16		FLP, FO		4.8	BS		AL	4-5
Ultra Carry™ II (NS)	10	.45 ACP	4.75	6.8	1.28	25	7	18	FG		AL	MB									SS	MB			3	CS		16	•		FLP	4.8	BS		AL	4-5
Stainless Ultra Carry™ II	10	.45 ACP	4.75	6.8	1.28	25	7	18	FG		AL	SIL									SS	SIL			3	CS		16		FLP, FO		4.8	BS		AL	4-5
Custom TLE™ II	11	.45 ACP	5.25	8.7	1.28	38	7	16	FG		ST	MB			30						ST	MB	•	•	5	CS		16			FLP	6.8	BS		PA	4-5
Custom TLE/RL™ II	11	.45 ACP	5.25	8.7	1.28	39	7	16	FG		ST	MB			30						ST	MB			5	CS		16			FLP	6.8	BS		PA	4-5
Stainless TLE™ II	11	.45 ACP	5.25	8.7	1.28	38	7	16	FG		SS	SIL			30						SS	SIL			5	CS		16			FLP	6.8	BS		PA	4-5
Stainless TLE/RL™ II	11	.45 ACP	5.25	8.7	1.28	39	7	16	FG		SS	SIL			30						SS	SIL		•	5	CS		16			FLP	6.8	BS		PA	4-5
Tactical Custom	12	.45 ACP	5.5	8.7	1.28	38	7	16	FG		AL	MG			30	30					ST	MB			5	CS		16			FLP	6.8	LW		PA	4-5
Warrior® II	13	.45 ACP	5.25	8.7	1.28	40	7	16	SL	SM	ST	KP			24			$\neg$			ST	KP	•	Πî	5	CS	$\overline{}$	16	П		TW	6.8	GT		SA	4-5
Ultra Covert™ II	14	.45 ACP	4.75	6.8	1.28	25	7	18	FG	CM	AL	DT, KP			30						SS	CG, KP			3	CS		16			TW	4.8	UC, LG		AL	4-5
Ultra CDP™	15	.45 ACP	4.75	6.8	1.28	25	7	18	FG	CM	AL	CG, KP	·		30	30					SS	SIL, KP	$\neg$	Πĺ	3	CS	$\overline{}$	16	$\overline{}$		FLP	4.8	RW		PA	4-5
Compact CDP™	15	.45 ACP	4.75	7.7	1.28	27	7	22	FG	CM	AL	CG, KP			30	30					SS	SIL, KP			4	CS		16			FLP	5.7	RW		PA	4-5
Pro CDP™	15	.45 ACP	5.25	7.7	1.28	28	7	22	FG	CM	AL	CG, KP			30	30					SS	SIL, KP	$\Box$		4	CS		16			FLP	5.7	RW		PA	4-5
Custom CDP™	15	.45 ACP	5.25	8.7	1.28	31	7	16	FG	CM	AL	CG, KP			30	30					SS	SIL, KP			5	CS		16			FLP	6.8	RW		PA	4-5
Ultra Raptor™ II	16	.45 ACP	4.75	6.8	1.28	25	7	18	FG		AL	MB			SR			$\neg$			ST	MB	$\neg$	BC	3	CS	-	16	$\overline{}$		TW	4.8	ZW	·	AL	4–5
Raptor™ II	16	.45 ACP	5.25	8.7	1.28	38	8	16	FG		ST	MB, BP			SR						ST	MB, BP	SR	ВС	5	CS		16			TW	6.8	ZW		AL	4–5
Stainless Raptor™ II	16	.45 ACP	5.25	8.7	1.28	38	8	16	FG		SS	SIL, BP			SR			$\neg$		П	SS	SIL, BP	SR	ВС	5	CS		16	П		TW	6.8	ZW		AL	4-5
Eclipse Ultra™ II	17	.45 ACP	4.75	6.8	1.28	31	7	18	FG		SS	HF			30						SS	HF			3	CS		16			FLP	4.8	LW		PA	4–5
Eclipse Pro™ II	17	.45 ACP	5.25	7.7	1.28	35	8	22	FG		SS	HF			30			$\neg$			SS	HF	$\neg$		4	CS		16	П		FLP	5.7	LW	-	PA	4–5
Eclipse Custom™ II	17	.45 ACP	5.25	8.7	1.28	38	8	16	FG		SS	HF			30						SS	HF			5	CS		16			FLP	6.8	LW		PA	4–5
Eclipse Custom™ II	17	10mm	5.25	8.7	1.28	38	8	18.5	FG		SS	HF			30			$\neg$			SS	HF	$\overline{}$		5	CS		16	١.		FLP	6.8	LW	-	PA	4–5
Eclipse Target™ II	17	.45 ACP	5.25	8.7	1,28	38	8	16	FG		SS	HF			30						SS	HF			5	CS		16		KA B/D		6.8	LW		PA	4–5
Gold Match™ II	18	.45 ACP	5.25	8.7	1.28	38	8	16	FG		SS	MB			30						ST	MB			5	CS	$\overline{}$	16		KA		6.8	RW		PA	4–5
Gold Match Stainless™ II	18	.45 ACP	5.25	8.7	1.28	38	8	16	FG		SS	HF			30						SS	HF			5	CS		16		KA		6.8	RW		PA	4–5
Super Match™ II	19	.45 ACP	5.5	8.7	1.28	39	_	16	FG		SS	SIL			30	30		$\overline{\cdot}$			SS	MB, KP	FL		5	CS	<u> </u>	16		KA		6.8	RW		PA	4–5
Rimfire Compact Conversion Kit™	54	.43 ACI	ر.ر	7.7	1.20	13	10	10	FG		,,,	JIL	Ė		50	-					AL	SIL			4	ST		16		FLP		5.7				-
Rimfire Compact Conversion Kit**	54	.22 LR		7.7		13	10		FG												AL	MB			4	ST		16		FLP		5.7				
Rimfire Target Conversion Kit**	54	.22 LR		8.7		15	10		FG			_									AL	SIL			5	ST	H	16	H.	KA		6.8			H	_
Rimfire Target Conversion Kit**	54	.22 LR		8.7		15	10		FG			_									AL	MB			5	ST		16		KA		6.8				
	27	-22 LII		0.7	1	1 13	1 10		10												/IL	mb			,	21	لنا	10		IND		0.0				

#### FEATURE KEY

AL	Aluminum	FLPB	Fixed low profile. Black	LW	Laminated Wood	SR	Scaled Raptor™ pattern
BP	Brush polished flats	FLP, CS	Fixed low profile, cocking shoulder	MB	Matte black	SS	Stainless steel
BS	Black synthetic	F0	Fiber optic front sight	MG	Matte gray	ST	Steel
CS	Carbon Steel	GT	G-10	PA	Premium Aluminum	TL	Tactical Ledge
CM	Carry Melt™ treatment	HF	Highly polished flats	RW	Rosewood	TW	Tactical Wedge
DT	Desert Tan	KP	KimPro® II	SA	Solid aluminum	UC	Urban camouflage
FC, SH	Fixed cocking shoulder, suppressor height	KA	Kimber adjustable	SE	Serrations	WD	White dot sights
FG	Full-length guide rod	KA B/D	Kimber adjustable bar/dot	SIL	Satin Silver	ZW	Zebrawood
FLP	Fixed low profile	IG	Crimson Trace Lasergrins®	SL	Standard or military-length quide rod		

### REVOLVER SPECIFICATIONS

### FEATURE KEY

BR	Black rubber
BRS	Brushed stainless finish
DAO	Double action only
DLC	Diamond-like carbon finish
GT	G-10
HP	High polish
LW	Laminated wood
MB	Matte Black
MS	Crimson Trace Master Series™ Lasergrips®
SIL	Satin Silver
SS	Stainless steel
W	Walnut

58 California Compliant

Model	Page	Caliber	Available in California*	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty cy	Cylinder capacity	Action	Material	Finish	Backstrap	Material	Finish	Length (inches)	Material	Finish	Black serrated	White Dot Sights	Tritium Night Sights	Fiber Optic	Brass Bead	Radius (inches)	Material	Kimber logo	Single Action Factory settii (appx. pounds)	Double Action Factory sett (appx. pounds)
K6s® Stainless™	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS						4.1	BR			9.5-11
K6s <sup>®</sup> Stainless <sup>™</sup> (LG)	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS		•				4.1	MS			9.5-11
K6s <sup>®</sup> Stainless <sup>™</sup> (NS)	51	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS						4.1	BR			9.5-11
K6s® Stainless™ (3")	51	.357 Mag.		5	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS						5.1	W			9.5-11
K6s® DCR™	50	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	SIL	SE	SS	SIL	2	SS	SIL				•		4.1	LW			9.5-11
K6s® DC™	50	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS/DLC	2	SS	BRS/DLC						4.1	GT			9.5-11
K6s® CDP™	50	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS	2	SS	BRS						4.1	RW			9.5-11
DASA 2in	49	.357 Mag.			6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS						4.1	W		3-3.5	9.5-11
DASA 3in	49	.357 Mag.			7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS						5.1	W		3-3.5	9.5-11

						Stock			Barrel											Stock			Barrel						
RIFLE SPEC	CIFICA	TIC	) N	Sootnotes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) 1	Overall length (inches)	Model	Caliber	Action	Page	Footnotes	Length of pull (inches)	<b>Drop at heel</b> (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) 1			
	7mm-08 Rem.	84M	60	2	13.7	0.54	0.43	22	0.56	9	4	4/13	41.25		.243 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/13	41		
	.308 Win.	84M	60	2	13.7	0.54	0.43	22	0.56	10	4	4/13	41.25	Classic Select Grade™	.257 Roberts	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/12	4		
	6.5 Creedmoor	84M	60	2	13.7	0.54	0.43	22	0.56	8	4	4/14	41.25		.308 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/10	4		
	.270 Win.	84L	60	2	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75		.270 Win.	84L	66	1	13.8	0.54	0.43	24	0.56	10	5	6/2	4		
Mountain Ascent™	.280 Ack. Imp.	84L	60	2	13.8	0.54	0.43	24	0.56	9	4	5/6	43.75		.30-06 Sprg.	84L	66	1	13.8	0.54	0.43	24	0.56	10	5	6/2	ŀ		
wountain Ascent	.30-06 Sprg.	84L	60	2	13.8	0.54	0.43	24	0.56	10	4	5/5	43.75		.300 Win. Mag.	8400 LM	66	1	13.8	0.54	0.43	26	0.56	10	4	7/4			
	.300 WSM	8400 SM	60	2	13.5	0.54	0.43	24	0.56	10	3	5/12	2 43.5	SuperAmerica™	.308 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/10	ŀ		
	.270 WSM	8400 SM	60	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5	Hunter	.243 Win	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/10	Т		
	.300 Win. Mag.	8400 LM	60	2	13.8	0.54	0.43	26	0.56	10	4	6/7	46.5		.257 Roberts	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/10	Τ		
	7mm Rem. Mag.	8400 LM	60	2	13.8	0.54	0.43	26	0.56	9.5	4	6/7	46.5		6.5 Creedmoor	84M	56		13.7	0.54	0.43	22	0.56	8	3	5/9	Ι		
Open Country	6.5 Creedmoor	84M	64		13.8	0.54	0.43	24	0.85	8	4	6/15	43.25		7mm-08 Rem.	84M	56		13.8	0.54	0.43	22	0.56	9	3	5/7			
open country	.308 Win.	84M	64		13.8	0.54	0.43	24	0.56	10	4	6/15	43.25	Hanter	.308 Win.	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/7			
Open Range Pro Carbon NEW	6.5 Creedmoor	84M	62		13.8	0.54	0.43	24	0.85	8	4	6/3	43.25		.270 Win.	84L	56		13.8	0.54	0.43	24	0.56	10	3	5/13	1		
pen kange Pro Carbon NEW	.308 Win.	84M	62		13.8	0.54	0.43	24	0.56	10	4	6	43.25		.280 Ack. Imp.	84L	56		13.8	0.54	0.43	24	0.56	9	3	5/12			
/armint	.204 Ruger	84M	70	1	13.8	0.54	0.43	24	0.69	12	6	7/5	43.25		.30-06 Sprg	84L	56		13.8	0.54	0.43	24	0.56	10	3	5/11			
varimint	.22-250 Rem.	84M	70	1	13.8	0.54	0.43	26	0.69	14	5	7/9	45.25		7mm-08 Rem.	84M	58	4	13.7	0.54	0.43	22	0.56	9	4	5/2			
Pro Varmint™	.223 Rem.	84M	70		13.8	0.54	0.43	24	0.85	9	6	8/0	43.25		.308 Win.	84M	58	4	13.7	0.54	0.43	22	0.56	10	4	5/2	$\perp$		
TO VALIMINE	.22-250 Rem.	84M	70		13.8	0.54	0.43	24	0.85	14	5	8/0	43.25		6.5 Creedmoor	84M	58	4	13.7	0.54	0.43	22	0.56	8	4	5/2			
Caprivi™	.375 H&H Mag.	8400 LM	68	1	13.8	0.49	0.59	24	0.7	12	4	8/10	44.5	Montana™	.270 Win.	84L	58	4	13.8	0.54	0.43	24	0.56	10	4	5/9	$\perp$		
Γalkeetna™	.375 H&H Mag.	8400 LM	68		13.8	0.49	0.59	24	0.7	12	4	7/12	44.5	Montana	.280 Ack. Imp.	84L	58	4	13.8	0.54	0.43	24	0.56	9	4	5/8			
Advanced Tactical™ SRC II	.308 Win.	8400 SM	73	3	13.5	Adjust.	Adjust.	16	0.83	10	5	10/8	37		.30-06 Sprg.	84L	58	4	13.8	0.54	0.43	24	0.56	10	4	5/7	$\perp$		
Advanced Tactical™ SOC	.308 Win.	8400 SM	72	3	13.7	Adjust.	Adjust.	22	0.83	10	5	11/8	43		.300 WSM	8400 SM	58	4	13.5	0.54	0.43	24	0.56	10	3	6/3			
turunceu iucacai 300 ii	6.5 Creedmoor	8400 SM	72	3	13.7	Adjust.	Adjust.	22	0.83	8	5	11/8	43		.300 Win. Mag.	8400 LM	58	4	13.8	0.54	0.43	26	0.56	10	4	6/13			
FOOTNOTES												7mm-08 Rem.	84M	58	4	13.7	0.54	0.43	18	0.59	9	4	4/13						
											Adirondack™	.308 Win.	84M	58	4	13.7	0.54	0.43	18	0.59	10	4	4/13						
<ol> <li>Weight can vary as much a</li> <li>Barrel length indicated on</li> </ol>															6.5 Creedmoor	84M	58	4	13.7	0.54	0.43	18	0.59	8	4	4/14			

RIFLE SPECIFICATIONS CONTINUE TO NEXT PAGE →

Kimber® pistols and rifles are shipped with a California-approved cable lock as a safety measure. Additionally, 1911 pistols are shipped in a lockable high-impact case, and Micro, EVO SP, and K6s pistols are shipped in a lockable soft case. Use of the cable lock is encouraged at all times when a firearm is in storage. Kimber owners may request a free cable lock by mail. Please contact our customer service department at 888-243-4522.

3. Advanced Tactical SRC II and Advanced Tactical SOC II rifles are shipped with one (1) 5-round detachable magazine. Additional 5- and

4. Adirondack and Montana models have a threaded barrel and ship with a thread protector cap, but do not include a muzzle brake (which

10-round magazines are available as an accessory.

is available as an accessory). Adirondack also has a hollowed bolt knob.

Kimber firearms and less-lethal products should only be purchased and used in complete compliance with all laws; national, state and local. All suggestions for use in this catalog, or in any Kimber literature, must be taken within the context of these laws. Customers and dealers are required to comply with all applicable

All Kimber centerfire 1911 pistols include the Loaded Chamber Indicator Port® feature. When a round is in the chamber and light is available, the brass or silver color of the shell casing should be visible through the port in the barrel hood. This feature is another example of Kimber's commitment to firearm safety. However, one must never assume a firearm is unloaded until both the chamber and magazine are empty and the magazine is removed. Even then, all established rules of firearm safety must always be followed. Micro pistols do not have the Loaded Chamber Indicator Port® feature.

Firearm safety is every gun owner's responsibility. Use and store all firearms safely. Teach everyone in your home, especially children, proper firearm safety.

Kimber less-lethal products contain a strong irritant (inflammatory agent) derived from cayenne peppers. Avoid contact with skin and eyes. In case of contact, flush with water for at least 15 minutes. Seek immediate medical attention if symptoms persist or worsen. Always keep Kimber less-lethal products out of the reach of children. There is risk of injury to eyes if used at less than the minimum safe distances specified in the product instruction manual. Kimber less-lethal products may be unlawful to own or possess in some states and jurisdictions. Check with your state and local authorities. Use of Kimber less-lethal products for any purpose except lawful self-defense may be a crime. U.S. PAT. 6,951,070B2.

Certain products may not be available for sale in certain states.

©2020, Kimber Mfg., Inc. All rights reserved. The absence herein of any product name, mark, logo, etc. does not constitute a waiver by Kimber Mfg., Inc. of any intellectual property rights that Kimber Mfg., Inc. may own. Information and specifications presented are for reference only and subject to change without notice at any time. Company names other than Kimber Mfg., Inc. mentioned herein, and such other companies' respective product names, may be trademarks of such respective companies.

specifications | 59



RIFLE SPECIFI	CA		Classic Select Grade"	SuperAmerica"	Hunter	Montana**	Adirondack™	Mountain Ascent"	Open Country	Open Range NEW	Varmint	Pro Varmint**	Caprivi**	Talkeetna"	Advanced Tactical" SRC II	Advanced Tactical" SOC II
		A walnut AAA walnut									· ·					
		A French walnut														
	<del>-</del>	AA French walnut														
	Material	Reinforced carbon fiber				٠				•						
	2	Fiberglass composite														
		Polymer composite  Gray laminated wood														
		Aluminum														
	ring	Coverage	Panel	Wrap	None	None	None	None	None	None	Panel	None	Wrap	None	None	None
	Checkering	Lines per inch	20	24							20		24			
	Ċ	Stippling  Ebony forend tip														
	Н	Cheekpiece	•													
		Hand-rubbed oil finish											٠			
		Optifade™ Elevated					٠									
		Optifade™ Open Country  Optifade™ Subalpine								•						
Stock		Realtree* Edge														$\vdash$
· 8		Kryptek™ Highlander™														
		Granite							·	•						
	Н	Sniper Gray FDE														
	Н	Howell-style inletted rear swivel stud														
		Front barrel band swivel stud														
		Front sling swivel studs		•		٠		•		•						
	Н	Additional front swivel stud for bipod  Rear sling swivel studs								•						
	Н	Flush swivel cups (4)	•		<u> </u>			•	<u> </u>		<u> </u>	<u> </u>	•	<u> </u>		
		Double crossbolts														
		Recoil pad thickness (inches)	1	1	1	1	1	1	1	1	0.5	1	1	1	1	1
	Н	Pachmayr Decelerator pad	•	•		•	•	•			· ·		•	· ·		
	Н	Kimber custom recoil pad Pillar bedding								•						
	Н	Glass bedding														
		Aluminum chassis														
	н	Steel grip cap	•	•							·		٠			
	<u>.</u>	Steel	•	٠									٠			
	Material	Stainless steel				٠	•	٠				٠			٠	
		Carbon Fiber Wrapped Stainless steel														
		Highly polished blue														
Barrel	Finish	Matte black Satin stainless steel	•										•			
Bar	Æ	Satin stainless steel  KimPro® II Gray			<del>'</del>		<u> </u>				<u> </u>	<u> </u>		<del>'</del>		
		KimPro* II Black														
		Express sights											٠			
		Fluting Threaded Barrel										•				
		Match grade chamber							<u> </u>							
	<u>ē</u>	Steel														
	Materia	Stainless steel														
		Matte black														$\vdash \vdash \vdash$
		Highly polished blue														
	Finish	Satin stainless steel														
	ī	KimPro® II Desert Tan													•	
Action		KimPro® II Gray KimPro® II Black														
Act	ě	Front locking repeater														
	Type	Mauser claw extractor			·				·		·			·		
	dle	Sporter	•	٠		٠		٠					٠			
	Bolt handle	Fluted, hollowed  Varmint						•								
	Bo	Tactical														
		3-position Model 70-type wing safety					٠	٠	·		·					·
<u>.</u>		Picatinny rail, 20 minutes elevation													٠	·
Trigger		Adjustable Factory setting (pull) pounds	3.5-4	3.5-4	3-3.5	3.5-4	3.5-4	3.5-4	3-3.5	3-3.5	3-3.5	3-3.5	3.5-4	3.5-4	2.5	2.5
_ <del>-</del>		, , ,														

